

VA Mobile Health Practice Guide

2ND EDITION | AUGUST 2025



VA



U.S. Department of Veterans Affairs
Veterans Health Administration
Office of Connected Care

National Center for
PTSD
POSTTRAUMATIC STRESS DISORDER

Qualifying Statements

All statements in this guide, including the analysis of scientific findings, are the opinions of the authors and do not represent the views of the U.S. Department of Veterans Affairs or U.S. Department of Defense. Although this guide is designed to inform decision-making, it does not define a standard of care or prescribe an exclusive course of management. Application of the methods described will inevitably vary depending on the needs of Veterans, available resources, and limitations that are unique to an institution or type of practice. Health care professionals are responsible for evaluating the appropriateness of applying these guidelines in clinical situations.

Also, information included in this guide at the time of publication will represent the most accurate available information. Because health technologies change frequently (e.g., new apps released, outdated apps retired, apps updated, new app research released), the information on specific app functionality described may become outdated. However, future editions of this guide will incorporate updated information, and you can find updated information at mobile.va.gov.

Recommended Citation

Armstrong, C. M., McGee-Vincent, P., Bosch, J. O., Becket-Davenport, C., Culver, L., Owen, J., Zipper, K., Frosch, C., & Ramsey, K., (2025). *VA Mobile Health Practice Guide* (2nd ed.). U.S. Department of Veterans Affairs. Washington, DC.

Conflict of Interest

On behalf of all authors, the corresponding authors state that there are no financial or personal conflicts of interest. The authors alone are responsible for the content and writing of this guide.



Acknowledgments

This guide is based on previously published guides “VA Mobile Health Practice Guide, 1st Edition (Armstrong et al., 2021), which was originally based on the published guide, “U.S. Department of Defense Mobile Health Practice Guide, 4th Edition” (Armstrong, et al., 2018), and previous versions (3rd Edition – Armstrong, et al., 2017, 2nd Edition, Armstrong, et al., 2016, 1st Edition – Armstrong, et al., 2015). The authors of the current guide would like to thank Timothy J. Avery, PsyD, Kelly A. Blasko, PhD, Nigel E. Bush, PhD, Robert P. Ciulla, PhD, David C. Cooper, PsyD, Amanda Edwards-Stewart, PhD, ABPP, Christine Gould, PhD, Donald M. Hilty, MD, MBA, Tim V. Hoyt, PhD, Andrea Jamison, PhD, Beth Jaworski, PhD, Katherine, Juhasz, MS, Julie T. Kinn, PhD, David D. Luxton, PhD, Margaret-Anne Mackintosh, PhD, Larry D. Pruitt, PhD, Greg Reger, PhD, Mark Reger, Ph.D., and Nancy A. Skopp, PhD, for their contributions to previous versions that greatly influenced the content of the current guide.

Contact Information

Questions or comments about this guide may be submitted by email to Christina Armstrong, Ph.D., at Christina.Armstrong@va.gov, or by mail to the following address:

Connected Care, Digital Health Office
U.S. Department of Veterans Affairs
810 Vermont Ave. NW,
Washington, DC 20420
connectedcare.va.gov





Table of Contents

I. Introduction	1
II. Mobile Health in Clinical Care	3
Knowledge Area 1: Evaluating the Evidence Base	7
Hierarchy of Evidence: Evaluating the Mobile Health Evidence Base.....	8
Making the Case for Mobile Health: Evidence Base Practice in Action	8
App Rating and Clearinghouses	16
Knowledge Area 2: Clinical Integration	18
Readiness	18
App Introduction	24
Workflow.....	25
Prescription.....	26
Data Review.....	28
Documentation.....	30
Knowledge Area 3: Security and Privacy	31
Source	33
Permissions	37
Data Protection	38
Knowledge Area 4: Ethical Issues	41
Competence	43
Human Relations	44
Informed Consent.....	45
Confidentiality.....	47
Discussing the Limits of Confidentiality	49
Recording.....	49
Minimizing Intrusions on Privacy.....	50
Knowledge Area 5: Cultural Considerations	51

III. Conclusion	56
IV. References	58
V. Abbreviations and Acronyms	71
VI. Glossary	74
VII. Mobile Health Implementation Toolkit (Appendices).....	78
Appendix A. VA Technology Training and Resources	79
Appendix B. Mobile Health Competencies.....	82
Appendix C. Examples of Mobile Health Levels of Evidence	89
Appendix D. Clinician’s Guide: VA Virtual Care Tools.....	92
Appendix E. Prescription for VA Virtual Care Tools	93
Appendix F. Mobile Health Security and Privacy Handout for Veterans and VA Health Care Staff ...	94
Appendix G. Top 20 FAQ.....	95
Appendix H. Script for Assessing Veteran Readiness To Use VA Apps	103
Appendix I. How To Sign in to VA Connected Apps	104
Appendix J. Activity Sheets	105
Activity Sheet 1: Evaluating the Evidence Base of Mobile Health Apps in Clinical Care	105
Activity Sheet 2: Introducing a Mobile Health App in Clinical Care	106
Activity Sheet 3: Integrating Mobile Health Apps Into Clinic Workflow	107
Activity Sheet 4: Prescribing a Mobile Health App in Clinical Care.....	109
Activity Sheet 5: Practicing Integrating Mobile Health Apps in Clinical Care	112
Activity Sheet 6: Ethical Dilemmas With Mobile Health Apps in Clinical Care.....	113
Activity Sheet 7: Adapting Your Informed Consent Document When Using Mobile Health Apps in Clinical Care	114
Activity Sheet 8: Increasing Your Technological Cultural Competence.....	115
VIII. Contributor List.....	117



I.

Introduction



I. Introduction

Rapid advances in health technologies continue to require health care professionals maintain a working knowledge of consumer digital tools, particularly mobile health (mHealth) apps, and understand how they are used for patient education, remote monitoring, self-management, and treatment. The U.S. Department of Veterans Affairs (VA) Mobile Health Practice Guide (2nd Edition) remains a foundational resource, providing tutorials on downloading and integrating apps into clinical workflows. Although designed primarily for VA clinicians, this guide is also applicable across the U.S. Department of Defense (DoD) and broader civilian health care systems.

Intended to support decision-making, the guide outlines five core knowledge domains essential for integrating mHealth into patient care. These domains offer practical knowledge that enables health care staff to incorporate digital tools in a way that complements clinical workflows and improves outcomes. While the guide highlights specific VA and DoD-developed apps, the clinical integration strategies it presents are applicable to a broad range of commercially available health apps and other virtual care technologies, particularly in hybrid or telehealth models of care.

Veterans, Service Members, and their families continue to face significant barriers in accessing traditional health services, including geographic isolation, stigma around mental health care, and the challenges of care continuity during transitions (Kuhn et al., 2022; Whealin et al., 2021). Frequent relocations and deployments can further complicate access. mHealth technologies offer solutions to bridge these gaps by enabling continuity, convenience, and privacy. However, despite high smartphone adoption rates among Veterans, a persistent digital divide remains in provider readiness. Research shows that while many patients are eager to use technology, health professionals may underestimate this interest, delaying implementation (Connolly et al., 2023; Schueller et al., 2021; Whealin et al., 2021).

As health professionals, it is imperative to meet patients where they are and ensure equitable access to quality care. With the majority of Veterans owning smartphones and expressing interest in digital health, staff must develop core mHealth competencies (Hilty, Chan, et al., 2022) to integrate these tools effectively into care delivery. Bridging the gap between knowledge and practice is central to VA and DoD's mission of delivering high-quality, accessible care. The VA Mobile Health Practice Guide 2nd Edition, in tandem with structured virtual care training programs, equips clinicians with the competencies necessary to adopt digital health tools safely and effectively. Standardized training and sustained support are essential to ensure health care staff feel confident in app integration and are equipped to evaluate the evidence, efficacy, and ethical implications of these technologies. With decades of cross-sector research and implementation experience embedded in its development, this guide aims to empower clinicians to lead in the evolving landscape of virtual health.

To learn more watch the following videos that provide overviews on the use of virtual care:

- ***Intro to Virtual Care for VA Health Care Staff (for VA Staff & New Employee Orientations)***
- ***Resources for VA Staff: Adopt & Champion Virtual Care***
- ***Intro to Virtual Care for Veterans (for Veterans & New Patient Orientations)***



II.

Mobile Health in Clinical Care

II. Mobile Health in Clinical Care

5 Core Knowledge Areas

What should health care professionals learn when training in mobile health? The mobile technologies competencies developed by Hilty, Chan, and colleagues (2022) provide a validated framework for equipping clinical staff with the skills needed to deliver care enhanced by digital tools.



Evidence Base



Clinical Integration



Security and Privacy



Ethical Issues



Cultural Considerations

The five core knowledge areas are:

- 1. Evidence base:** Evaluating and analyzing the evidence base supporting mobile health tools, including available randomized controlled trials, standardized health technology assessments, usability testing, and implementation data. This includes understanding the research on mobile health in general, as well as considering whether research is available regarding a particular app in a clinical context.
- 2. Clinical integration:** Effective integration of apps into care requires an understanding of workflow, documentation, and communication with patients. This includes app prescription, review of patient-generated health data, documentation in the electronic health record, and alignment with treatment goals. *Tools such as the VA Virtual Care Tools Clinicians Guide and Prescription Pad* have improved the usability of apps in clinical practice (e.g., Armstrong et al., 2022; Hilty et al., 2022).
- 3. Security and privacy:** Security and privacy are key concerns when integrating mobile apps into care. Clinicians must understand Health Insurance Portability and Accountability Act (HIPAA) compliance, mobile device security best practices, and how to communicate risks and safeguards to patients. Recent guidance from federal agencies now includes structured checklists and templates for reviewing app data sharing policies (e.g., Office of the National Coordinator for Health IT [ONC], 2023).
- 4. Ethical issues:** The use of mobile health tools introduces new ethical challenges, including boundary management, informed consent, data ownership, and equitable access. Clinicians should be trained to identify ethical dilemmas early and resolve them in alignment with professional codes of conduct and evolving standards in digital health ethics (e.g., Edwards-Stewart et al., 2021; APA, 2024).

- 5. Cultural considerations:** Clinicians must assess their own biases, recognize the patient’s preferences, and be attuned to the cultural and contextual factors that shape engagement with technology. This includes addressing disparities in access and ensuring that mobile health tools are personalized to support patient trust and engagement (Armstrong, Ortigo, et al., 2021; Whealin et al., 2021).

These knowledge areas are aligned with the Mobile Technologies Clinical Competencies developed by Hilty, Chan, and colleagues (2022), which themselves map to the Accreditation Council for Graduate Medical Education (ACGME, 2013) milestone framework. There have been tremendous advancements in the area of clinical competencies for the integration of many virtual care modalities, including telehealth (Association of American Medical Colleges, 2021; Gentry, Beito & Hilty, 2025), sensors, wearables, and remote patient monitoring (Hilty, Armstrong, et al., 2021), digital health (Gutierrez et al., 2025; Longhini et al., 2022), and more. The guide supports staff in reaching a “competent/proficient” level—equivalent to ACGME levels 3–4 for mobile health. The structured competencies and case-based training provided within this guide aim to prepare health care staff to confidently and ethically integrate digital health tools into routine clinical practice. (See Appendix B for Hilty, Chan, et al.’s published competencies.)

AREAS AND TOPICS OF MOBILE TECHNOLOGIES CLINICAL COMPETENCIES

Areas and Topics of Mobile Technologies Clinical Competencies	Evidence Base	Clinical Integration	Security and Privacy	Ethical and Legal Issues	Cultural Considerations
Patient Care					
History taking		x			
Engagement and interpersonal skills		x			
Mental status examination (MSE)		x			
Assessment		x			
Management and treatment planning		x			
Clinical decision support (CDS)	x	x			
Patient and family education		x			x
Administration and documentation		x		x	
Medicolegal issues: privacy, confidentiality, safety, data protection and integrity, and security		x	x	x	
Interpersonal and Communication Skills					
Communication		x			
Evaluation and feedback		x			
Cultural, diversity, and social determinants of health; language issues		x			x
Special populations	x	x			x
Professionalism					
Attitude		x			x
Integrity and ethical behavior		x		x	x
Scope and therapeutic objective(s)		x			

AREAS AND TOPICS OF MOBILE TECHNOLOGIES CLINICAL COMPETENCIES (CONT.)

Systems-Based Practice					
Interprofessional education (IPE) and teamwork	x	x			
Safety (see Patient Care and Professionalism)		x	x	x	
Models, practices, and systems of care	x	x	x	x	x
Practice-Based Learning					
Evaluation approach	x	x			
Quality improvement (QI)	x	x			
Learning, feedback, and teaching practices	x	x			
Knowledge					
Definition of mobile technologies	x	x	x	x	x
Evidence base	x	x	x	x	x
Problem-solving and prevention	x	x	x	x	x
Patient care	x	x	x	x	x
Decision support	x	x	x	x	x
Risks of using mobile technologies	x	x	x	x	x
Technology					
Technology adaptation	x	x	x	x	x
Technology operation	x	x	x		x

Although the current guide will provide information on all the above mobile health competencies, much of the guidance can be applied to other virtual care technologies as well. The information aligns with the core knowledge areas of clinical integration across virtual care tools allowing this guide serves as a clinical integration toolkit for health care staff. This guide will provide the information needed to increase competencies from the novice/advanced beginner level to the competent/proficient level. As with all clinical skills, practice and additional training will be required to become comfortable with integrating mobile health technologies and other virtual care technologies into clinical practice. For staff members interested in increasing knowledge and skills to the advanced/expert level, see Appendix B and the references and resources in this guide.






Knowledge Area 1: Evaluating the Evidence Base

Integration of mobile health technologies into clinical workflows promises to expand the care delivery options available to care teams and Veterans. As opportunities to integrate mobile health increase, health care staff will need the foundational skills to competently evaluate the evidence base supporting mobile health as an intervention. Literature on the benefits of mobile health in clinical care and research on specific diagnostic populations remains limited, primarily due to the relatively recent emergence of mobile health care technology and apps (BBC News, 2013). Additionally, although the time to develop a mobile health technology such as an app is about 18 weeks, the time to conduct a randomized control trial (RCT) is three to five years (Anguera et al., 2016; Rice, 2013). As a result, the research is constantly trying to catch up with the technology. However, in an increasingly digital environment with expanding use of telehealth, empirical evidence for mobile health interventions is growing (Hirschitt & Insel, 2018). This section of the VA Mobile Health Practice Guide provides an overview of the evidence supporting the adoption and clinical integration of mobile health.

LEVELS OF EVIDENCE



Levels of Evidence (LoBiondo-Wood & Haber, 2010)



Hierarchy of Evidence: Evaluating the Mobile Health Evidence Base

It is important to evaluate the quality of available evidence supporting the use of mobile health. One of the foundational principles of evidence-based health care is that not all evidence is created equal. A hierarchy of evidence is often used to help select the best evidence. One example of a widely accepted hierarchy is LoBiondo-Wood and Haber's model (2010). Their method includes seven levels to evaluate evidence, based on type and quality, with Level I as the most stringent (see previous figure). For examples of the levels of evidence for select VA apps and technology, refer to Appendix C.

When evaluating the level of evidence supporting an app, the following questions should be asked and answered:

- Is the content of the app built on evidence-based practices?
- If so, what is the level of the evidence base?
- What is the level of research on the efficacy of treatment with and without the mobile health component?

For practice evaluating the level of evidence, refer to Appendix J, Activity Sheet 1.

Making the Case for Mobile Health: Evidence Base Practice in Action

Attitudes Toward the Use of Mobile Health Technology

Research demonstrates that most Veterans have positive attitudes toward the use of health technology in their clinical care. In a study of older Veterans by Gould and colleagues in 2019, 65% of Veterans were found to prefer some form of technology, such as an app, website, or DVD, for accessing a health self-management intervention; 29% indicated that an app was the first preference for delivery modality; and 35% preferred printed materials for self-management. Veterans may prefer to use some type of technology for health care, but many are not aware of the virtual care options available to them. In a study by Reger and colleagues in 2022, they looked at Veteran knowledge and use of VA mobile health apps and apps developed by DoD. They found that although smartphone ownership was high at 91%, only 42.5% had heard of and used at least one of the apps available (Reger et al., 2022).

A 2019 study of VA provider perceptions of the use of mobile health (Miller et al., 2019) found that 91% of providers "know how to find mobile apps and download them to a smartphone;" 82% agreed "using apps helps to address my patients' needs;" 81% "know other providers who have found value in using mobile apps;" 80% have "recommended using mobile apps to colleagues;" and 87% agreed "using apps makes it easier to provide educational materials."




Benefits of Mobile Health Use in Clinical Care


Reviews on the effectiveness of apps for various mental health conditions reflect modest but significant findings.

These conditions include alcohol use disorders (Fowler et al., 2016; Quanbeck, et al., 2014; Wang et al., 2018); anxiety, depression, and schizophrenia (Chandrashekar, 2018; Hirschitt & Insel, 2018); eating disorders (Juarascio et al., 2015); smoking cessation (Ubhi et al., 2016); sleep disturbances (Cavanagh et al., 2020; Shin et al., 2017; Wang et al., 2018); and quality of life and other concerns in elderly populations (Changizi & Kaveh, 2017). Additional reviews have addressed the use of mobile technology in psychotherapy more broadly (Boschen, 2009; Donker et al., 2013; Lui et al., 2017; Prentice & Dobson, 2014) as well as how apps can be used in health care, such as for appointment reminders (Guy et al., 2012); medication adherence (Rathbone & Prescott, 2017; Santo et al., 2016); weight management (Rathbone & Prescott, 2017); illness management (Vodopivec-Jamsek et al., 2012); and mobile messaging for preventive health care (Vodopivec-Jamsek et al., 2012). To learn more watch the following video: [**Expanding Access to Virtual Care for Veterans**](#)

The following are some benefits using mobile health technologies in clinical care, as described in the resources cited:

- Reduces barriers to accessing care (Donker et al., 2013; Prentice & Dobson, 2014).
 - » Apps exist on portable devices, which can be accessed by geographically dispersed populations (Poropatich, Lai, et al., 2013; Luxton, Mishkind, et al., 2012).
 - » If there are time delays in obtaining or pursuing an appointment, apps can be downloaded and accessed in the interim, 24 hours a day (Hirschtritt & Insel, 2018).
 - » Due to the discretion of a personal device, apps could potentially reach those who do not seek face-to-face care due to concerns about confidentiality or perceived stigma (Sloan et al., 2011; Whealin et al., 2014).
- Increases patient compliance and engagement with care (Dale & Hagen, 2007; Dennison et al., 2013; Gaggioli & Riva, 2013; Reger et al., 2013; Ryan et al., 2017)).
 - » Literature on app use for self-management of physical illnesses suggests that there are helpful ways apps can be used in mental health care. For example, reminders are associated with increased adherence to medication regimens and decreased missed appointments (Rathbone & Prescott, 2017)

- 
- Improves the validity of patient reports through real-time symptom tracking (Bush et al., 2014; Kuhn, Eftekhari, et al., 2014), which could enhance measurement-based care (Lewis et al., 2019).
 - Improves efficiency of care (Donker et al., 2013; Ventola, 2014).
 - » Patients can access assessments and worksheets on their cellphones at their convenience. Apps can also save patients time by automating some of the administrative tasks associated with symptom tracking (e.g., entering dates and times, formatting monitoring entries) (Bakker et al., 2016).
 - » For providers, apps can augment interdisciplinary treatment for mental health concerns, such as the collaborative care model (Carleton et al., 2020).
 - Expands health care beyond face-to-face visits (Bush et al., 2013; Carlson et al., 2016; Egede et al., 2016).
 - » In addition to assessments and worksheets, Veterans can access tools, psychoeducation, and other resources all in the same app. Apps can also provide real-time intervention and communication and can take advantage of game technologies and GPS (Lui et al., 2017).
 - » Additional research supports that mobile health technologies can increase efficiency and convenience of care, facilitate case management across geographic locations, and extend health care beyond in-person visits. Thus, the aggregation of evidence does support the use of mobile health apps as a supplement to traditional treatment. In addition to these positive outcomes, there are benefits to incorporating mobile health into your clinical practice. (Carlson, et al., 2016; Egede, et al., 2016).
 - Potentially extends evidence-based care to individuals with either clinical or subclinical psychological problems (Bakker et al., 2016).
 - » VA apps are based on cognitive behavioral therapies (CBTs), which have demonstrated efficacy when administered via computer (Bakker et al., 2016). Some are “treatment companion” apps that are meant to be used in conjunction with evidence-based psychotherapy (e.g., the PE Coach app with prolonged exposure [PE] therapy). All VA apps contain therapeutic components of effective CBT, such as coping skills, psychoeducation, and symptom tracking (Bush, Armstrong, Hoyt, et al., 2019).
 - Reduces disparities in care for individuals with disabilities and for historically underserved populations.
 - » Although more research is needed on apps specifically, historically underserved populations have benefitted from other mobile health strategies, such as text messaging services (Anderson-Lewis et al., 2018).
 - » Some underserved populations may rely more on mobile health, due to limited health care resources in their communities (Anderson-Lewis et al., 2018; van Veen et al., 2019).

- 
- Clinicians See Value in Health Apps
Most VA providers:
 - » Know how to use apps or what's available
 - » Believe apps help meet patients' needs
 - » Frequently recommend apps to colleagues
 - » Find apps useful for sharing education with patients
 - Provides patient-centered care. Patients are open to mobile health – but many don't know what's available
 - » Most Veterans like the idea of using technology (apps, websites, DVDs) for managing their health.
 - » Even though 91% of Veterans own smartphones, only about 42% have actually used VA or DoD health apps.
 - » Apps empower patients by giving them more options to suit their preferences or circumstances (Hilty et al., 2017). For example, patients can opt to have their suicide prevention safety plan in a paper or digital format — or both.
 - Provides potential significant cost reductions through using mobile technologies across a range of health care activities (Cortez, 2013; Luxton et al., 2014).
 - Providing a best practice, as identified by front-line clinicians (Fernandez & Short, 2014).

In an American Medical Association study of 1,300 clinicians in the U.S., the majority of which were 41 or older, the providers said that they use mobile health apps because they improve practice efficiency, increase patient safety, improve diagnostic ability, increase patient adherence to treatment, improve the physician-patient relationship, and reduce provider stress and burnout (American Medical Association, 2022).

Barriers to Mobile Health Use in Clinical Care


In a survey of primary care physicians about barriers to mobile health adoption, 21% of the physicians surveyed cited lack of time as a barrier (Physicians Practice Staff, 2018). In a survey of VA and DoD providers, 37% said they did not know how to integrate apps into clinical practice, and 27% noted they needed more training (Armstrong, Ortigo, et al., 2018; Armstrong, 2019). A 2019 study by Miller and colleagues revealed that 23% of VA providers cited structural and contextual barriers to mobile health adoption, explaining that in a busy clinic there was no time to explain app use to Veterans and assist with downloading (Miller et al., 2019).

Additional barriers to mobile health adoption are concerns that learning and/or using mobile health would impinge on time (Physicians Practice, 2018), may not fit into their workflow (Miller et al., 2019), and may negatively affect data privacy (Torous, Wisniewski, et al., 2018). Other potential limitations are the inability to support technology infrastructure, connectivity issues, and lack of support for mobile health integration at a health care facility.

Additional barriers to mobile health adoption in clinical care are:

- Use gaps —
 - » In the U.S., smartphone ownership is lower in rural areas, as is access to reliable networks (Pew Research Center, 2019). Veterans living in rural areas report more opposition to using apps specifically for mental health care, citing connectivity issues as one barrier (Connolly et al., 2018).
 - » Although Veterans of all ages reported being interested in and willing to use mental health apps, older Veterans reported lower rates of smartphone ownership (Connolly et al., 2018).
 - Additional research by Saleem and colleagues published in 2020 and 2022 also found that Veteran attitudes toward virtual care were positive. It showed that Veterans were supportive of using virtual care tools, including wearable devices; Veterans were interested in sharing health information collected by virtual care tools with VA health care professionals; and Veterans expressed a desire for consolidation across VA-provided virtual care tools. (Saleem et al., 2020; Saleem et al., 2022)
 - This fits the broader culture for health care where Veterans want to use technology and have the flexibility to use mobile care. Research supports that Veterans typically have a positive attitude toward using virtual care.
 - » Use of mobile devices varies among providers, such that heavier users tend to be those in large and complex practices. As with patients, age is less of a factor (AMA, 2020b). The use of mobile devices may also vary between providers and recipients of care. For example, a DoD study found high use among Service members and lower use among military providers (Bush & Wheeler, 2015). Research is needed to determine if there are differences in types of mobile devices used by VA providers versus Veterans. Lack of familiarity with the functionality across platforms could also slow the adoption of mobile health.



- 
- Provider needs for training —
 - » Mobile health adoption is slowed by a lack of awareness of apps built to support evidence-based treatments, concerns about privacy and safety (Schueller et al., 2016), and a lack of understanding of the evidence base for these tools (Physicians Practice, 2018; Gagnon, et al., 2015).
 - » Other barriers include providers' lack of awareness of or knowledge for how to determine which of the thousands of existing apps are "good" and how best to implement them (Armstrong 2019; Armstrong, Ciulla, et al., 2018).
 - A 2018 study from Armstrong, Ciulla, and colleagues measured the effectiveness of courses on virtual care technologies with VA and DoD health care staff. Before the training, about 42% of staff members said they used technologies. After the training, about 94% said they were interested in using the technologies. Three months after the training, the surveyed staff members maintained this use rate. (Armstrong 2019; Armstrong, Ciulla, et al., 2018).
 - Another study in 2023, implemented a training program to assist VA staff in their use of VA Mental Health apps with Veterans seen in both mental health and non-mental health environments. There were 1110 participants. There was a high representation of interested staff in both mental health and other settings. The training was very well received, and participants were comfortable sharing the use of apps with Veterans post training. (McGee-Vincent, P, et al. 2023).
 - » Providers want digital tools to fit within their existing systems and practices (e.g., liability coverage, reimbursement; AMA, 2016), and VA and DoD providers specifically cited concerns about unclear policies regarding mobile health use (Armstrong, Ciulla, et al., 2018).
 - Failure to prescribe —
 - » In a recent survey of physicians, 51% were open to discussing apps with patients, but only 18% had recommended or prescribed an app to patients (Kong et al., 2020).
 - » Similar responses were seen with nurses. In a survey of 1,241 nurses asking about their mobile health app use, 48% had installed health apps on devices and 15% had been asked by patients to prescribe an app, but only 7% had recommended or prescribed an app (Kong et al., 2020).

VA Mobile Health Use

Across health care systems, staff and patients are using or willing to use mobile health technologies. In a data comparison of U.S. populations (Pew Research Center, 2024; Peters et al., 2024):

91%

of U.S. adults own a smartphone, and these rates are similarly high across sex and ethnoracial backgrounds.

98%

of U.S. adults 18-29 owned a smartphone, 97% of 30-49, 91% of 50-64, and 79% over 65.

80%

of U.S. adults have home broadband access.

81%

of U.S. physicians used telehealth for patient care (up from 16% in 2019).

Increased App Use:
41.5% 80.0%
in 2014 in 2019
in healthcare staff

VA MOBILE FACTS:

First VA app launched in 2011

The first VA app, PTSD Coach, was launched in April 2011 by the VA's National Center for PTSD.

60+ apps

More than 60 apps are available on the VA App Store at mobile.va.gov/appstore.

More apps

Additional apps are in development or undergoing testing by Veterans and VA care teams.


Source: Veterans Health Administration

Access to Mobile Devices


Like Veterans, most VA and DoD health care staff members also have access to mobile devices—though mostly for personal use. A study by Armstrong and colleagues (2018) found that while many staff didn't have work-issued mobile devices, most reported owning a personal smartphone or tablet (see figures below). The top graph shows smartphone ownership, and the bottom graph shows tablet ownership. On each graph, the dark blue line represents the percentage of VA and DoD health care staff members who owned a device for personal use, the light blue line represents those who had a device for work use, and the orange line provides a comparison with the device ownership levels across the U.S. adult population. A majority (73%) of staff members were 34 and older (2014 data: Edwards-Stewart, et al., 2016 (N=45); 2015-2017 data: Armstrong, Ciulla, et al., 2018 (N=760); 2018 data: Armstrong, 2019 (N=252)).

VA MOBILE HEALTH FACTS

Smartphone Ownership



Tablet Ownership



Data collected on the rate of smartphone and tablet ownership for VA and DoD health care staff from 2014 to 2018.



App Rating and Clearinghouses

Although it is outside of the scope of this guide to dig too deeply into the app evaluation process, VA health care staff needs to be aware of existing app rating processes and existing clearinghouse platforms that provide excellent resources for VA health care staff and Veterans in the process of identifying the quality of an app.

Standard app rating processes have been established and are categorized into usability assessment scales and quality rating scales. Although usability assessment scales are important in the development of an app, in terms of what VA health care staff need to know to integrate apps into clinical care, the app quality rating scales provide the answers that VA health care staff need to know when identifying which app to use. In a systematic review, Azad-Khaneghah and colleagues (2020) identified 24 usability scales and 25 quality rating scales across 87 peer-reviewed articles related to app reviews. Several key examples of quality rating scales are included here:

- **Mobile App Rating Scale (MARS):** Measures engagement, functionality, aesthetics, information, subjective quality, and has good internal consistency (Cronbach alpha = 0.92) and interrater reliability (ICC = 0.85) (Stoyanov et al., 2015; Stoyanov et al., 2016).
- **uMARS:** Measures engagement, functionality, aesthetics, information, subjective quality, and has good internal consistency (Cronbach alpha = 0.90) and interrater reliability (ICC = 0.70 at two to three months). (Stoyanov et al., 2016).
- **American Psychiatric Association App Evaluation Model:** Considers accessibility and background, privacy and security, the clinical foundation, usability, and data integration toward the therapeutic goal (American Psychiatric Association, 2020).

There are also many systematic reviews of the quality of apps for different diagnoses or conditions, including:

- **Pain:** Salazar, A., de Sola, H., Failde, I. & Moral-Munoz, J.A. (2018) Measuring the quality of mobile apps for the management of pain: Systematic search and evaluation using the Mobile App Rating Scale. *JMIR Mhealth Uhealth*, 6, e10718. doi: 10.2196/10718
- **Medication adherence:** Santo, K., Richtering, S. S., Chalmers, J., Thiagalingam, A., Chow, C. K., & Redfern, J. (2016). Mobile phone apps to improve medication adherence: a systematic stepwise process to identify high-quality apps. *JMIR Mhealth Uhealth*, 2, e132.
- **Insomnia:** Cavanagh, R., Mackey, R., Bridges, L., Gleason, A., Ciulla, R., Micheel, L., Bradshaw, D., Armstrong, C., & Hoyt, T. (2020). The use of technologies to manage insomnia in military populations. *Journal of Technology in Behavioral Science*, 5, 61–69. doi:10.1007/s41347-019-00114-w
- **Schizophrenia:** Firth, J., & Torous, J. (2015). Smartphone apps for schizophrenia: a systematic review. *JMIR Mhealth Uhealth*, 3(4), e102. <https://mhealth.jmir.org/2015/4/e102>

- **Bipolar disorder:** Nicholas, J., Larsen, M., Proudfoot, J., & Christensen, H. (2015). Mobile apps for bipolar disorder: a systematic review of features and content quality. *J Med Internet Res*, 17(8), e198. doi:10.2196/jmir.4581
- **Depression and smoking cessation:** Powell, A. C., Torous, J., Chan, S., Raynor, G. S., Shwartz E., Shanahan, M., Landman, A. B. (2016). Interrater reliability of mHealth app rating measures: analysis of top depression and smoking cessation apps. *JMIR Mhealth Uhealth*, 4(1), e15. doi:10.2196/mhealth.5176

Rating apps using these processes can be time-consuming for busy VA health care staff, and several clearinghouse groups have established websites that provide easy access to unbiased information on reviews of apps. Several examples include:

- **mHealth Index and Navigation Database (MIND):** Led by Dr. John Torous and team, MIND is a tool that includes a database of app reviews from trained app raters. apps.digitalpsych.org. apps.digitalpsych.org
- **PsyberGuide:** Led by Dr. Stephen Schueller, Martha Neary, and their team, PsyberGuide is a nonprofit that provides a database of app reviews from trained app raters. onemindpsyberguide.org



KEY TAKEAWAYS

- Patients want mobile health options and are often open to using apps, but many don't know where to start.
- Health care staff generally see their value but need more time, training, and support to use them effectively.
- When well-integrated, mobile health can reduce barriers, personalize care, improve outcomes, and expand access—especially in a system like VA



Knowledge Area 2: Clinical Integration

Depending on multiple factors, including the setting, VA health care staff's scope of tasks, VA provider's discipline, Veteran's treatment goals, and modality of treatment (e.g., in-person, phone, video telehealth), the following six steps may be flexibly applied in the clinical integration of apps.


Key steps of clinical integration include:

- Readiness
- Introduction
- Workflow
- Prescription
- Data review
- Documentation

Readiness

VA Health Care Staff Readiness

Before introducing an app into Veteran care:
Become familiar with the app's:
» Purpose.
» Evidence base.
» Limitations.
» Privacy policy.
Be able to describe these aspects of the app in plain language to Veterans.
Be able to make recommendations for use and answer Veterans' questions.
Assess your level of acceptance:
» Willingness or interest to use the app.
» Familiarity based on previous use of other health technology platforms.
» Familiarity based on previous use of smartphone or the internet.
Assess your technical barriers:
» Access to a VA tablet (if applicable).
» Access to the Electronic Health Record (if applicable).
» Access to the internet (if applicable).
Assess your knowledge barriers:
» Access to training on clinical integration, ethical and legal issues, and security and privacy concerns.
» Access to other materials and support to facilitate integration (if applicable).



Before introducing an app into Veteran care, VA health care staff members should become familiar with the app. This process includes understanding the app's purpose (who it was designed for and what it was designed to do); any research evidence (acceptability and feasibility studies, studies examining clinical outcomes); whether the app content is grounded in empirically based and theoretically sound concepts; limitations of the app; and the privacy policy (including who will have access to user data, what types of user data will be accessed, and how it will be used). Familiarity with these aspects of an app can inform the VA health care staff member's decision to recommend it. If recommending a VA mental health app, the staff member can readily become familiar with the evidence base (e.g., see Gould, Kok, et al., 2019), as well as the privacy policy (ptsd.va.gov/appvid/mobile/#privacy). Appendix A includes a resource list to gain access to the key information, training, and materials needed to become more familiar with VA health technologies. Note that if the VA health care staff member is also interested in exploring apps developed in the private sector, there can be a lot of variabilities both in terms of quality and safety of apps. When determining whether to use a non-VA app, it can be especially helpful to use an app evaluation model such as the one developed by the American Psychiatric Association (2020).

The VA health care staff member should be familiar enough with the app to describe these various aspects in plain language to a Veteran. Additionally, the staff member will ideally be familiar enough with the content and functionality of the app to make specific recommendations for use and answer Veterans' questions. Appendix C includes a quick guide to the evidence base that is available for several popular VA apps, as well as several apps developed by DoD. VA health care staff should understand that VA apps do not constitute treatment in and of themselves. Rather, they can facilitate aspects of care that the VA health care staff member is trained to deliver. Therefore, when reviewing apps, VA health care staff will need to assess whether the content of the app aligns with the interventions that they use in practice and are trained to deliver. For example, a psychotherapist with a cognitive behavioral therapy (CBT) orientation may find that many of the coping tools in PTSD Coach align with what they already recommend to Veterans. A psychotherapist who practices from an acceptance and commitment therapy (ACT) orientation may elect to recommend mindfulness exercises in an app but elect not to recommend thought-shifting tools, which are inconsistent with ACT. Treatment companion apps are more straightforward: A VA health care staff member trained in evidence-based treatment such as CBT for insomnia (CBT-i) can use the corresponding app (i.e., CBT-i Coach) to accompany treatment. The VA health care staff member will need to become familiar with the app navigation and features (e.g., digital sleep diary, reminders) to integrate the app into care. Regardless of whether the VA health care staff member integrates components of a self-care app into treatment, or uses a treatment companion app with a Veteran, the app itself does not constitute treatment, and the staff member's thoughtful integration of apps into a Veteran's care is predicated upon the staff member's familiarity with the tools.



Assessing Veteran Readiness

Aligning Apps with Veteran Goals

Before using an app in care, VA health care staff should consider if the app aligns with the Veteran's treatment goals. Apps can support goals like managing, tracking, and communicating symptoms, or building coping and intervention strategies to improve health. Before you proceed, view this video on [Assessing Patient Readiness for Virtual Care](#). Next, We'll go deeper into understanding assessing readiness through the stages of behavior change.

Understanding Readiness Through Behavior Change Stages

Veteran openness to technology may vary. The Transtheoretical Model helps identify where a Veteran is in terms of readiness:


1. Pre-contemplation – No intention to change.
2. Contemplation – Considering change in the next 6 months.
3. Preparation – Planning to change soon (within a month).
4. Action – Actively making changes.
5. Maintenance – Sustaining behavior changes.

A Patient's technological acceptance is influenced by:

- Experience with smartphones or online tools.
- Familiarity with health tech.
- Proximity to care (if virtual tools could help reduce travel).

A patient's level of technological acceptance and need for technology in clinical care. Studies have found that people move through a series of stages when modifying behavior.

The transtheoretical model of behavior change — an integrative, biopsychosocial model to conceptualize the process of intentional behavior change — outlines five stages (Prochaska & DiClemente, 1983; Prochaska et al., 1992). The first stage is pre-contemplation. People in this stage do not intend to take action in the near future, usually measured as the next six months. The next stage, contemplation, is the stage in which people intend to change in the next six months. They are more aware of the pros of changing but also acutely aware of the cons. Preparation is the stage in which people intend to take action in the immediate future, usually measured as the next month. Typically, they have already taken some significant action in the past year.




Action is the stage in which people have made specific overt modifications in their lifestyles or behavior within the past six months. And the last stage is maintenance. During the maintenance stage, people have made specific overt modifications and are working to prevent relapse. While in the maintenance stage, people are less tempted to relapse and grow increasingly more confident that they can continue their changes. When introduced to new mobile health technology, a Veteran's level of acceptance is influenced by their familiarity with other health technologies and the use of smartphones or the internet. The proximity of the Veteran's home to alternative sites of care also influences the level of acceptance.

An essential consideration in assessing appropriateness is where there are any risk-related issues, such as the presence of active suicidal ideation or homicidal ideation, that would necessitate referrals to a higher level of care. Consider whether the Veteran has other clinical issues that may impair their ability to use technology. For example, people with active substance use disorders may require some stabilization before using an app. Psychosis or significant cognitive impairment, such as the presence of dementia, may preclude the use of an app with a Veteran or may require the substantial involvement of another individual such as a caregiver. Appendix G includes the answers to the top 20 questions Veterans have for VA health care staff members regarding the use of VA apps in clinical care. Appendix H includes a script for assessing a Veteran's readiness to use VA apps.

One of the biggest barriers to accessing some VA apps is user authentication. VA "connected" apps connect to the VA network and require VA health care staff and Veterans to use their secure sign-in credentials. In contrast, VA "self-contained" apps do not connect to the VA network and do not require authentication to sign in. VA health care staff members need to become familiar with both processes so they can help Veterans access the apps available to them. Appendix I includes a guide to help VA health care staff and Veterans sign in to VA connected apps.

Other things to consider are the real or potential technical barriers and the associated necessary skills. Does the Veteran have access to a smartphone, tablet, or computer or have a VA-issued tablet? Do they have DS Logon, Login.gov or ID.me, or My HealtheVet Premium account credentials? Do they have internet access and/or a data plan? Information on helping a Veteran upgrade to a My HealtheVet Premium account can be found [log into VA accounts is in Appendix I](#). Most web and native apps developed by VA are designed for mobile devices; they can be accessed on tablets. A limitation of using the apps on a tablet is that some features, such as direct access to calling the Veterans Crisis Line, might not be available if the tablet does not have a data plan. If a Veteran who does not have access to a mobile device would benefit from one to participate in VA Video Connect visits, a VA health care staff member can place a Digital Divide Consult request in VistA for such a device. Before we look at the digital divide, let's look at where the divide is by looking at the technology use data. Research published by Pew Research Center in 2022 with data from 2021 found high rates of smartphone ownership in the adult U.S. population. These rates were consistent across sex and ethnoracial backgrounds. Pew found that adults ages 18 to 49 owned a smartphone at rates close to 100%. Of adults ages 50 to 64, 83% owned a smartphone, and 61% of adults 65 or older owned a smartphone. Faverio, M. (2022). Share of those 65 and older who are tech users has grown in the past decade. Pew Research Center. [pewresearch.org/fact-tank/2022/01/13/share-of-those-65-and-older-who-are-tech-users-has-grown-in-the-past-decade/](https://www.pewresearch.org/fact-tank/2022/01/13/share-of-those-65-and-older-who-are-tech-users-has-grown-in-the-past-decade/)



Although smartphone ownership is high overall, there is a decrease in ownership as age increases. However, it is important to note that while overall smartphone ownership is lower in U.S. adults 65 and older, we have seen some of the largest increases in smartphone ownership in this age group. Between 2012 and 2021, the percentage of U.S. adults 65 and older who owned a smartphone increased from 13% to 61%.

What is interesting is that another study of older Veterans with an average age of 69 years found that rates of technology ownership were also high. Of these Veterans, 92% owned a cellphone, 77% owned a smartphone or tablet, 85% owned a computer, and 81% had internet service at home.

So although technology use in the U.S. among all Veterans is high, there remains a digital divide in that there are still some Veterans who may not have the technology needed for VA virtual care. For those Veterans, VA has processes in place to provide eligible Veterans with access to the technologies needed.

Another factor when considering the digital divide is income. Research has found that Americans with low incomes rely on smartphones to stay connected, and it cites gaps in device ownership and broadband access in households earning less than \$30,000 a year. Vogels, E. (2021). Digital divide persists even as Americans with lower incomes make gains in tech adoption. Pew Research Center. <https://www.pewresearch.org/fact-tank/2021/06/22/digitaldivide-persists-even-as-americans-with-lower-incomes-make-gains-in-tech-adoption/>

Although income has an impact the digital divide, the number of Americans with low incomes who rely on their smartphone for online access has more than doubled since 2013.

With fewer options for online access, U.S. adults with low incomes are relying more on smartphones. As of early 2021, 27% of adults living in households earning less than \$30,000 a year are smartphone-only internet users — meaning they owned a smartphone but did not have broadband internet at home. This represents a substantial increase from 12% in 2013. In contrast, only 6% of those living in households earning \$100,000 or more fell into this category in 2021.

Relying on smartphones also means that the people with low incomes are more likely to use smartphones for tasks traditionally reserved for larger screens. For example, smartphone owners with low incomes were especially likely to use their smartphone when seeking and applying for jobs.

Helpful Tools in the Appendices:

- Appendix G: Top 20 questions Veterans ask about VA apps.
- Appendix H: Script to assess readiness.
- Appendix I: Step-by-step guide to log into VA-connected apps.



“Bridging the Digital Divide” Program

The “bridging the digital divide” consult program aims to help Veterans access broadband connectivity and devices for accessing virtual care services. VA is working to forge partnerships and develop programs that bridge the digital divide. A Digital Divide Consult can be ordered by a VA health care staff member so that Veterans can meet with a VA social worker to evaluate eligibility for a VA-loaned, internet-connected device. Learn more by visiting the VA Digital Divide Microsoft Teams channel (link available on page 65).

Access to a smartphone or tablet does not always correspond with comfort or proficiency with using the device. Before introducing an app, a VA health care staff member should ask questions to ascertain the Veteran’s experience with mobile devices and their level of comfort. Questions may include whether a Veteran has ever downloaded an app for any reason (e.g., social media, to read the news), which apps a Veteran uses, and whether a Veteran has ever used an app specifically for health or well-being. A VA health care staff member could ask these questions as part of a clinical interview, or they could use a questionnaire such as the Mobile Device Proficiency Questionnaire (Roque & Boot, 2018) to obtain more specific information about whether a Veteran is comfortable with the basics of using mobile devices and the internet, including communication, data and file storage, calendars, entertainment, privacy, troubleshooting, and software management. For Veterans who may have sensory impairments, a VA health care staff member may also want to make sure the Veteran’s device is set up with the necessary software. Some accommodations may include increasing text size or using bolded text for visual impairment, increasing the time latency to screen lock if cognition or visual search may be impaired, or helping a Veteran pair Bluetooth-enabled hearing aids to a device.

In addition to considering individual Veteran-related concerns about access and appropriateness of apps, a VA health care staff member should review their workflow and the clinic resources needed to incorporate mobile technology into Veteran care. For some Veterans, incorporating technology into care may require additional VA health care staff member time, resources and handouts, and personnel available to assist Veterans in troubleshooting (e.g., downloading apps, exporting data). These workflow-related issues warrant further discussion with clinic leaders and teams to develop setting-specific solutions. More information is available at dvagov.sharepoint.com/sites/VACOMentalHealth/mobile/Pages/Tech-into-Care.aspx



App Introduction


After assessing the appropriateness for use of an app, the next step is to introduce the app and demonstrate how it could be used to support treatment. Before you proceed, view this video on ***Introducing a Virtual Care: Right Way vs. Wrong Way.***

Next, let's discuss the process. Before the appointment, the VA health care staff member should consider whether they will demonstrate the app on a government-furnished smartphone or tablet, if available. If using one's own device, consider putting it in airplane mode, which will prevent interruptions during the appointment. Alternatively, one may use "do not disturb" or a similar setting to pause notifications. When introducing an app during a video telehealth appointment, a VA health care staff member could use screen-mirroring or screen-sharing if they are using the same mobile device for telehealth and for demonstrating the app. If a VA health care staff member is not comfortable using their device in a live demonstration, they may use a handout, PowerPoint presentation with screenshots, or video with an overview of the app (materials for all VA apps are available on mobile.va.gov/appstore). A handout can make it easier for a Veteran to follow along while participating in the telehealth appointment on their device.

When introducing the app, the VA health care staff member may first want to share that VA has developed many apps. Next, the VA health care staff member can shift to describing how certain apps may fit with a Veteran's presenting concerns. For example, when recommending PTSD Coach, a VA health care staff member may say that this app could be a good fit for the Veteran because their symptoms are consistent with PTSD. Then if the Veteran is open to the idea of using the app, the VA health care staff member should ask permission to share more about how the app works. Some Veterans may not be interested in using apps in their care, and it is important to respect the Veteran's decision.

At this point, it is important to ask the Veteran if they have questions. Common questions about VA mobile mental health apps may be about what "individually identifiable data" is and what types of data VA can see (e.g., number of downloads, technical issues with app). The VA health care staff member also can share that there is an option to disable any data sharing so that no information (including anonymous usage data) would be shared with VA app developers. A list of answers to the top 20 FAQ is available in Appendix G.

Next, the VA health care staff member should open the app to its home screen and invite the Veteran to take over and use the mobile device during an in-person tutorial (i.e., following verbal instructions from the VA health care staff member). The VA health care staff member may want to give a brief overview of each section of the app as the Veteran explores it. VA health care staff should encourage Veterans to ask questions as they become acquainted with the app. The purpose of this introduction is to get the Veteran familiar with an available tool before they make an informed decision about using an app as part of a treatment plan. A video showing an example of how to introduce an app into a Veterans' care is available at bcove.video/2B8OonS. In Appendix J, Activity Sheet 2 provides a method to practice the process of introducing a mobile health app in clinical care. The full series of training videos is available at ptsd.va.gov/professional/continuing_ed/integrating_mobileapps_tx.asp.



The VA health care staff member and Veteran should discuss how the app will be used in their work together. In general, the use of the app depends on the context. For example, a treatment companion app such as PE Coach would likely be used as part of ongoing PE therapy appointments; the Veteran would use the app to record sessions to review and to guide homework practices. Alternatively, a self-management app could be used to learn more about aspects of a mental health disorder, enhance coping between appointments, or track symptoms over time. How the app is used should align with the Veteran's goals for treatment. The recommendations about how to use the app could be written down on a sheet of paper, such as a specially designed prescription pad for VA mental health apps available from the U.S. Government Publishing Office (orders.gpo.gov/PTSD.aspx). The plan for integrating an app into treatment should also be documented in progress notes in the medical record and mental health treatment plans as appropriate.

Workflow

The next step is to think about how a VA app fits into the workflow of your clinic. All clinics are unique, and it is important to think ahead before integrating mobile health. Consider the following questions and at what point in the process they come up:

- Who greets the Veterans?
- Who collects the initial assessments?
- Where does the handoff to the VA provider take place?
- Who provides the discharge plan and follows up between appointments?
- When are prescriptions and other resources provided to Veterans?
- What are some potential issues Veterans may raise?
- Who needs to know about app features and functionality?
- Who would be available to provide technical support or follow-up information?

For some smaller clinics, the VA health care staff member may be the tech support and follow-up person. For larger clinics, there may be more support staff. The ideal workflow supports Veteran access to and use of clinical support tools. To practice this process in your clinic, we have created an activity sheet for you to work through on your own or with colleagues. See **Activity Sheet 3** in Appendix J of this guide.

Prescription

Before prescribing any medications, medical providers must go through an internalized checklist regarding the purpose of the medicine, contraindications, interactions between medicines, correct dosage, when and under what circumstances the medicine should be taken, and possible side effects. The process of prescribing remains relatively the same, although the individual Veteran, their medical needs, and the medications prescribed may vary considerably. Also, the scope of medications prescribed by providers usually does not include the entire scope of all medications, rather, providers have deep knowledge regarding the medications that are in the scope of their practice. Similarly, providers prescribing virtual care tools, such as apps, must learn and become comfortable with the *process* of prescribing, as well as becoming familiar with the selection of virtual care tools that are most likely to fall within the scope of their practice. To become familiar with the process, providers and other VA health care staff will want to ensure that they are considering various important aspects of using apps in their practice, which are discussed in the following sections.

What Technology To Use and When

The provider should consider all available resources and tools that will best support the Veteran's treatment goals. There are situations in which a mobile app is especially advantageous — such as when collecting real-time data on symptoms. In other situations, access to a mobile app is less effective and a web app on a computer may be better. For example, the Veteran might lack access to a mobile device, or an app may be unavailable on a particular mobile platform.





How the App Fits Into Treatment

There are several clinical questions to keep in mind when considering how a VA app might support a treatment plan::

- **What is this app's intended clinical purpose?** Appendix H in this guide includes information for providers to use when describing to a Veteran the app's intended clinical purpose.
- **For which presenting complaint(s) can the app be used, and when should it be introduced into the treatment plan?** The Clinician's Guide: VA Virtual Care Tools chart in Appendix D maps presenting conditions to their corresponding apps to assist VA health care staff members in selecting the appropriate app.
- **Does the app give Veterans the means to monitor and assess their condition between appointments?** The majority of VA apps provide Veterans with a method of monitoring or assessing their condition between appointments.
- **Does the app provide educational information or coping tools?** The majority of VA apps include educational information and/or coping tools.
- **Can the app be used in combination with other apps?** Most VA apps can be used in combination with other apps. For providers and Veterans who are beginning to integrate mobile health into clinical care, it is recommended to integrate one app at a time.
- **Is this app intended for self-care, or is it intended for use with a provider's guidance?** VA apps described in this guide are free and available to anyone with access to a smartphone or tablet device, but they were developed to be used within the context of treatment with a provider, not to replace clinical treatment. Some of the apps are designed to support specific manualized treatments and were not designed to be used outside of that context. For example, PE Coach was designed to support the delivery of PE therapy with a Veteran actively engaged in treatment with a provider. For a list of the VA apps that are intended for use with a manualized treatment, see Appendix D.
- **Are there contraindications that would prohibit the use of the app?** There are contraindications that would prohibit the use of an app, some of which include: The Veteran does not want to use an app, or the Veteran has a specific delusion involving apps or similar technology. It is up to the clinical judgment of the provider to determine whether the use of an app is contraindicated for the Veteran.
- **Does the app provide access to hotlines or other support systems during a crisis?** Most VA apps include access to hotlines or other support systems; however, the provider may need to develop a crisis and/or safety plan with the Veteran.

Data Review

The process for reviewing data from an app depends on whether it is a VA connected app, VA self-contained app, or an app that was not developed by VA. Since VA's self-contained apps do not transmit Veteran data, in many cases the provider will need to review the Veterans' use of the app during the scheduled appointment time. However, several of VA's self-contained apps enable the Veteran to export the data. The data can then be sent to their VA care team through My HealthVet's Secure Messaging. Here are some VA self-contained apps and the data that can be exported:



App	Assessments and Exportable Data
AIMS for Anger Management	Dimension of Anger Reactions, Anger Log, Anger Control Plan
Beyond MST	Physical Readiness Questionnaire (PAR-Q), Post-traumatic Maladaptive Beliefs Scale (PMBS), Warwick-Edinburgh Mental Well-Being Scale (WEMWBS), PTSD Checklist for DSM-5 (PCL-5)
CBT-i Coach	Insomnia Severity Index (ISI), Sleep Diary
Couples Coach	Couples Satisfaction Index (CSI), Couples Behavior Scale (CBS)
COVID Coach	Patient Health Questionnaire (PHQ-9), Generalized Anxiety Disorder Scale (GAD-7), PCL-5, WEMWBS, goal setting and rating
Insomnia Coach	ISI, STOP Questionnaire for Obstructive Sleep Apnea, Rapid Screening for Restless Legs Syndrome
Live Whole Health	Personal Health Plan; mission, aspiration, purpose; My Plan for Skill Building and Support
Mindfulness Coach	Mindfulness mastery assessment
MOVE! Coach	Activity, nutrition
PE Coach	PCL-5, PHQ-9
PFA Mobile	Perceived Stress Scale
PTSD Coach	PCL-5, safety plan
PTSD Family Coach	PCL-5, safety plan, WEMWBS
Stay Quit Coach	Fagerstrom Test for Nicotine Dependence
VetChange	Alcohol Use Disorders Identification Test

Data sent from VA self-contained apps and data collected by VA connected apps can be reviewed between appointments, just before an appointment, or during an appointment with a Veteran. A Veteran's self-monitoring of symptoms can even serve as a cue to seek additional support, such as calling the clinic for a vaccination appointment or the crisis line when needed.

For VA connected apps, VA health care staff need to sign in to the staff-facing version of the app to review the data. For example, for VA health care staff to review data from the VA connected app Annie, they would sign in to the Annie App for Clinicians. A list of some of the VA connected apps and the link for VA health care staff to sign in is provided below:

App	Veteran Sign In	VA Health Care Staff Sign In
Annie	<i>mobile.va.gov/app/annie-app-veterans</i>	<i>mobile.va.gov/app/annie-app-clinicians</i>
Share My Health Data and Virtual Care Manager	<i>https://mobile.va.gov/app/share-my-health-data</i>	<i>https://mobile.va.gov/app/virtual-care-manager</i>

If a Veteran is using a VA self-contained app and chooses not to send their data to their VA care team between appointments, they can share their data by bringing their mobile device to the in-person appointment or sharing their screen during a video telehealth appointment. The VA health care staff member can then review the data (e.g., self-assessments, tracking logs) and any other app-based homework with the Veteran during the appointment. Any barriers to app-based homework (e.g., forgetting, not understanding how), workarounds (e.g., setting reminders in the mobile device, reviewing navigation, eliciting help from a loved one), alternatives (e.g., analog alternatives such as paper worksheets), and Veteran preferences should be revisited as needed.

The VA health care staff member should always provide care that is within their training and scope and should keep in mind that VA apps do not constitute treatment in and of themselves. If the app facilitates an aspect of care, such as managing in-the-moment distress between appointments, completing homework, or tracking behaviors and symptoms, then the VA health care staff member and Veteran may elect to continue to use the app as part of the treatment plan. At the end of an episode of care, the VA health care staff member can remind the Veteran that ongoing self-care and coping skills practice can help maintain gains made in treatment, and the VA health care staff member and Veteran can review whether there are features of an app that can continue to facilitate the Veteran's goals.

The National Center for PTSD developed a handout on how to export data from the apps. Follow this link for the handout. ptsd.va.gov/professional/tech-care/docs/HowtoExportAppData508.pdf



Documentation

VA health care staff should be sure to document the use of a VA app in the Veteran's health record just as they would indicate the use of any other self-care resource. Documentation should include:

- Which VA app was recommended.
- How the app will be used to support treatment (e.g., CBT-i Coach to support cognitive behavioral therapy for insomnia).
- How often it should be used (e.g., daily, weekly).
- What data will be shared and how it will be shared (i.e., sent via Secure Messaging, shared during the appointment).
- What the Veteran shares during or between appointments (e.g., assessment scores).

VA stop codes are used to assist VA Medical Centers in defining workload to support Veteran care, resource allocation, performance measurement, and quality management. Ideally, the use of VA apps as a part of treatment would include relevant stop codes to track VA health care staff efforts in this area. Although efforts are underway to identify a solution for VA health care staff to track general mobile health app use in this way, an easy solution does not currently exist. As general guidance, the use of apps in clinical care does not change the care provided; it only provides an additional delivery method to increase efficiency. Thus, stop codes used as a part of standard care processes may have a great deal of overlap when considering how to introduce, prescribe, and review data from VA apps. However, the use of some apps, such as VA Video Connect, is associated with VA stop code 179 when used with video visits. The VA Video Connect clinic appointment slots will not be included in the national Clinical Utilization Statistical Summary (CUSS) reports. Facilities that wish to see the data can find it in their local CUSS reports.



KEY TAKEAWAYS

- You have a responsibility to meet the Veteran where they are in terms of their readiness to use mobile health in their health care.
- The key steps of clinical integration include:
 - » Becoming familiar with VA apps.
 - » Knowing how to introduce VA apps to Veterans during appointments.
 - » Understanding changes that may be made to the clinical workflow to include VA apps.
 - » Being prepared to prescribe or recommend an app to support the Veteran's treatment plan.
 - » Knowing how to review the data from the app's use.
 - » Knowing how to document app use in the Veteran's health records.



Knowledge Area 3: Security and Privacy

Understanding mobile health security is essential for VA health care staff and Veterans (Arora et al., 2014; Kao & Liebovitz, 2017; Zhou, Bao, Watzlaf, et al., 2019), not just because of laws protecting Veteran data and ethical codes for VA health care staff, but also because concerns related to security and privacy are one of the biggest barriers to adopting virtual health tools for VA health care staff and Veterans. VA health care staff and Veterans need to know how the data is being used before they can feel comfortable using the products.

Before you proceed, watch the following videos:

- ***Security and Privacy for VA Apps: Keeping Your Information Safe***
- ***Protect Your Information with Multifactor Authentication***

To reap the rewards of health technologies in your practice, proactively manage the risks.

Telecommunication technologies to provide service present unique potential threats to Veterans' data and information security and transmission. These include computer viruses, hackers, theft of devices, damage to hard drives or portable drives, failure of security systems, flawed software, easy access to unsecured electronic files, and outdated or malfunctioning technology.

Research shows that mobile health can effectively supplement medical care, help overcome barriers to accessing care, and increase Veteran compliance with treatment and engagement in care. It also supports case management across geographic locations and helps extend health care beyond face-to-face visits.

Despite these benefits, concern about data security and privacy is considered one of the top barriers to adoption across multiple studies.

- Seventy percent were "concerned about the privacy and security of personal information when using an mHealth app" (Zhou, Bao, Watzlaf, & Parmanto, 2019).
- "Afraid of the potential security and privacy issues involved" was a common barrier cited by VA and DoD health care staff (Armstrong, Ciulla, et al. 2018; Armstrong, 2019; Armstrong et al., 2020).
- Data privacy was a top concern reported by patients regarding the use of mobile health apps (Torous, Chan, et al., 2018):





Figure: Concerns about apps in the state and private clinics with. Statistically significant differences are noted with an asterisk.



Regarding the use of mobile devices, security and privacy are understandably among the top concerns for patients and health care staff in the health care system. Zhou and colleagues (2019a) identified features that patients want to protect their health data on apps:

97%

indicated that they “should have the right to consent to any sharing of my protected health information collected via mHealth apps.”

95%

indicated that they “would like to know how my health care providers make sure that only the correct personnel have access to the mHealth system I am using.”

Thus, to increase the adoption of VA apps, VA health care staff members play a critical role in answering Veterans’ questions regarding the security and privacy of the data used in apps. Veterans should understand what is happening to their data and have the option to consent to sharing their data. And VA health care staff should be prepared to answer questions that Veterans will have and provide clear responses to support adequate decision-making for the Veteran regarding their choice to use a particular app or not (Edwards-Stewart et al., 2019; Harris & Younggren, 2011; Hoffman et al., 2019; Torous, Chan, et al., 2018; Zhou, Bao, Watzlaf & Parmanto 2019b).

Although this guide provides necessary information about protecting mobile devices and health information, the most up-to-date guidance — including videos and downloadable materials — can be found on the following Office of the National Coordinator for Health Information Technology (ONC) webpage: healthit.gov/topic/privacy-security-and-hipaa/your-mobile-device-and-health-information-privacy-and-security

Although mobile health has only been around for a little more than a decade, most of what we are doing is essentially the same — providing evidence-based care. So although the delivery mechanism for care and information has changed, we do have a strong foundation of policies, guidelines, and laws in place to protect our health data.

Federal policies on the security and privacy of health information include:

- Privacy Act of 1974
- Health Insurance Portability and Accountability Act of 1996 (HIPAA)
- HIPAA Security Rule (2003)
- Health Information Technology for Economic and Clinical Health (HITECH) Act of 2009
- Child Online Privacy Protection Act of 1998 (COPPA)



Federal organizations that provide oversight to security and privacy for mobile health tools include:

- U.S. Department of Health and Human Services
- Health IT Standards Committee
- Health IT Privacy Committee
- VA Office of Privacy and Records Management
- Office of the National Coordinator for Health Information Technology (ONC)
- Federal Communications Commission (FCC)
- Food and Drug Administration (FDA)
- Defense Health Agency (DHA) Privacy and Civil Liberties Office

VA health care staff should be up to date with VA training on these policies and organizations. Foundational policies and guidelines for protecting health information is applicable for apps and mobile devices.

There are four critical questions regarding security and privacy that VA health care staff need to ask when selecting apps to supplement Veteran care:

- **Source:** Is it from a trusted source?
- **Permissions:** What permissions does it request?
- **Data protection:** How is data protected on the device?
- **Data transmission:** How is data transmitted to care teams?

Source

Before you download and install an app on your device, visit known websites or other trusted sources that you know will give reputable reviews of the app. VA and DoD can be considered trusted sources because they are required to maintain strict controls to ensure their apps' safety. Their apps are free to download, and VA and DoD do not make money on the products — nor do they collect or sell any personal information. Be careful about entrusting health information to non-VA and non-DoD health apps.

Although there are many great mobile health apps available, it can be confusing how data security and privacy are handled for those apps not developed by the federal government. For apps developed by the federal government, strict standards for data security and privacy are in place and are required at every step of the development process, and the handling of data is clear and much easier to explain. For that reason, we will focus on apps developed by VA, and we will give some other tips for using nongovernment apps later in the guide.




Security and Privacy Data on VA and DoD Apps

All VA and DoD's apps keep data securely protected, enabling Veterans to use the apps to improve their health and wellness without privacy concerns. All VA apps keep personal information secure, but some apps do so in different ways than others. Where the data is stored and who can see it is different based on whether a VA app is a connected app or a self-contained app. VA staff should be familiar with both and be able to assist Veterans through login processes.

- **What they are:** Connected apps are apps that connect to VA's network, so additional data security is required to ensure protection meets strict federal standards. Connected apps have a small lock on the lower right corner of the app's icon. Data from connected apps can be seen by VA health care staff. Examples of connected apps are My HealtheVet, My VA Health, and VA: Health & Benefits.
- **How they handle data:** These apps require secured user authentication, such as a Veteran's Login.gov or ID.me sign-in credentials, and they enable Veterans to share information with their VA care teams. The connected apps for VA care teams are only available through VA's secure network. These apps require authentication to sign in via the VA health care staff member's personal identity verification (PIV), PIV exemption, or VistA sign-in credentials. Data from connected apps is connected to the VA network, so VA care teams may access it.
- **How to transmit data:** Data from VA connected apps are stored on the VA network, so no additional steps are needed to transfer data to the VA care team.

Self-contained apps:

- **What they are:** Self-contained apps are apps that do not require any sign-in process and do not connect to the VA network. These apps can be downloaded by anyone from Apple's App Store (iOS) or Google Play (Android). Examples of VA self-contained apps include ACT Coach, AIMS for Anger Management, CBT-i Coach, Couples Coach, Mindfulness Coach, PE Coach, PTSD Coach, PTSD Family Coach, STAIR Coach, Stay Quit Coach, VetChange, Pain Coach, Concussion Coach, and WellWithin Coach.
- **How they handle data:** VA and DoD apps that are available on Apple's App Store and Google Play do not require any sign-in information and do not connect to the VA network. Data on the self-contained apps is encrypted. No one other than the user, or someone who has access to the user's device, can view what is in the app. Neither VA nor DoD health care staff can see any of the information users include in self-contained apps. Data from self-contained apps is stored only in the encrypted app on the user's device. The user controls when and how they share it. Any information the user enters into the app, such as names, phone numbers, addresses, images, or music, cannot be accessed, stored, or shared by VA. Self-contained apps do collect anonymous information about how people use the app. That information is only used to improve how well the app works. For example, VA developers can see what sections of the app people visit. VA often uses this information to correct technical problems in the apps. This information cannot be linked to any personal information about the user and will never be shared with a third party.

- 
- **How to transmit data:** For VA self-contained apps, data is stored in the app on the user's mobile device, and neither VA health care staff nor VA or DoD have access to that data. Veterans can choose to export data from several self-contained apps (e.g., AIMS for Anger Management, CBT-i Coach, COVID Coach, Mindfulness Coach, PE Coach, PTSD Family Coach, VetChange). They can do that by opening the app's settings, choosing the data they want to export, and selecting Export Data. After opting to export user data, a privacy warning will pop up to remind the user to only email or share this information using a secure personal account. The user can email themselves the data and can then send the data to their VA care team through My HealthVet's Secure Messaging feature.


Installing and Accessing VA Apps

VA connected apps are often web apps that the user can launch directly from the VA App Store at mobile. ***va.gov/appstore***. VA health care staff can access connected apps using their PIV credentials, or secure sign on. Veterans can access VA connected apps using their DS Logon, ID.me, or My HealthVet Premium secure sign-in credentials. When opening a VA web app, look at the address bar and confirm that the website's URL ends with "va.gov." Similarly, when opening another agency's web app, ensure that the URL belongs to that agency. For example, an armed forces web app might have a URL ending in ".mil."

When installing a VA self-contained app on a device, only install from the device's official app marketplace. For iOS devices (e.g., iPhones, iPads), this will be Apple's App Store. For Android devices, this will be Google Play. Never install an app from elsewhere on the internet: Although websites host app files, many modify these files to spy on users. (High-security devices, such as those issued to active duty Service members or first responders for use in the field, can be an exception to this, restricting available apps to a small, heavily screened selection. People in this situation should consult their specialized security training or their device management official.)

When installing a VA app, also confirm that the publisher is "U.S. Department of Veterans Affairs (VA)." That official VA account publishes all VA apps on Apple's App Store and Google Play. Many apps have similar names, so it is easy to find an app other than the one you were looking for.

Many VA health care staff members participate in VA-approved research studies that use apps or websites from outside the usual sources. The research might direct participants to download an app from a different publisher (such as "Palo Alto Veterans Institute for Research," a VA partner) or sign in to a website with a URL outside the va.gov domain. If the user is installing an app for a research study, the instructions and the VA study coordinator will confirm the correct access information. Similarly, sometimes a VA facility or region may participate in a public-private partnership with a private app publisher; if this is the case, the user should confirm from VA documentation that the app or website is officially sanctioned.




Accessing VA connected apps for VA health care staff:

- All connected apps for VA health care staff are available through the VA App Store at mobile.va.gov/appstore.
- Sign-in information is available in Appendix I and at va.gov/resources/signing-in-to-vagov/.
- Sign-in requires user authentication through PIV, PIV exemption, or VistA sign-in credentials.
 - » Personal Identification Verification Login Guide:
mobile.va.gov/sites/default/files/piv-linkage-process.pdf

Accessing VA connected apps for Veterans:

- All connected apps for Veterans are available through the VA App Store at Store at va.gov and mobile.va.gov/appstore.
- Signing in requires user authentication using ID.me or Login.gov accounts. Sign-in information is available in Appendix I and at va.gov/resources/signing-in-to-vagov/.



Permissions

When installing VA, DoD, or public health-related apps, users will often be asked for permissions to access device features. Understanding these permissions is key to safeguarding data.

COMMON APP PERMISSIONS:

Permission	Purpose
Identity	Confirms user identity across devices.
Calendar	Allows events to be added/deleted.
Contacts	Accesses contact records for app functions.
Location	Determines proximity; may include GPS.
Photos/Media/Files	Upload photos/media; supports interactive content.
Camera	Take photos/videos directly within the app.
Other (e.g., Internet)	Enables functionality requiring internet access.

Best Practices Before Granting Permissions

- Ensure developers explain why permissions are needed in the app store.
- Confirm the request makes sense given the app's purpose.






Data Protection

Although data security is the responsibility of the Veteran, VA health care staff should know and be prepared to guide Veterans on how to protect the personal health information stored on their devices. Data on a Veteran-owned device is the property of the Veteran and not subject to HIPAA protections. However, any time that any data is shared with VA (e.g., via connected apps where data is automatically shared with the VA network, or via secure message for data from self-contained apps), then HIPAA rules apply. For VA and DoD self-contained apps, data is only held in the app and is under the Veteran's control.

Although VA and DoD protect patient health information according to strict security and privacy laws and policies, data that is on the Veteran's device can be protected as well. Veterans can protect their health data on their devices by taking the following precautions:

- **Maintain physical control over the mobile device.** One of the most important ways to protect data on a smartphone, tablet, or computer is to maintain physical control of the device. The user should not share the device any more than they have to and never share it or leave it with someone they do not trust.
- **Set a passcode for the device and/or app.** One of the easiest and most essential actions the user should take is to protect their device with a passcode. It is important not only if they are using health apps but as a security measure for all data on their device. Follow the device manufacturer's recommendations for setting a passcode. This means setting a number passcode of at least six digits. Do not set a passcode that would be easy to guess (e.g., "123456," an important date, an important name in phone digits). If the user is in an unusually high security or high personal threat situation, they should follow their security adviser's stronger passcode recommendation. Some apps have the option to set a passcode for the actual app, which provides an additional layer of security for the information contained in the app.
- **Know how to wipe the device remotely.** If a device is lost or stolen, there are ways to wipe or disable it remotely. Both iOS and Android devices offer this built-in feature, but users may have to activate it first. This is important for VA health care staff to know about their devices but also in situations where a Veteran may have lost their device and is concerned about health data that may be on the device.
 - » **Android:** Open the device's settings. Select Security. (On some devices this may differ slightly, such as "Security & Location" or "Google" and then "Security.") Confirm that Find My Device is on. If the device is lost, go to the following web address to remotely wipe the device: android.com/find
 - » **Apple:** Open Settings. Select your name at the top of the screen. Then select Find My. Confirm that the find my device field is set to "On." If the device is lost, go to the following web address to remotely wipe the device: icloud.com/find

- 
- **Protect data over wireless networks.** Even though most wireless routers have a firewall to protect from internet intruders, it does not mean that the protection extends to others connected to the same network. It is remarkably easy to steal someone’s username and password or see what they are doing, just by being on the same network. Other ways to protect data include:
 - » Whenever possible, especially when buying something online, using websites with URLs that start with “https” to ensure that user data is secure. Look for a lock icon next to the website address that indicates the connection is secure.
 - » Connecting only to trusted Wi-Fi networks, such as home or work Wi-Fi. If connecting to public Wi-Fi, such as at a restaurant or airport, the user should confirm that they are connecting to the right service. If they are not sure, they should not connect.
 - » If possible, avoid conducting sensitive business, such as health care or banking, over public Wi-Fi.
 - **Use security apps and add-ons.** Security apps are available to reduce tracking and block ads on a mobile device. Recommendations for products are beyond this guide’s scope, but to find candidates, search Apple’s App Store or Google Play with the terms “content blocker” and “firewall,” and then research reviews of these apps from reputable news outlets and technology commenters. Avoid privacy apps that do not have a trail of reliable reviews to confirm their effectiveness and trustworthiness. On a computer, the web browser should have an ad blocker extension installed to improve privacy and significantly reduce web annoyances.
 - **Security and privacy handout.** The How Can You Protect and Secure Health Information When Using a Mobile Device? webpage created by ONC is a security and privacy reference for Veterans and health care staff about protecting health data on mobile devices. A handout of this page is located in Appendix F and it is available online at [healthit.gov/topic/privacy-security-and-hipaa/how-can-you-protect-and-secure-health-information-when-using-mobile-device](https://www.healthit.gov/topic/privacy-security-and-hipaa/how-can-you-protect-and-secure-health-information-when-using-mobile-device)

Additional Security and Privacy Resources

- VA's Demonstrating an App: Privacy and Security video: https://players.brightcove.net/2851863979001/default_default/index.html?videoid=6310130907112
- HealthIT.gov webpage on Privacy, Security, and HIPAA: <https://www.healthit.gov/topic/privacy-security-and-hipaa>
- HHS's Summary of the HIPAA Privacy Rule webpage: hhs.gov/hipaa/for-professionals/privacy/laws-regulations/index.html
- U.S. Food and Drug Administration's Device Software Functions Including Mobile Medical Applications webpage: fda.gov/medical-devices/digital-health/mobile-medical-applications

The information provided above is intended to support VA health care staff in understanding and discussing the security and privacy issues of mobile health apps with Veterans. However, this does not cover other related ethical and legal matters related to the security and privacy of apps and other virtual care tools. There are many VA Talent Management System (TMS) courses that can provide supplemental information on security and privacy. VA health care staff can access these courses on TMS: tms.va.gov

VA health care staff can access these courses on TMS: tms.va.gov



KEY TAKEAWAYS

- You have a responsibility to understand and discuss issues related to security and privacy with Veterans.
 - » Encourage Veterans to download apps only from trusted sources and to protect their smartphones, apps, and stored data with a passcode.
- For VA apps that do not require user authentication, VA has access to aggregated data only.
 - » App data is stored on the Veteran's devices, and Veterans have control over that data.
 - » Neither VA health care staff nor VA or DoD have access to the data stored on the Veteran's devices.
- For VA apps that connect to health records, VA has access to user data, but privacy laws and regulations protect the data.



Knowledge Area 4: Ethical Issues

The intersection of ethical guidelines and the use of mobile technologies in treatment is a relatively new issue. Professional associations provide codes of ethics, and some provide guidelines specific to the use of technology, providing a patchwork of codes and policies to guide ethical decision-making and practice. Although each discipline's ethics codes and policies differ slightly, several key patterns emerge regarding recommendations for adherence to professional ethics codes. The following discussion is informed by ethics codes from multiple care specialties and applies broadly to ethical concerns that VA health care staff members from multiple disciplines may encounter. Applicable ethical areas of concern include competence, human relations, informed consent, confidentiality, and issues about privacy and security, all of which are described further below.

Note that this guide provides general information regarding ethical issues when integrating mobile health into clinical care. This guide does not provide legal advice, nor can a specific course of action be suggested for individual situations. VA health care staff members should follow the appropriate ethical guidelines for their specialty and specialty societies and adhere to applicable laws. It is recommended that they contact their professional liability insurance carrier or obtain an attorney if making any decision that could have legal consequences.

Resources include:

- American Association for Marriage and Family Therapy:
 - » Technology-Assisted Professional Services (Standard VI of Code of Ethics):
aamft.org/Legal_Ethics/Code_of_Ethics.aspx
- Teletherapy Guidelines:
amftrb.org/wp-content/uploads/2017/05/Proposed-Teletherapy-Guidelines-DRAFT-as-of-09.12.16.pdf
- American Counseling Association:
 - » 2014 Code of Ethics: counseling.org/resources/aca-code-of-ethics.pdf
- American Medical Association:
 - » Code of Medical Ethics overview:
ama-assn.org/delivering-care/ethics/code-medical-ethics-overview
AMA Code of Medical Ethics Concordance: Opinions of the Council on Ethical and Judicial Affairs issued prior to June 2016 to the updated Opinions adopted at the 2016 Annual meeting of the AMA House of Delegates: code-medical-ethics.ama-assn.org/sites/default/files/2023-03/ama-code-ethics-concordance_1.pdf
 - » Code of Medical Ethics: Patient-physician relationships:
ama-assn.org/delivering-care/ethics/code-medical-ethics-patient-physician-relationships
 - » Ethical Practice in Telemedicine: Code of Medical Ethics Opinion 1.2.12:
ama-assn.org/delivering-care/ethics/ethical-practice-telemedicine

- American Nurses Association:
 - » ANA Core Principles on Connected Health Mapped to the Code of Ethics for Nurses With Interpretive Statements [nursingworld.org/~491792/globalassets/docs/ana/practice/connected-health-principles-and-code-of-ethics-2019.pdf](https://www.nursingworld.org/~491792/globalassets/docs/ana/practice/connected-health-principles-and-code-of-ethics-2019.pdf)
 - » Code of Ethics for Nurses With Interpretive Statements: [nursingworld.org/coe-view-only](https://www.nursingworld.org/coe-view-only)
- American Psychiatric Association:
 - » Resource Document on Telepsychiatry and Related Technologies in Clinical Psychiatry: [psychiatry.org/File%20Library/Psychiatrists/Directories/Library-and-Archive/resource_documents/Resource-2014-Telepsychiatry-Clinical-Psychiatry.pdf](https://www.psychiatry.org/File%20Library/Psychiatrists/Directories/Library-and-Archive/resource_documents/Resource-2014-Telepsychiatry-Clinical-Psychiatry.pdf)
- American Psychological Association:
 - » Guidelines for the Practice of Telepsychology: [apa.org/practice/guidelines/telepsychology-revision.pdf](https://www.apa.org/practice/guidelines/telepsychology-revision.pdf)
 - » Ethical Principles of Psychologists and Code of Conduct: [apa.org/ethics/code](https://www.apa.org/ethics/code)
- National Association of Social Workers:
 - » Code of Ethics: [socialworkers.org/about/ethics/code-of-ethics/code-of-ethics-english](https://www.socialworkers.org/about/ethics/code-of-ethics/code-of-ethics-english)

When comparing guidelines and position statements across professions, several include specific recommendations for the use of mobile health apps in clinical care:

- Telecommunication technologies include phones, mobile devices, interactive videoconferencing, email, chat programs, texting, and the internet (APA, 2013, p.794).
- These technologies can:
 - » Be synchronous or asynchronous.
 - » Augment care or be used as self-contained tools.
 - » Be used in combination with one another.
 - » Expand access to psychological resources.
- Guidelines advise VA health care staff to be well versed in telecommunication technologies and to ensure that Veterans understand the risks to security and confidentiality when using these tools.

The following ethical principles, codes of conduct, and opinions are particularly applicable when integrating mobile health into clinical care:

- | | | |
|------------------------------------|--|--------------------|
| • Competence | • Human relations | • Informed consent |
| • Confidentiality | • Discussing the limits of confidentiality | • Recording |
| • Minimizing intrusions on privacy | | |

Competence

(APA Standard 2; AMA Opinion 1.2.12; ACA Section C; AAMFT Standard III and VI); Boundaries of Competence (APA 2.01; NASW 1.04 d, ACA C.2.a;

AAMFT 3.1 and 3.10); Maintaining Competence (APA 2.03; ANA Principle 4-Interpretive Statements (IS) 3.3, 4.3, Principle 5-IS 5.5; ACA C.2.d and 6.6)



RECOMMENDATIONS

- Always put evidence-based practices first. VA health care staff must make sure the information they provide or that is attributed to them is objective and accurate. They should know the evidence-based practice and the research to support it. They should not disregard evidence-based practices to prioritize a new technology. It is easier to choose the right tool when relying on the available evidence to make decisions. VA health care staff members should be clear about what type of care they are providing and find apps that will aid in treatment plans.
- Review available evidence to determine whether specific technologies are appropriate for specific Veterans. Evidence may include published reports, outcomes research, best practice guidance, and Veteran preference.
- Once a VA health care staff member has chosen an app to use in therapy, they should get to know it — use it, practice it, and learn how to individualize its features, where possible. These skills will help to introduce the technology seamlessly into the therapy continuum. Greater confidence in the function and value of the app will support the Veteran's confidence and adoption of these tools.
- Maintain knowledge regarding mobile health. VA health care staff should pursue additional education and training. This includes continuing education focused on the delivery of care using technology. They should also monitor telehealth information to identify any adverse consequences and ways to address them. Only hardware and software that are compliant with safety and security standards should be used to support Veterans' understanding of mobile health use.
- Consult with colleagues or other resources when needed.



Human Relations

(APA Standard 3.05; AMA Opinion E-2.3.2; ACA A.6; AAMFT Standard I; AMA Principle 1); Multiple Relationships (APA 3.05; ANA Principle 7-IS 2.4; ACA A.6.a-e; AAMFT 1.3)



RECOMMENDATIONS

- Be aware of potential boundary issues that may arise when using telecommunication technologies. For example, to maintain privacy, VA health care staff should tell Veterans that they will not connect with them on social media.
- Weigh the risks and benefits of dual relationships that may arise with Veterans during the use of telecommunication technologies before entering such a relationship.
- The integrity and therapeutic value of the Veteran-health care professional relationship should be established, maintained, and promoted via connected health.



Informed Consent

(APA 3.10; AMA Opinion 1.2.12 and Principle 2; NASW 1.03 e/f/g; NASW 1.04e; ANA Principle 10- IS1.4,3.2; ACA A.2; AAMFT 1.2 and 6.2)

Obtaining informed consent is a crucial step in beginning an episode of psychotherapy and other fields of care. VA health care staff should consult the ethical standards of their profession, discipline, and setting regarding informed consent. When apps are to be integrated into psychotherapy, their use should be included as part of informed consent (Edwards-Stewart et al., 2019; Torous & Roberts, 2017). Apps should be presented as an option, with alternatives discussed (e.g., using analog methods for homework completion, coping skills practice, and self-monitoring between appointments). The VA health care staff member should also present any known or potential risks and benefits to using the app. Activity Sheet 7 provides a method for practicing modification of informed consent when using VA apps in clinical care. Although a VA health care staff member cannot modify standard consent forms, they can have a clear conversation with the Veteran so they can ask questions, receive answers, and make an informed decision on whether to integrate technology into their care.

VA health care staff can watch the “Obtaining Informed Consent” video in the series Integrating National Center for PTSD Mobile Apps Into Veteran Mental Health Care at bcove.video/2BjRaH5. The following is an example of informed consent verbiage from the video:

“In terms of known benefits, we have some research evidence that suggests that mobile apps like this one can be helpful with treatment, but we can’t say that using the app is better than not using the app in terms of the benefit you’ll get out of treatment. So it’s a matter of preference. Some Veterans have found the apps to be convenient or helpful in different ways. They’re not for everyone. Your use of the app is, of course, voluntary. And we can switch to other methods of between-session tracking and skills practice at any time.

“There are no known risks associated with using VA Mobile mental health apps. And as we discussed, there are some steps you should take to secure your device, such as keeping it passcode-protected — again, to protect your confidentiality and prevent others from accessing your information and anything stored in your smartphone.”

Informed consent, written or verbal, should be documented in the Veteran’s medical record (McGee-Vincent & Juhasz, 2018).





RECOMMENDATIONS

- Fully disclose to the Veteran the potential risks and benefits of the use of health technologies, available alternatives to use, and how the data will be used, managed, and protected. Those details must be communicated in a manner that is comprehensible to the Veteran or a legally authorized representative.
- Specifically, be aware and inform the Veteran of what technologies do or do not have empirical support. This does not necessarily indicate that the Veteran should be denied those services. Lack of empirical evidence does not necessarily indicate that a technology is ineffective. All VA and DOD apps were built upon a foundation of evidence-based practices, and some have been through RCTs.
- First, confirm that the Veteran has the cognitive capacity to agree to the use of this technology. Second, confirm that the Veteran fully comprehends the expectations, limitations, and risks involved.
- Make sure the Veteran knows that although you may be enthusiastic about a new clinical tool or treatment approach, they are not required to use it.
- Strive to obtain and document informed consent that specifically addresses the unique concerns related to telehealth services. Informed consent for health technologies may not need to be independent of other informed consent for treatment, although mechanisms for obtaining electronic consent should comply with applicable federal and state laws.
- Maintain knowledge of the appropriate laws and regulations, as well as organizational requirements that govern informed consent. An accurate and appropriate informed consent form for using technology in clinical care should include (APA, 2017; AMA Opinion 1.2.12; NASW Standard 1.03):
 - » How the VA health care staff and Veterans will use the specific technologies.
 - » Potential risks to confidentiality when using mobile devices to store health information.
 - » What data is involved (specify if recording is involved) and where data will be stored. Some VA apps permit Veterans to send data to their VA care teams. When applicable, the VA health care staff member should discuss how and when this information will be shared. This discussion should include: How the Veteran can safeguard their data; how the provider will safeguard the Veteran's data.
 - » What method will be used to contact the Veteran between appointments. VA health care staff should also consider procedures for responding to electronic communications from Veterans.
 - » Boundaries that will be established and observed.
 - » The limits of the technology (e.g., their entries will not be monitored by VA health care staff; apps are not a treatment but a supplement to care).
 - » Risks and benefits of technology use.
 - » Any financial or other interests the VA health care staff member has in the telehealth/telemedicine app or service.
 - » Requirements for mandated reporting apply regardless of the form in which they are communicated.

Confidentiality

(APA Standard 4; AMA Opinion E-3.2.1; ACA Section B; AAMFT Standard II; AMA Principle 3) Maintaining Confidentiality (APA 4.01; ANA Principle 8-IS 3.1; ACA B.1.b, B.1.c, B.1.d; AAMFT 2.1-2.4, 6.3)

Confidentiality and privacy are related terms, and both are important to delivering care. Confidentiality is an ethical term, and privacy is a legal term, and there's a lot of crossovers, so we'll cover both. VA health care professionals should inform Veterans that there are limits to confidentiality when using VA virtual care.

Unless it is not feasible or is contraindicated, the discussion of confidentiality should occur at the outset of the relationship between the Veteran and the health care professional and thereafter as new circumstances may warrant. It is critical that the health care professional takes reasonable steps to ensure that safety measures are in place to protect data and information from unintended access or disclosure.

Let the Veteran know how their VA app data is used and safeguarded, who developed the app and the implications, and the privacy policy and security features of the app. When using a VA or DoD app, data is encrypted "at rest"— that is, when data is on the app and is not being transmitted. This provides an additional layer of security. Also let the Veteran know that the data is also encrypted "in transit," which means that if data is sent from the app, the information that is being transmitted is secure too.

Talk with the Veteran about common app permissions. Also discuss whether and how HIPAA applies to data entered into VA apps. Veterans should also be informed of the use of third-party technology by VA staff, the risk of disruption in the integrity of those staff's data management practices, and VA's commitment to protecting them from such an event.

Discuss the limits of confidentiality as well as pertinent privacy and security limitations. More detailed information about security and privacy can be found in the Security and Privacy section of the VA Mobile Health Practice Guide as well as in Part 6 of this series, What Healthcare Staff Need To Know About Security and Privacy With VA Virtual Care, which is located on TMS.





Scenario

A therapist receives app data sent through a text message. When the text is received, the cellphone lights up with the name of the Veteran.



RECOMMENDATION

During the informed consent process, be sure to clarify when and how you will receive the data and how they will be maintained. For example, Veterans will be in control of their data on the app. Then Veterans will bring their phone to appointments and share the data they choose with you, and you will then document the clinical encounter in the secure Electronic Health Record (EHR). When using a VA or DoD app, data is encrypted “at rest” (when data is on the app and not being transmitted), which provides an additional layer of security.



FURTHER RECOMMENDATIONS

- Take reasonable steps to make sure security measures are in place to protect data and information related to Veterans from unintended access or disclosure. VA health care staff members should take these precautions with the transmission of electronic information and communication conducted using connected health technologies.
- Inform Veterans of the use of third-party technology by VA health care staff, the risk of disruption in the integrity of those VA health care staff’s data management practices, and a commitment to protecting Veterans from such an event.

The following video demonstrates the process of discussing security and privacy when using a VA app:
players.brightcove.net/2851863979001/default_default/index.html?videoId=6310130907112



Discussing the Limits of Confidentiality

(APA 4.02; ACA B.1.d; AAMFT 2.1 and 2.5)

Scenario

A Veteran in crisis indicates through VA Video Connect app data that he is thinking of harming himself or others. Who can see the app data? Where does the information go if sent from a mobile device? Where does the information go if sent to the VA care team? Where and how will the data be stored and maintained?



RECOMMENDATION

Unless it is not feasible or is contraindicated, the discussion of confidentiality occurs at the outset of the relationship and thereafter as new circumstances may warrant.

Recording

(APA 4.03; ACA B.6.c; AAMFT 1.12)

Scenario

The VA provider asks Veteran to record Veteran's voice during PE therapy appointments using the PE Coach app.



RECOMMENDATION

When using PE Coach as a part of traditional prolonged exposure (PE) therapy, tell the Veteran they will record his or her own voice during imaginal exposure, enabling the Veteran to listen during homework appointments between therapy appointments. Give the Veteran options for how to record imaginal exposures, including through the PE Coach app, or using the voice memos app on their phone. The advantage to recording through the PE Coach app is that the data can be protected by a password, and audio files stored in the app are formatted in a manner that prevents them from being automatically uploaded into cloud storage. This is also the case if audio recordings are made through the voice recording feature of a smartphone unless this security option is turned off in settings.

Minimizing Intrusions on Privacy

(APA 4.04; ANA Principle 8, Principle 9-IS 3.1; ACA B.2.e)

Scenarios

- A VA health care staff member has a Veteran use a clinic-owned device during appointments but does not delete the Veteran's health information before having another Veteran use the device.
- A provider looks up a Veteran online to gather more information on the Veteran or receives a friend request on social media.



RECOMMENDATIONS

- Include only information that is relevant to a Veteran's treatment plan in the treatment notes. For example, recording a Veteran's score on an assessment from an app is a good idea, as long as the Veteran shares that information with you in the appointment. However, including information such as the screensaver picture choice, for example, is not a good idea unless it has some clinical relevance.
- The Veteran should use their own device when using VA apps. This enables the Veteran to have control over and engagement with their health data and facilitates compliance with homework or treatment between appointments. Tablets or smartphones provided for Veterans to use at clinics should be regularly checked and cleared of any Veteran data.
- Do not look up the Veteran online or become friends with them on social media. Boundaries blur easily online, and it is important for VA health care staff to be clear where the lines are, communicate with them to the Veteran and actively maintain those boundaries to minimize intrusions on the privacy of all parties involved.
- See Activity Sheet 6 in Appendix J of this guide to practice identifying ethical dilemmas that may arise when using technology in practice and to practice working through the process to resolve the dilemma.



KEY TAKEAWAYS

- Develop a thorough informed consent document that includes information on the use of mobile health in clinical care.
- Define boundaries before using mobile health and proactively maintain those boundaries. Electronic communication can blur professional lines, making provider-Veteran relationships seem less formal.
- Seek venues to improve and sustain competence in the use of mobile health in clinical care. Seek consultation and stay current on new technologies and their use to support treatment.
- Manage personal stress and resilience to prevent ethical blunders.



Knowledge Area 5: Cultural Considerations

Cultural awareness can have a direct impact on the efficacy of health care. VA health care staff members who work to increase their understanding of cultural differences and awareness of potential biases can significantly improve patient outcomes across age, sex, race, ethnicity, religious affiliation, or other variables. Because cultural awareness can have a direct impact on the efficacy of health care, VA health care professionals, including physicians, physician assistants, nurses, social workers, and dietitians, should work to increase their understanding of cultural differences and awareness of potential biases. Doing so can significantly improve patient outcomes across identities such as cultural beliefs, ethnic background, native language, race, religious affiliation, and sexual orientation. The culturally competent VA health care staff member strives for optimal care to Veterans inclusive of their age, sex, race, ethnicity, or other variables (Whaley & Davis, 2007). This also applies to the unique cultural components in the military (e.g., behavior norms, belief systems, language) and requires VA health care staff delivering care to become culturally competent in this area (Reger et al., 2008).

Step 1: Understand the cultural variables.

- Age and generational variables.
- Cultural and personal beliefs.
- Race and ethnicity.
- Access to technology (socioeconomic status) and geographic location.
- Literacy and level of education.
- Familiarity with technology.
- Variables unique to a specific population (e.g., military culture).

Note that several variables have little to no impact technology use (e.g., race and ethnicity), but other variables have a higher impact on technology use (e.g., socioeconomic status). Keep in mind that while there may be variables that are correlated with more or less technology use, that health care staff should not discriminate



Step 2: Identify your potential biases.

- What is your relationship with technology? Do you see it as positive or frustrating? Does it serve to help your life, or is it a nuisance?
- Do you have any biases regarding the use of technology in clinical care?
- Did you grow up with digital technology or not?
- Do you tend to embrace or reject new technologies? What is your technology adoption style?

Step 3: Use a framework to better understand how you experience these differences.

One example is the Developmental Model of Intercultural Sensitivity (DMIS), also called the Bennett scale after its creator, Dr. Milton Bennett. The model is based on the continuum of cultural awareness from ethnocentricity to ethnorelativity (Bennett, 1993). The following chart illustrates each stage across the continuum and potential biases for using technology in clinical care.

Ethnocentricity – Seeing the world through the lens of your culture
<p>Denial of Difference</p> <p><i>Only my view exists.</i></p> <p>I don't use smartphones, so I know none of my patients do either.</p>
<p>Defense Against Difference</p> <p><i>We are different, but I'm better.</i></p> <p>My patients may use smartphones, but I'm better because I don't. "Young kids and their stupid smartphones!"</p>
<p>Minimization of Difference</p> <p><i>We might be different, but it's no big deal.</i></p> <p>I don't use smartphones and my patients do, but it doesn't impact how I deliver care.</p>
Ethnorelativity – Recognizing multiple ways of viewing the world
<p>Acceptance of Difference</p> <p><i>We're different, and I'm OK with that.</i></p> <p>I don't use smartphones, but my patients do and I'm OK with that.</p>
<p>Adaptation to Difference</p> <p><i>We're different, but I work to think and act in a way that is understanding and respectful of those differences.</i></p> <p>I'm not familiar with smartphones, and my patients are. But I'm working to learn how to safely and ethically integrate them into care and to understand the benefits to me and my patients.</p>
<p>Integration of Difference</p> <p><i>I respect and value our cultural differences and can operate in both cultures.</i></p> <p>Although I didn't grow up in a digital age, I understand how to leverage smartphone technology, how to choose and prescribe apps to support evidence-based treatment and how to communicate security and privacy issues to patients.</p>

Perception of Technology in Clinical Care by DMIS Stage

Step 4: Increase cultural competency.

Use strategies to reach beyond your current perspective. In his theory, Bennett described the changes that occur at each step of the scale — what he calls evolutionary strategies. The following chart illustrates evolutionary strategies from ethnocentricity to ethnorelativity and how they relate to using technology in clinical care.

From Denial to Defense

Subject acquires an awareness of difference between cultures.

I'm starting to realize that although I don't use smartphones, almost everyone else does.

From Defense to Minimization

Negative judgments are depolarized, and the person is introduced to similarities between cultures.

Although those young kids are using smartphones, I remember how excited I was when new technologies came out when I was their age.

From Minimization to Acceptance

Subject grasps the importance of intercultural difference.

Smartphones are here to stay and people seem to like them, so I guess I'll be open to it.

From Acceptance to Adaptation

Exploration and research into the other culture begins.

Mobile apps can provide benefits to me and my patient in clinical care. Maybe I should learn how to safely and ethically integrate them into evidence-based practices.

From Adaptation to Integration

Subject develops empathy for the other culture.

I didn't grow up in the digital age, but I can understand the benefits of smartphone technologies, as well as the challenges they may create.

Evolutionary Strategy (Bennett, 2004)

See Activity Sheet 8 to practice identifying your technological cultural biases and how to increase your cultural awareness to be more inclusive and accepting of other technology adoption styles.

Step 5: Determine the Veteran's relationship with technology.


Culturally competent VA health care staff need to consider how their relationship with technology may differ from that of the Veteran's, because the difference may affect the quality of care. This process begins by using a framework for cultural differences and by understanding one's level of acculturation (Martinez & Eddy, 2005; Tata & Leong, 1994).

See Appendix H for a script for assessing a patient's use and familiarity with apps. It should not be assumed that every patient is technologically literate or comfortable entering personal data in a VA or DoD app. Clinical judgment should be used to determine when an app may not be appropriate for a particular Veteran.

The five established technology adopter categories are (Rogers 1962/2010, p. 282-283):

- 1. Innovators (2.5% of the population).** The first individuals to adopt an innovation.
- 2. Early adopters (13.5% of the population).** The second-fastest category of individuals to adopt an innovation.
- 3. Early majority (34% of the population).** Those who adopt an innovation after a varying degree of time.
- 4. Late majority (34% of the population).** Those who adopt an innovation after the average member of society.
- 5. Laggards (16% of the population).** The last group to adopt an innovation.

Another consideration for technological cultural competence is the developmental cohort a patient and healthcare staff member belong to. How familiar and comfortable with technology are they? Prensky (2001) called this developmental phenomenon "digital nativism." Younger people, known as "digital natives," have grown up in an era of computing and do not have memories of a time before the internet and smartphones, and they are at ease using a range of technologies. Alternatively, "digital immigrants" have had to learn these technologies in adulthood and may have limited comfort and capabilities using them. In behavioral health services, we frequently see a clash of cultures between health care staff and patients: One may be a digital immigrant while the other may be a digital native.



However, one's relationship with technology is not set in stone by developmental cohort or by adoption styles. Other influences include (Rogers, 1962/2010):

- **Relative advantage.** The degree to which an innovation is viewed as better than what was used before.
- **Compatibility.** How consistent the innovation is with the values, experiences, and needs of potential adopters.
- **Complexity.** How difficult the technology is to use.
- **Trialability.** The extent to which the innovation can be tested or tried before it is adopted.
- **Observability.** The extent to which the innovation provides results that the potential adopter can observe.

Many factors influence one's choice of whether to adopt a technology. The role of a VA health care staff member is to know a Veteran's level of understanding and acceptance of apps to provide the best care possible. The staff member can use a simple and informal screening process to assess the Veteran's familiarity and comfort level with a proposed technology, as well as their suitability for engaging with the recommended app. The Veteran's relationship with technology may affect the use of technology in the treatment plan.

To provide the best care possible, consider how your relationship with technology differs from that of the Veteran. Knowing a Veteran's level of understanding and acceptance of virtual care technologies such as apps is also important. Use a simple and informal screening process to assess the Veteran's familiarity and comfort level with a proposed technology, as well as their suitability for engaging with the technology being recommended. The Veteran's relationship with technology may affect the use of technology in the treatment plan.



KEY TAKEAWAYS

- Cultural issues, such as ethnic, racial, and socioeconomic variables, can affect clinical care.
- VA health care professionals should consider cultural factors that can affect a Veteran's adoption of technology.
- Using a framework, such as Bennett's Developmental Model of Intercultural Sensitivity, can help health care professionals better understand how they experience cultural differences in relation to technology.
- Differing relationships with technology can create a divide between VA staff and Veterans. Staff should assess those differences and use traditional cultural models to mitigate differences.
- VA health care professionals must recognize their personal biases and adapt technology use in clinical care according to the needs and comfort level of each Veteran — meeting the Veteran where they are.
- The VA health care staff member has a responsibility to meet the Veteran where they are.
- Technology is a way to meet Veterans where they are. The VA health care staff member needs to understand it and how it can help both them and the Veteran.



III.


Conclusion

III. Conclusion

Mobile health holds promise for improving the efficiency and efficacy of the delivery of care as well as clinical outcomes in the healthcare systems. The VA Mobile Health Practice Guide outlines the core knowledge areas for the use of mobile health in clinical care:

- Understanding the current level of the app's evidence base.
- Knowing how to integrate apps safely and effectively into clinical care.
- Knowing security and privacy issues and how to communicate them to a patient.
- Knowing how to identify and solve any ethical dilemmas that may arise.
- Being sensitive and knowledgeable about cultural considerations regarding the use of mobile health in clinical care.

The information and clinical support tools provided in this guide offer essential resources for VA health care staff to support the safe and effective integration of mobile health into clinical care.





IV.

References

IV. References

- Accreditation Council on Graduate Medical Education. (2013). Common program requirements. Retrieved from: <https://www.acgme.org/acgmeweb/Portals/0/PFAssets/ProgramRequirements/CPRs2013.pdf>.
- American Association for Marriage and Family Therapy. (2015). Code of ethics. Retrieved from: https://www.aamft.org/Legal_Ethics/Code_of_Ethics.aspx
- American Association for Marriage and Family Therapy. (2015). Standard VI technology-assisted professional services. Retrieved from: https://www.aamft.org/Legal_Ethics/Code_of_Ethics.aspx
- American Counseling Association. (2014). Code of ethics. Retrieved from: <https://www.counseling.org/resources/aca-code-of-ethics.pdf>.
- American Medical Association (2020a). Code of medical ethics. Retrieved from: <https://www.ama-assn.org/topics/ama-code-medical-ethics>
- American Medical Association (2022). AMA Digital Health Research: Physicians' Motivations and Requirements for Adopting Digital Health. Retrieved from: <https://www.ama-assn.org/system/files/ama-digital-health-study.pdf>
- American Medical Association (2016). Code of Medical Ethics: AMA Principles of Medical Ethics. Retrieved from: <https://www.ama-assn.org/sites/ama-assn.org/files/corp/media-browser/principles-of-medical-ethics.pdf>
- American Nursing Association (2019). ANA Core Principles on Connected Health Mapped to the Code of Ethics for Nurses Interpretive Statements. Retrieved from: <https://www.nursingworld.org/~491792/globalassets/docs/ana/practice/connected-health-principles-and-code-of-ethics-2019.pdf>
- American Psychiatric Association (2020). The App Evaluation Model. Retrieved from: <https://www.psychiatry.org/psychiatrists/practice/mental-health-apps>
- American Psychiatric Association. (2014). Resource document on telepsychiatry and related technologies in clinical psychiatry. Retrieved from: https://www.psychiatry.org/File%20Library/Psychiatrists/Directories/Library-and-Archive/resource_documents/Resource-2014-Telepsychiatry-Clinical-Psychiatry.pdf.
- American Psychological Association (2024). APA Guidelines for the Practice of Telepsychology. APA Task Force on Telepsychology. APA Council of Representatives. Retrieved from <https://www.apa.org/practice/guidelines/telepsychology-revisions.pdf>
- American Psychological Association. (2003). Guidelines on multicultural education, research, practice and organizational change for psychologists. *American Psychologist*, 58, 377–402. doi:10.1037/0003-066X.58.5.377
- American Psychological Association. (2010). Ethical Principles of Psychologists and Code of Conduct (2002, Amended June 1, 2010). Retrieved from: <http://www.apa.org/ethics/code/index.aspx>
- American Psychological Association. (2013). Guidelines for the Practice of Telepsychology: Joint Task Force for the Development of Telepsychology Guidelines for Psychologists. *American Psychologist*, 68(9), 791-800. doi:10.1037/a0035001.
- American Psychological Association. (2017). Ethical principles of psychologists and code of conduct. Washington, DC: Author. Retrieved from: <http://www.apa.org/ethics/code/index.aspx>
- Andersen, P. B., & Babic, A. (2014). Self-reporting for bipolar patients through smartphone. *IFMBE Proceedings*, 1358–1361. doi:10.1007/978-3-319-00846-2_336
- Anderson-Lewis, C., Darville, G., Mercado, R. E., Howell, S., & Di Maggio, S. (2018). mHealth technology use and implications in historically underserved and minority populations in the United States: systematic literature review. *JMIR mHealth and uHealth*, 6(6), e128. doi:10.2196/mhealth.8383
- Anguera, J. A., Jordan, J. T., Castaneda, D., Gazzaley, A., & Areán, P. A. (2016). Conducting a fully mobile and randomised clinical trial for depression: access, engagement and expense. *BMJ Innovations*, 2, 14–21. doi:10.1136/

Armstrong, C. M. (2019). Mobile health provider training: results and lessons learned from year four of training on core competencies for mobile health in clinical care. *Journal of Technology in Behavioral Science*. doi:10.1007/s41347-019-00089-8

Armstrong, C.M., Ciulla, R. P., Edwards-Stewart, A., Hoyt, T., & Bush, N. (2018). Best practices of mobile health in clinical care: the development and evaluation of a competency-based provider training program. *Professional Psychology: Research and Practice*, 49(5-6), 355-363.

Professional Psychology: Research and Practice, 49(5-6), 355-

363. doi:10.1037/pro0000194

Armstrong, C.M., Ciulla, R. P., Williams, S.A., Micheel, L. (2020). An applied test of knowledge translation methods using a mobile health solution. *Military Medicine*, 185, 526- 535 doi:10.1093/milmed/usz196

535 doi:10.1093/milmed/usz196

Armstrong, C. M., Culver, L. L., & Frosch, C. Y. (2023). Virtual Care Best Practices Series – Part 1 of 8: Virtual Care Best Practices. U.S. Dept of Veterans Affairs (link) TMS ID 4640334

Armstrong, C. M., Culver, L. L., & Frosch, C. Y. (2023). Virtual Care Best Practices Series – Part 2 of 8: Evidence Base to Support the Use of Virtual Care. U.S. Dept of Veterans Affairs (link) TMS ID 4640585

Armstrong, C. M., Culver, L. L., & Frosch, C. Y. (2023). Virtual Care Best Practices Series – Part 3 of 8: Assessing Readiness for Use of Virtual Care. Dept of Veterans Affairs (link) TMS ID 4640587

Armstrong, C. M., Culver, L. L., & Frosch, C. Y. (2023). Virtual Care Best Practices Series – Part 4 of 8: Introducing and Integrating Virtual Care into Clinical Workflow. Dept of Vet Affairs (link) TMS ID 4640638

Armstrong, C. M., Culver, L. L., & Frosch, C. Y. (2023). Virtual Care Best Practices Series – Part 5 of 8: Prescribing Virtual Care Tools for Veterans. U.S. Dept of Veterans Affairs (link) TMS ID 4640746

Armstrong, C. M., Culver, L. L., & Frosch, C. Y. (2023). Virtual Care Best Practices Series – Part 6 of 8: What Healthcare Staff Need to Know about Security and Privacy in Virtual Care. Dept of Veterans Affairs (link) TMS ID 4640792

Armstrong, C. M., Culver, L. L., & Frosch, C. Y. (2023, 2021). Virtual Care Best Practices Series – Part 7 of 8: Ethical and

Professional Issues with Virtual Care. U.S. Dept of Veterans Affairs, Washington DC. <https://vaots.blackboard.com> TMS ID 4640793

Armstrong, C. M., Culver, L. L., & Frosch, C. Y. (2023, 2021). Virtual Care Best Practices Series – Part 8 of 8: Cultural Safety and Competence with Virtual Care. U.S. Dept of Veterans Affairs, Washington DC. <https://vaots.blackboard.com> TMS ID 4640794

Armstrong, C., Edwards-Stewart, A., Ciulla, R. P., Bush, N. E., Cooper, D. C., Kinn, J. T., Pruitt, L. D., Skopp, N. A., Blasko, K. A., & Hoyt, T. V. (2018). Department of Defense Mobile Health Practice Guide, fourth edition. Connected Health Branch, Defense Health Agency, U.S. Department of Defense. <https://www.researchgate.net/> https://www.researchgate.net/publication/326842558_DoD_Mobile_Health_Practice_Guide_4th_Editio

Armstrong, C. M., Hoyt, T.K., Kinn, J. T., Ciulla, R. P., & Bush, N.E. (2017). Mobile behavioral health applications for the military community: evaluating the emerging evidence base. *Best Practices in Mental Health: Mental Health Practice with Military and Veteran Connected Populations*, 13(1), 106119106- 119, Vandiver & Corcoran (Editors). ISSN 1553-555x.

Armstrong, C.M., Ortigo, K., Avery-Leaf, S., & Hoyt, T. (2018). Cultural considerations in using mobile health in clinical care with military and veteran populations. *Psychological Services*, 15(4). doi:10.1037/ser0000252

Armstrong, C. M., Wilck, N. R., Murphy, J., Herout, J., Cone, W. J., Johnson, A. K., Zipper, K., Britz, B., Betancourt-Flores, G., LaFleur, M., Vetter, B., Dameron, B., Frizzell, N. (2022). Results and lessons learned when leveraging implementation science to increase adoption of multiple health technologies during the COVID-19 pandemic. [Special Issue: Implementation Science and Clinical Integration of Health Technologies], *Journal of Technology in Behavioral Science*, 7(1), 81-99. (link)

Arora, A., Yttri, J., & Nilsen, W. (2014). Privacy and security in mobile health (mhealth) research. *Alcohol Research*, 36(1), 143–151.

Association of American Medical Colleges. (2021). Telehealth Competencies Across the Learning Continuum. AAMC New and Emerging Areas in Medicine Series. Washington, DC: AAMC.

- Atienza, A., Zarcadoolas, C., Vaughn, W., Hughes, P., Patel, V., Chou W., Pritts, J. (2015). Consumer attitudes and perceptions on mHealth privacy and security: findings from a mixed-methods study. *Journal of Health Communication, 20*, 673–679. doi:10.1080/10810730.2015.1018560
- Azad-Khaneghah, P., Neubauer, N., Cruz, A.M. & Liu, L. (2020) Mobile health app usability and quality rating scales: a systematic review. *Disability and Rehabilitation: Assistive Technology*. doi:10.1080/17483107.2019.1701103
- Baker, D. & Bufka, L. (2011). Preparing for the telehealth world: Navigating legal, regulatory, reimbursement and ethical issues in an electronic age. *Professional Psychology: Research and Practice, 42*, 405–411.
- Bakker, D., Kazantzis, N., Rickwood, D., & Rickard, N. (2016). Mental health smartphone apps: Review and evidence-based recommendations for future developments. *JMIR Mental Health, 3*(1), e7. doi:10.2196/mental.4984
- Barnett, J. E., & Kolmes, K. (2016). The practice of tele-mental health: Ethical, legal, and clinical issues for practitioners. *Practice Innovations, 1*(1), 53–66.
- BBC News (2013). Tipping point for mobile health apps. Retrieved from: <https://www.bbc.com/news/av/health-23663968>
- Beach, M. C., Price, E. G., Gary, T. L., Robinson, K. A., Gozu, A., Palacio, A., . . . Cooper, L. A. (2005). Cultural competence: a systematic review of health care provider educational interventions. *Medical Care, 43*, 356–373. doi:10.1097/01.mlr.0000156861.58905.96
- Becket-Davenport, C., Bosch, J, Jamison, A. Using Veterans Administration National Center for Posttraumatic Stress Disorder (VA NCPTSD) Mental Health Apps to Support Veteran Care Enduring (link) TMS Course ID: 131012386
- Bennett, M. J. (1993). Towards Ethnorelativism: A Developmental Model of Intercultural Sensitivity. In R. M. Paige (Ed.), *Education for the Intercultural Experience* (pp. 21–71). Yarmouth, ME: Intercultural Press.
- Bennett, M. J. (2004). Becoming Interculturally Competent. In J. S. Wurzel (Ed.), *Toward Multiculturalism: A Reader in Multicultural Education* (2nd ed., pp. 62–77). Newton, MA: Intercultural Resource Corporation. The Diversity Symposium proceedings: An interim step toward a conceptual framework for the practice of diversity. Waltham, MA: Bentley College, 2002). Additional information at www.idrinstitute.org
- Benuto, L. T., Casas, J., & O'Donohue, W. T. (2018). Training culturally competent psychologists: A systematic review of the training outcome literature. *Training and Education in Professional Psychology, 12*(3), 125–134.
- Berger, J. T. (1998). Culture and ethnicity in clinical care. *Archives of Internal Medicine, 158*(19), 2085–2090.
- Berk, M. S., Henriques, G. R., Warman, D. M., Brown, G. K., & Beck, A. T. (2004). A cognitive therapy intervention for suicide attempters: An overview of the treatment and case examples. *Cognitive and Behavioral Practice, 11*(3), 265–277. doi:10.1016/s1077-7229(04)80041-5
- Blasko, K., Ciulla, R. P., Cavanagh, R., Kinn, J., Armstrong, C., Micheel, L., & Hoyt, T. (2020). Internet-Based Mental Health Interventions: Evidence, Practical Considerations, and Future Directions. Chapter in *Technology and Mental Health: A Clinicians Guide to Improving Outcomes*, (Ed) Greg Reger. doi:10.4324/9780429020537-3
- Boschen, M. J. (2009). Mobile telephones and psychotherapy: II. A review of empirical research. *The Behavior Therapist, 32*(8), 175–181.
- Brenner, L. A., Homaifar, B. Y., Adler, L. E., Wolfman, J. H., & Kemp, J. (2009). Suicidality and veterans with a history of traumatic brain injury: precipitants events, protective factors, and prevention strategies. *Rehabilitation psychology, 54*(4), 390–397. <https://doi.org/10.1037/a0017802>
- Bush, N. E., Armstrong, C. M., & Hoyt, T. V. (2019). Smartphone apps for psychological health: A brief state of the science review. *Psychol Serv, 16*(2), 188–195. doi:10.1037/ser0000286
- Bush, N. E., Dobscha, S. K., Crumpton, R., Denneson, L. M., Hoffman, J. E., Crain, A., Kinn, J. T. (2015). A Virtual Hope Box Smartphone App as an Accessory to Therapy: Proof-of-Concept in a Clinical Sample of Veterans. *Suicide and Life-Threatening Behavior, 45*(1), 1–9. doi:10.1111/sltb.12103
- Bush, N. E., Ouellette, G., & Kinn, J. (2014). Utility of the T2 Mood Tracker Mobile Application Among Army Warrior Transition Unit Service Members. *Military Medicine, 179*(12), 1453–1457. doi:10.7205/MILMED-D-14-00271
- Bush, N. E., Skopp, N., Smolenski, D., Crumpton, R., & Fairall, J. (2013). Behavioral screening measures delivered with a smartphone app: psychometric properties and user preference. *The Journal of Nervous and Mental Disease, 201*(11), 991–995. doi:10.1097/NMD.0000000000000039

- Bush, N. E., Smolenski, D., Denneson, L. M., Williams, H. B., Thomas, E., & Dobscha, S. K. (2017). A Virtual Hope Box: randomized controlled trial of a smartphone app for emotional regulation and coping with distress. *Psychiatric Services, 68*(4), 330–336. doi:10.1176/appi.ps.201600283
- Bush, N., & Wheeler, W. (2015). Personal Technology Use by U.S. Military Service Members and Veterans: An Update. *Telemedicine and e-Health, 21*(4), 245–258. doi:10.1089/tmj.2014.0100
- Carleton, K. E., Patel, U. B., Stein, D., Mou, D., Mallow, A., & Blackmore, M. A. (2020). Enhancing the scalability of the collaborative care model for depression using mobile technology. *Translational Behavioral Medicine, 10*(3), 573–579. doi:10.1093/tbm/ibz146
- Carlson, E. B., Field, N. P., Ruzek, J. I., Bryant, R. A., Dalenberg, C. J., Keane, T. M., Spain, D. A. (2016). Advantages and psychometric validation of proximal intensive assessments of patient-reported outcomes collected in daily life. *Quality of Life Research, 25*(3), 507–516. https://doi.org/10.1007/s11136-015-1170
- Cavanagh, R., Mackey, R., Bridges, L., Gleason, A., Ciulla, R., Micheel, L., Bradshaw, D., Armstrong, C. M., & Hoyt, T. (2020). The use of technologies to manage insomnia in military populations. *Journal of Technology in Behavioral Science, 5*, 61–69. doi:10.1007/s41347-019-00114-w
- Chandrashekar, P. (2018). Do mental health mobile apps work: Evidence and recommendations for designing high-efficacy mental health mobile apps. *mHealth, 4*, 6. doi:10.21037/mhealth.2018.03.02
- Changizi, M. & Kaveh, M.H. (2017). Effectiveness of the mHealth technology in improvement of healthy behaviors in an elderly population— A systematic review. *mHealth, 3*(11). doi:10.21037/mhealth.2017.08.06
- Christenson, C. (1997). *The innovator's dilemma*. Cambridge, MA: Harvard Business School Press. Connolly, S.L., Miller, C.J., Koenig, C.J., Zamora, K.A., Wright, P.B., Stanley, R.L., & Pyne, J.M. (2018). Veterans' attitudes towards smartphone application use for mental health care: Examination of rurality and age differences. *Journal of Medical Internet Research mHealth and uHealth, 6*(8), e10748.
- Connolly, S. L., Stolzmann, K. L., Heyworth, L., Weaver, K. R., Bauer, M. S., & Miller, C. J. (2023). Provider and patient perceptions of digital health technologies in the Veterans Health Administration: A mixed-methods study. *Journal of General Internal Medicine, 38*(1), 124–132. https://doi.org/10.1007/s11606-022-07815-6
- Cortez, N. (2013). The Mobile Health Revolution? *University of California Davis Law Review, 47*, 1173–1230.
- Curtis, E., Jones, R., Tipene-Leach, D., Walker, C., Loring, B., Paine, S. J., & Reid, P. (2019). Why cultural safety rather than cultural competency is required to achieve health equity: a literature review and recommended definition. *International Journal for Equity in Health, 18*(1), 174. doi:10.1186/s12939-019-1082-3.
- Dale, O., & Hagen, K. (2007). Despite technical problems personal digital assistants outperform pen and paper when collecting patient diary data. *Journal of Clinical Epidemiology, 60*, 8–17. doi:10.1016/j.jclinepi.2006.04.005
- Danso, R. (2018). Cultural competence and cultural humility: A critical reflection on key cultural diversity concepts. *Journal of Social Work, 18*, 410–430.
- de Peralta, A. M., Gillispie, M., Mobley, C., & Gibson, L. M. (2019). It's all about trust and respect: cultural competence and cultural humility in mobile health clinic services for underserved minority populations. *Journal of Health Care for the Poor and Underserved, 30*(3), 1103–1118. doi:10.1353/hpu.2019.0076.
- Dennison, L., Morrison, L., Conway, G., & Yardley, L. (2013). Opportunities and challenges for smartphone applications in supporting health behavior change: qualitative study. *Journal of Medical Internet Research, 15*(4), e86. doi:10.2196/jmir.2583
- Donker, T., Petrie, K., Proudfoot, J., Clarke, J., Birch, M. R., & Christensen, H. (2013). Smartphones for smarter delivery of mental health programs: a systematic review. *Journal of Medical Internet Research, 15*(11), e247. doi:10.2196/jmir.2791.
- Dutta, M. J., Kaur-Gill, S., Tan, N. (2018). mHealth, health, and mobility: a culture centered interrogation, pp 91–107. In E. Baulch, J. Watkins, A. Tariq (editors) *mHealth innovation in Asia: Grassroots challenges and practical interventions [Internet]*. Dordrecht (NL): Springer.
- Dwight-Johnson, M., Aisenberg, A., Golinelli, D., Hong, S., O'Brien, M, Evette Ludman, E. (2011). Telephone-based cognitive-behavioral therapy for Latino patients living in rural areas: A randomized pilot study. *Psychiatric Services, 62*(8), e10748. doi:10.1176/ps.62.8.pss6208_0936
- Edwards-Stewart, A., Alexander, C., Armstrong, C. M., Hoyt, T., & O'Donohue, W. (2019). Mobile applications for client use: Ethical and legal considerations. *Psychological Services, 16*, 281–285. doi:10.1037/ser0000321

- Egede, L. E., Acierno, R. Knapp, R. G., Walker, R. J., Payne, E. H., & Freud, B. C. (2016). Psychotherapy for depression in older Veterans via telemedicine: Effect on quality of life, satisfaction, treatment credibility, and service delivery perception. *The Journal of Clinical Psychiatry*, 77(12), 1704–1711. <https://doi.org/10.4088/jcp.16m1095>
- Eftekhari, A., Ruzek, J. I., Crowley, J. J., Rosen, C. S., Greenbaum, M. A., & Karlin, B. E. (2013). Effectiveness of national implementation of prolonged exposure in Veterans Affairs care. *JAMA Psychiatry*, 70(9), 949–55. doi: 10.1001/jamapsychiatry.2013.36.
- Fernandez, M. A., & Short, M. (2014). Wounded Warriors with PTSD: a compilation of best practices and technology in treatment. *The Professional Counselor*, 4, 114–121.
- Fife, E., and Orjuela, J. (2012). The privacy calculus: Mobile apps and user perceptions of privacy and security. *International Journal of Engineering Business Management* 4(1), 1–10. doi:10.5772/51645.
- Firth, J., & Torous, J. (2015). Smartphone apps for schizophrenia: a systematic review. *JMIR Mhealth Uhealth*, 3(4), e102. doi:10.2196/mhealth.4930
- Faverio, M. (2022). Share of those 65 and older who are tech users has grown in the past decade. Pew Research Center. <https://www.pewresearch.org/fact-tank/2022/01/13/share-of-those-65-andolder-who-are-tech-users-has-grown-in-the-past-decade/>
- Food and Drug Administration (2015). Mobile Medical Applications: Guidance for Industry and Food and Drug Administration Staff. <https://www.fda.gov/media/80958/download> <https://www.fda.gov/medical-devices/digital-health/mobile-medical-applications>
- Food and Drug Administration (2019). Proposed regulatory framework for modifications to artificial intelligence/machine learning (ai/ml)-based Software as a Medical Device (SaMD). Discussion Paper and Request for Feedback. <https://www.regulations.gov/document?D=FDA-2019-N-1185-0001>
- Fowler, L. A., Holt, S. L., & Joshi, D. (2016). Mobile technology-based interventions for adult users of alcohol: a systematic review of the literature. *Addictive behaviors*, 62, 25–34. <https://doi.org/10.1016/j.addbeh.2016.06.008>
- FTC Staff Report (2013) Mobile Privacy Disclosures: Building Trust Through Transparency. <http://www.ftc.gov/sites/default/files/documents/reports/mobile-privacy-disclosures-building-trust-through-transparency-federal-trade-commission-staff-report/130201mobileprivacyreport.pdf>
- Gaggioli, A., & Riva, G. (2013). From mobile mental health to mobile wellbeing: opportunities and challenges. *Studies in Health Technology and Informatics*, 184, 141–147. doi:10.3233/978-1-61499-209-7-141.
- Gagnon, M., Ngangue, P., Payne-Gagnon, J., & Desmartis, M. (2015). m-Health adoption by healthcare professionals: a systematic review. *Journal of the American Medical Informatics Association*, 23(1), 212–220. doi:10.1093/jamia/ocv052
- Geerlings, L., Thompson, C. L., Kraaij, V., & Keijsers, G. (2018). Culturally competent practice: a mixed methods study among students, academics and alumni of clinical psychology master's programs in the Netherlands. *Europe's Journal of Psychology*, 14(1), 88–106. doi:10.5964/ejop.v14i1.1461
- Gentry, M. T., Beito, A. H., & Hilty, D. M. (2025). Telehealth Competencies to Ensure Health Care Access, Quality, and Equity for Older Adults: A Scoping Review. *Telemedicine journal and e-health : the official journal of the American Telemedicine Association*, 10.1089/tmj.2025.0080. Advance online publication. <https://doi.org/10.1089/tmj.2025.0080>
- Gould, C. E., Kok, B. C., Ma, V. K., Zapata, A. M. L., Owen, J. E., & Kuhn, E. (2019). Veterans Affairs and the Department of Defense mental health apps: a systematic literature review. *Psychological Services*, 16(2), 196–207. doi:10.1037/ser0000289
- Gould, C. E., Loup, J., Kuhn, E., Beaudreau, S. A., Ma, F., Goldstein, M. K., Wetherell, J. L., Zapata, A. M. L., Choe, P., & O'hara, R. (2019). Technology use and preferences for mental health self-management interventions among older veterans. *Int J Geriatric Psychiatry*. doi: 10.1002/gps.5252
- Greenwood, D. A., Gee, P. M., Fatkin, K. J., & Peebles, M. (2017) A systematic review of reviews evaluating technology-enabled diabetes self-management education and support. *Journal of Diabetes Science and Technology*, 11, 105–1027.
- Gutiérrez S, Torres V, Molina MM, Härtel S. Digital Health Competencies: Core to Effective Health Sector Leadership. *Stud Health Technol Inform*. 2025 Jun 26;328:560-564. doi: 10.3233/SHTI250782. PMID: 40588988.
- Guy, R., Hocking, J., Wand, H., Stott, S., Ali, H., & Kaldor, J. (2012). How effective are short message service reminders at increasing clinic attendance? A meta-analysis and systematic review. *Health Services Research*, 47(2), 614–632. doi:10.1111/j.1475-6773.2011.01342.x

- Hall A. K., Cole-Lewis, H., Bernhardt, J.M. (2015). Mobile text messaging for health: a systematic review of reviews. *Annu Rev Public Health*, 36, 393–415.
- Harris, E., & Younggren, J. N. (2011). Risk management in the digital world. *Professional Psychology: Research and Practice*, 42(6), 412–418. doi:10.1037/a0025139
- Health Information Technology for Economic and Clinical Health (HITECH) Act 2 U.S.C. § 300jj et seq.; § 17901 et seq. (2009).
- Health Insurance Portability and Accountability Act (HIPAA) Security Rule, 45 C.F.R. Parts 160, 164 (Subparts A and C) (2003).
- Health Insurance Portability and Accountability Act (HIPAA), 42 U.S.C. § 300gg; 29 U.S. C. § 1181 et seq.; 42 U.S. C. 1320d et seq. (1996).
- Hilty, D. M. (2016). Advancing science, clinical care and education: Shall we update Engel’s biopsychosocial model to a bio-psycho-socio-cultural model? *Psychol Cogn Sci*, 1(1). doi:10.17140/PCSOJ-1-e001
- Hilty, D. M., Armstrong, C. M., Luxton, D. D., Gentry, M. T., & Krupinski, E. A. (2021). Sensor, wearable, and remote patient monitoring competencies for clinical care and training: scoping review. [Special Issue: Clinical and Educational Interventions for Technologies]. *Journal of Technology in Behavioral Science*. <https://link.springer.com/article/10.1007/s41347-020-00190-3>
- Hilty, D. M., Armstrong, C. M., Edwards-Stewart, A., & Luxton, D. D. (2023). A Look Forward to Digital Therapeutics in 2040 and How clinicians and Institutions Get There. Chapter (17) in *Digital Therapeutics for Mental Health and Addiction: The State of the Science and Vision for the Future*, (Ed) N. Jacobson. Pages 217-252. <https://doi.org/10.1016/B978-0-323-90045-4.00014-9>
- Hilty, D., M., Armstrong, C. M., Wright, S. D., Smout, S. A., Drude, K. P., Maheu, M. M., & Krupinski, E. A. (2025). Detection, evaluation, and best practices for technology-based fatigue to promote well-being. Chapter in *Digital Mental Health: The Future is Now*, Publisher: Springer Nature. Editors: Davor Mucic and Donald M. Hilty. *Digital Mental Health: The Future is Now*.
- Hilty, D. M., Chan, S., Hwang, T., Wong, A., & Bauer, A. M. (2017). Advances in mobile mental health: opportunities and implications for the spectrum of e-mental health services. *mHealth*, 3, 34. doi:10.21037/mhealth.2017.06.02
- Hilty, D. M., Feliberti, J., Evangelatos, G., Lu, F. G., Lim, R. F. (2018). Competent cultural telebehavioral healthcare to diverse populations: Administration, evaluation, and financing. *Journal of Technology in Behavioral Science*, 4(3). 186–200. doi:10.1007/s41347-018-0076-0
- Hilty, D. M., Gentry, M. T., McKean, A. J., Cowan, K. E., Lim, R. F., & Lu, F. G. (2020). Telehealth for rural diverse populations: Telebehavioral and cultural competencies, clinical outcomes and administrative approaches. *mHealth*, 6, 20. <https://doi.org/10.21037/mhealth.2019.10.04>
- Hilty, D., Chan, S., Torous, J., Luo, J., & Boland, R. (2020). A framework for competencies for the use of mobile technologies in psychiatry and medicine: scoping review. *JMIR mHealth and uHealth*, 8(2), e12229.
- Hirschtritt, M. E., & Insel, T. R. (2018). Digital technologies in psychiatry: present and future. *Focus (American Psychiatric Publishing)*, 16(3), 251–258. doi:10.1176/appi.focus.20180001
- Hoffman, L., Benedetto, E., Huang, H., Grossman, E., Kaluma, D., Mann, Z., & Torous, J. (2019). Augmenting mental health in primary care: mental health in primary care: a 1-year study of deploying smartphone apps in a multi-site primary care/behavioral health integration program. *Frontiers in Psychiatry*, 10, 94.
- Hoffman, J. E., Kuhn, E., Chard, K., Resick, P., Greene, C., Weingardt, K., & Ruzek, J. I. (2014). CPT Coach (Version 1.0). [Mobile application software]. Retrieved from <http://itunes.apple.com>.
- Horvat, L., Horey, D., Romios, P., & Kis-Rigo, J. (2014). Cultural competence education for health professionals. *The Cochrane Database of Systematic Reviews*, (5), CD009405. <https://doi.org/10.1002/14651858.CD009405.pub2>.
- Hoyt, T., Candy, C. (2011). Providing treatment services for PTSD at an Army FORSCOM installation. *Military Psychology*, 23(3), 237–252. doi:10.1080/08995605.2011.570564
- Jaenicke, C., Greenwood, D., Nelson, K., Klein, M., Foss, B., Carson, L., Smith, K., & Mariash, E. (2019). Use of mobile messaging system for self-management of chemotherapy symptoms in patients with advanced cancer. *Federal Practice*, 36(5), S54–S57.


- Joint Task Force for the Development of Telepsychology Guidelines for Psychologists. (2013). Guidelines for the practice of telepsychology. *American Psychologist*, 68, 791–800. doi:10.1037/a0035001
- Jones, N., & Moffitt, M. (2016). Ethical guidelines for mobile app development within health and mental health fields. *Professional Psychology: Research and Practice*, 47(2), 155–162. doi:10.1037/pro0000069
- Juarascio, A. S., Manasse, S. M., Goldstein, S. P., Forman, E. M., & Butryn, M. L. (2015). Review of smartphone applications for the treatment of eating disorders. *Eur Eat Disord Rev*, 23(1), 1–11. doi:10.1002/erv.2327
- Kao, C.K., & Liebovitz, D. M. (2017). Consumer mobile health apps: current state, barriers, and future directions. *Clinical Informatics in Psychiatry*, 9(5S), S106–S115. doi:10.1016/j.pmrj.2017.02.018
- Karcher, N. R., & Presser, N. R. (2016). Ethical and Legal Issues Addressing the use of mobile health (mHealth) as an adjunct to psychotherapy. *Ethics & Behavior*, 1–22. doi:10.1080/10508422.2016.1229187
- Kataria L, Sundahl, C, Skalina L, et al. (2018). Text message reminders and intensive education improves positive airway pressure compliance and cognition in veterans with traumatic brain injury and obstructive sleep apnea: ANNIE pilot study. *Neurology*, 90 (15), P1.097.
- Kong, T., Scott, M. M., Li, Y., & Whichelman, C. (2020). Physician attitudes and adoption of mobile health. *Digital Health*, 6, doi:10.1177/2055207620907187
- Kuhn, E. & McGee-Vincent, P. (2020). Using mobile apps in mental health practice. In G. Reger (Ed.), *Technology and Mental Health: A Clinician's Guide to Improving Outcomes*. Routledge. doi:10.4324/9780429020537
- Kuhn, E., Crowley, J. J., Hoffman, J. E., Eftekhari, A., Ramsey, K. M., Owen, J. E., Reger, G. M., & Ruzek, J. I. (2015). Clinician characteristics and perceptions related to use of the PE (Prolonged Exposure) Coach mobile app. *Professional Psychology: Research and Practice*, 46, 437–443.
- Kuhn, E., Eftekhari, A., Hoffman, J. E., Crowley, J. J., Ramsey, K. M., Reger, G. M., & Ruzek, J. I. (2014). Clinician perceptions of using a smartphone app with prolonged exposure therapy. *Administration and Policy in Mental Health and Mental Health Services Research*, 41, 800–807.
- Kuhn, E., Greene, C., Hoffman, J., Nguyen, T., Wald, L., Schmidt, J., ... Ruzek, J. (2014). Preliminary Evaluation of PTSD Coach, a Smartphone App for Posttraumatic Stress Symptoms. *Military Medicine*, 179(1), 12–18. doi:10.7205/MILMED-D-13-00271.
- Kuhn, E., Kanuri, N., Hoffman, J. E., Garvert, D. W., Ruzek, J. I., & Taylor, C. B. (2017). A randomized controlled trial of a smartphone app for posttraumatic stress disorder symptoms. *Journal of Consulting and Clinical Psychology*, 85(3), 267–273. doi:10.1037/ccp0000163
- Lewinsohn, P. M., Sullivan, J. M., & Grosscup, S. J. (1980). Changing reinforcing events: An approach to the treatment of depression. *Psychotherapy: Theory, Research & Practice*, 17(3), 322–334. doi:10.1037/h0085929
- Lewis, S. J., Arseneault, L., Caspi, A., Fisher, H. L., Matthews, T., Moffitt, T. E., ... Danese, A. (2019). The epidemiology of trauma and posttraumatic stress disorder in a representative cohort of young people in England and Wales. *The Lancet Psychiatry*, 6(3), 247–256. doi:10.1016/s2215-0366(19)30031-8
- Lie, D. A., Lee-Rey, E., Gomez, A., Bereknyei, S., & Braddock, C. H., III. (2011). Does cultural competency training of health professionals improve patient outcomes? A systematic review and proposed algorithm for future research. *Journal of General Internal Medicine*, 26, 317–325. doi:10.1007/s11606-010-1529-0
- Linehan, M. M. (1993). *Diagnosis and treatment of mental disorders. Cognitive-behavioral treatment of borderline personality disorder*. Guilford Press.
- LoBiondo-Wood, G. P., & Haber, J. (2010). *Nursing Research: Methods and Critical Appraisal for Evidence-Based Practice* (7th ed.). St. Louis, MO: Mosby Elsevier.
- Longhini, J., Rossetini, G., & Palese, A. (2022). Digital Health Competencies Among Health Care Professionals: Systematic Review. *Journal of medical Internet research*, 24(8), e36414. https://doi.org/10.2196/36414
- Lui, J. H., Marcus, D. K., & Barry, C. T. (2017). Evidence-based apps? A review of mental health mobile applications in a psychotherapy context. *Professional Psychology: Research and Practice*, 48(3), 199–210. doi:10.1037/pro0000122
- Luxton, D., Armstrong, C. M., Fantelli, E., & Thomas, E. (2011). Attitudes and awareness of web-based healthcare resources in the military: A preliminary survey study. *Telemedicine and e-Health*, 17, 1-4.

- Luxton, D. D., Hansen, R. N., & Stanfill, K. (2014). Mobile app self-care versus in-office care for stress reduction: a cost minimization analysis. *Journal of Telemedicine and Telecare*, 20(8), 431–435. doi:10.1177/1357633X1455616
- Luxton, D. D., Kayl, R. A., and Mishkind, M. C. (2012). mHealth data security: the need for HIPAA-compliant standardization. *Telemedicine journal and e-health*, 18(4), 284–288. doi:10.1089/tmj.2011.0180
- Luxton, D. D., Nelson, E. & Maheu, M. M. (2016). A Practitioner's Guide to Telemental Health. How to Conduct Legal, Ethical, and Evidence-Based Telepractice. American Psychological Association, Washington DC doi: 10.1037/14938-0000
- V. (2012). Usability and feasibility of smartphone video capabilities for telehealth care in the U.S. military. *Telemedicine and e-Health*, 18(6), 409–413. doi:10.1089/tmj.2011.0219
- Martinez, C. R., Jr., Eddy, J. M. (2005). Effects of culturally adapted parent management training on Latino youth behavioral health outcomes. *Journal of Consulting and Clinical Psychology*, 73(5), 841–851. doi:10.1037/0022-006X.73.5.841
- Martínez-Pérez, B., de la Torre-Díez, I., López-Coronado.
- Luxton, D., Mishkind, M., Crumpton, R., Ayers, T., & Mysliwiec, M. (2014). Privacy and security in mobile health apps: a review and recommendations. *J Med Syst*. 2015 Jan;39(1):181. doi:10.1007/s10916-014-0181-3
- McGee-Vincent, P., & Juhasz, K. (2018). Integrating NCPTSD mobile apps into Veteran mental health care. [Video series]. Retrieved from https://www.ptsd.va.gov/professional/continuing_ed/integrating_mobileapps_tx.asp.
- McGee-Vincent, P., Mackintosh, M. A., Jamison, A. L., Juhasz, K., Becket-Davenport, C., Bosch, J., Avery, T. J., Glamb, L., & Hampole, S. (2023). Training Staff Across the Veterans Affairs Health Care System to Use Mobile Mental Health Apps: A National Quality Improvement Project. *JMIR mental health*, 10, e41773. <https://doi.org/10.2196/41773>
- McGraw, D., Belfort, R., Pfister, H., & Ingargiola, S. (2013). Going digital with patients: managing potential liability risks of patient-generated electronic health information. *Journal of Participatory Medicine*, 5, e41.
- Miller, K. E., Kuhn, E., Yu, J., Owen, J. E., Jaworski, B. K., Taylor, K., Blonigen, D. M., & Possemato, K. (2019). Use and perceptions of mobile apps for patients among VA primary care mental and behavioral health providers. *Professional Psychology: Research and Practice*, 50(3), 204–209. doi:10.1037/pro0000229
- Miner, A., Kuhn, E., Hoffman, J., Owen, J., Ruzek, J., & Taylor, C. (2016). Feasibility, acceptability, and potential efficacy of the PTSD Coach app: A pilot randomized controlled trial with community trauma survivors. *Psychological Trauma: Theory, Research, Practice, and Policy*, 8(3), 384–392. doi:10.1037/tra0000092.
- Monson, C. M., Schnurr, P. P., Resick, P. A., Friedman, M. J., Young-Xu, Y., & Stevens, S. P. (2006). Cognitive processing therapy for veterans with military-related posttraumatic stress disorder. *Journal of Consulting and Clinical Psychology*, 74(5), 898–907. doi:10.1037/0022-006X.74.5.898
- National Association of Social Workers. Standards and Indicators of Cultural Competency in Social Work Practice, 2015. Retrieved from: <https://www.socialworkers.org/LinkClick.aspx?fileticket=PonPTDEBrn4%3D&portalid>
- Nazi, K. M., Newton, T., & Armstrong, C. M. (JAN2024). Unleashing the potential for patient-generated health data (PGHD). *Journal of General Internal Medicine*, 39, 9-13. doi.org/10.1007/s11606-023-08461-4
- Nicholas, J., Larsen, M. E., Proudfoot, J., & Christensen, H. (2015). Mobile apps for bipolar disorder: a systematic review of features and content. *Quality J Med Internet Res*, 17(8), e198. doi:10.2196/jmir.4581
- Office of the National Coordinator for Health Information Technology (ONC) website. "What are patient-generated health data?" January 2018: <https://www.healthit.gov/topic/otherhot-topics/what-are-patient-generated-health-data>.
- Office of the National Coordinator for Health Information Technology (ONC). Health IT Playbook. 2020: <https://www.healthit.gov/playbook/population-public-health/>.
- Office of the National Coordinator for Health IT (ONC). (2023). Mobile health application security and privacy guide. U.S. Department of Health and Human Services. <https://www.healthit.gov>
- Owen, J., Jaworski, B., Kuhn, E., Makin-Byrd, K., Ramsey, K., & Hoffman, J. (2015). mHealth in the wild: using novel data to examine the reach, use, and impact of PTSD Coach. *JMIR Mental Health*, 2(1), e7. doi:10.2196/mental.3935.

- Owen, R., Woodward, E., Drummond, K., Deen, T., Oliver, K., Petersen, N., Meit, S., Fortney, J., & Kirchner, J. (2019). Using implementation facilitation to implement primary care mental health integration via clinical video telehealth in rural clinics: protocol for a hybrid type 2 cluster randomized stepped-wedge design. *Implementation Science, 14*, 33. doi:10.1186/s13012-019-0875-5Park LG,
- Peters, Z. J., Lendon, J., Caffrey, C., Myrick, K. L., Mohsin Mahar, M.P.H., & DeFrances, C. J., (2024). Telemedicine use during the COVID-19 pandemic by office-based physicians and long-term care providers. *National Health Statistics Reports, 210*, U.S. Centers for Disease Control and Prevention) <https://www.cdc.gov/nchs/data/nhsr/nhsr210.pdf>
- Pew Research Center Internet and Technology (2024). Pew Research Internet Project: Mobile Technology Fact Sheet. Washington, D.C. Retrieved from <http://www.pewinternet.org/fact-sheets/mobile-technology-fact-sheet/>
- Physicians Practice Staff. (2018, February 20). 2018 Mobile Health Survey Results. Physicians Practice. Retrieved from <https://www.physicianspractice.com/view/2018-mobile-health-survey-results>
- Poropatich, R., Lai, E., McVeigh, F., & Bashshur, R. (2013). The U.S. Army Telemedicine and m-Health Program: Making a Difference at Home and Abroad. *Telemedicine and e-Health, 19*(5), 380–386. doi:10.1089/tmj.2012.0297.
- Poropatich, R., Pavliscsak, H., Tong, J., Little, J., & McVeigh, F. (2014). mCare: using secure mobile technology to support soldier reintegration and rehabilitation. *Telemedicine and e-Health, 20*(6), 563–569. doi:10.1089/tmj.2013.0226.
- Possemato, K., Kuhn, E., Johnson, E., Hoffman, J., & Brooks, E. (2017). Development and refinement of a clinician intervention to facilitate primary care patient use of the PTSD Coach app. *Translational Behavioral Medicine, 7*(1), 116–126. doi:10.1007/s13142-016-0393-9.
- Possemato, K., Kuhn, E., Johnson, E., Hoffman, J., Owen, J., Kanuri, N., Brooks, E. (2016). Using PTSD Coach in primary care with and without clinician support: a pilot randomized controlled trial. *General Hospital Psychiatry, 38*, 94–98. doi:10.1016/j.genhosppsych.2015.09.005
- Powell, A. C., Torous, J., Chan, S., Raynor, G. S., Shwartz, E., Shanahan, M., Landman, A. (2016). Interrater Reliability of mHealth App Rating Measures: Analysis of Top Depression and Smoking Cessation Apps *JMIR Mhealth Uhealth, 4*(1), e15. doi:10.2196/mhealth.5176
- Prensky, M. (2001). Digital natives, digital immigrants Pt. 1. *On the Horizon, 9*, 1–6. doi:10.1108/10748120110424816
- Prentice, J., & Dobson, K. (2014). A review of the risks and benefits associated with mobile phone applications for psychological interventions. *Canadian Psychology, 55*(4), 282–290. doi:10.1037/a0038113
- Prochaska, J. O., DiClemente, C. C. (1983). Stages and processes of self-change of smoking: Toward an integrative model of change. *Journal of Consulting and Clinical Psychology, 51*(3), 390–395. doi:10.1037/0022-006X.51.3.390
- Prochaska, J. O., DiClemente, C. C., & Norcross, J. C. (1992). In search of how people change: Applications to addictive behaviors. *American Psychologist, 47*, 1102–1114. doi:10.1037/0003-066X.47.9.1102
- Prochaska, J. O., Norcross, J. C., & DiClemente, C. C. (1994). Changing for good: A revolutionary six-stage program for overcoming bad habits and moving your life positive forward. New York, NY: HarperCollins.
- Price, M., Kuhn, E., Hoffman, J., Ruzek, J., Acierno, R. (2015). Comparison of the PTSD checklist (PCL) administered via a mobile device relative to a paper form. *Journal of Traumatic Stress. https://onlinelibrary.wiley.com/doi/10.1002/jts.22037*
- Pub, L. (1998) Children's Online Privacy Protection Act of 1998 (COPPA). No. 105–277, 112 Stat. 1998. 15 U.S.C. § 6501–6506
- Quanbeck, A., Chih, M. Y., Isham, A., & Gustafson, D. (2014). Mobile delivery of treatment for alcohol use disorders: a review of the literature. *Alcohol Research: Current Reviews, 36*(1), 111–122.
- Rathbone, A. L. & Prescott, J. (2017). The use of mobile apps and SMS messaging as physical and mental health interventions: systematic review. *Journal of Medical Internet Research, 19*, e295.
- Reger, M. A., Etherage, J. R., Reger, G. M., & Gahm, G. A. (2008). Civilian psychologists in an Army culture: The ethical challenge of cultural competence. *Military Psychology, 20*(1), 21–35. doi.org/10.1080/08995600701753144
- Reger, G. M., Harned, M., Stevens, E. S., Porter, S., Nguyen, J., & Norr, A. M. (2022). Mobile applications may be the future of veteran mental health support but do veterans know yet? A survey of app knowledge and use. *Psychological Services, 19*(3), 480–487. <https://doi.org/10.1037/ser0000562>

- Reger, G. M., Hoffman, J., Riggs, D., Rothbaum, B. O., Ruzek, J., Holloway, K. M., & Kuhn, E. R. (2013). The "PE coach" smartphone application: an innovative approach to improving implementation, fidelity, and homework adherence during prolonged exposure. *Psychological Services, 10*(3), 342–349. doi:10.1037/a0032774.
- Rice, K. (2013). How long does it take to build a mobile app? Retrieved from <https://www.kinvey.com/how-long-to-build-an-app-infographic/>
- Rogers, E. (2010). *Diffusion of innovations* (4th ed.). New York, NY: Simon & Schuster. (Original work published 1962).
- Roque, N. A., & Boot, W. R. (2018). A new tool for assessing mobile device proficiency in older adults: the mobile device proficiency questionnaire. *Journal of Applied Gerontology, 37*(2), 131-156.
- Ryan, J., Edney, S., & Maher, C., (2017). Engagement, compliance and retention with a gamified, online social networking physical activity intervention. *Translational Behavioral Medicine, 7*(4) 702–708. <https://doi.org/10.1007/s13142-017-0499->
- Saha, S., Beach, M. C., & Cooper, L. A. (2008). Patient centeredness, cultural competence and healthcare quality. *Journal of the National Medical Association, 100*, 1275–1285. doi:10.1016/S0027-9684(15)31505-4
- Salazar, A., de Sola, H., Failde, I. & Moral-Munoz, J.A. (2018) Measuring the quality of mobile apps for the management of pain: Systematic search and evaluation using the mobile app rating scale. *JMIR Mhealth Uhealth, 6*, e10718. doi:10.2196/10718
- Saleem, J. J., Moon, B., Bross, E., Anders, S., Conway, B., Wilck, N. R., Frisbee, K. L., & Herout, J. (2020). Understanding Veteran attitudes, interests, and needs around virtual care applications.
- Proceedings of the Human Factors and Ergonomics Society Annual Meeting, 64(1), 731–735. <https://doi.org/10.1177/1071181320641169>
- Saleem, J., Read, J., Loehr, B., Frisbee, K., Wilck, N., Murphy, J., Vetter, B., & Herout, J. (2020). Veterans' response to an automated text messaging protocol during the COVID-19 pandemic. *JAMIA, 27*(8), 1300–1305. doi:10.1093/jamia/ocaa122
- Saleem, J. J., Wilck, N., Murphy, J., & Herout, J. (2022). Veteran and staff experience from a pilot program of health care system–Distributed wearable devices and data sharing. *Applied Clinical Informatics, 13*, 532–540. <https://doi.org/10.1055/s-0042-1748857>
- Santo, K., Richtering, S. S., Chalmers, J., Thiagalingam, A., Chow, C. K., & Redfern, J. (2016). Mobile phone apps to improve medication adherence: A systematic stepwise process to identify high-quality apps. *JMIR Mhealth & Uhealth, 2*, e132. doi:10.2196/mhealth.6742
- Schueller, S., Armstrong, C. M., Neary, M. & Ciulla, R. (2020). An introduction to core competencies for the use of mobile apps in cognitive and behavioral practice. *Cognitive & Behavioral Practice, 27*(4). doi:10.1016/j.cbpra.2020.11.002
- Schueller, S. M., Washburn, J. J., & Price, M. (2016). Exploring mental health providers' interest in using web and mobile-based tools in their practices. *Internet Interventions, 4*, 145–151. doi:10/1016/j.invent.2016.06.004
- Schwebel, F., Larimar, M., et al. (2018). Using text message reminders in health care services: A narrative literature review. *Internet Interventions, 13*, 82–104. doi:10.1016/j.invent.2018.06.002
- Shah, S. S., Sapigao, F. B., 3rd, & Chun, M. (2017). An overview of cultural competency curricula in ACGME-accredited general surgery residency programs. *Journal of Surgical Education, 74*(1), 16–22. <https://doi.org/10.1016/j.jsurg.2016.06.017>.
- Shin, J. C., Kim, J., & Grigsby-Toussaint, D. (2017). Mobile phone interventions for sleep disorders and sleep quality: Systematic review. *JMIR mHealth and uHealth, 5*(9), e131. doi:10.2196/mhealth.7244
- Shore J. H. (2019). Intended and unintended consequence in the digital age of psychiatry: the interface of culture and technology in psychiatric treatments. *The Psychiatric Clinics of North America, 42*(4), 659–668. doi:10.1016/j.psc.2019.08.008.
- Shore, J. H., Savin, D. M., Novins, D., & Manson, S. M. (2006). Cultural aspects of telepsychiatry. *Journal of Telemedicine and Telecare, 12*(3), 116–121. <https://doi.org/10.1258/135763306776738602>
- Sloan, D., Marx, B., & Keane, T. (2011). Reducing the Burden of Mental Illness in Military Veterans: Commentary on Kazdin and Blase (2011). *Perspectives on Psychological Science, 6*(5), 503–506. doi:10.1177/1745691611416995
- Stoyanov, S. R., Hides, L., Kavanagh, D. J., Zelenko, O., Tjondronegoro, D., & Mani, M. (2015). Mobile App Rating Scale: A New Tool for Assessing the Quality of Health Mobile Apps. *JMIR Mhealth Uhealth, 3*, e27. doi: 10.2196/mhealth.3422

- Stoyanov, S. R., Hides, L., Kavanagh, D. J., Wilson, H. (2016). Development and Validation of the User Version of the Mobile Application Rating Scale. *JMIR Mhealth Uhealth*, 4(2), e72. doi: 10.2196/mhealth.5849
- Sue, S. (1998). In search of cultural competence in psychotherapy and counseling. *American Psychologist*, 53, 440–448. doi:10.1037/0003-066X.53.4.440
- Tata, S. P., Leong, F. T. L. (1994). Individualism-collectivism, social-network orientation, and acculturation as predictors of attitudes toward seeking professional psychological help among Chinese Americans. *Journal of Counseling Psychology*, 41(3), 280–287. doi:10.1037/0022-0167.41.3.280
- Terry, N., & Wiley, L. F. (2016). Liability for mobile health and wearable technologies. *Annals of Health Law*, 25, 62–97.
- Thomson Reuters Foundation (2013). Patient privacy in a mobile world. A framework to address privacy law issues in mobile health. http://www.mhealthalliance.org/images/content/trustlaw_connect_report.pdf
- Torous, J. B., Chan, S. R., Gipson, S. Y., Kim, J. W., Nguyen, T., Luo, J., & Wang, P. (2018). A hierarchical framework for evaluation and informed decision making regarding smartphone apps for clinical care. *Psychiatric Services*, 69(5), 498–500. doi:10.1176/appi.ps.201700423
- Torous, J., & Roberts, L. W. (2017). The ethical use of mobile health technology in clinical psychiatry. *The Journal of Nervous and Mental Disease*, 205(1), 4–8. doi:10.1097/nmd.0000000000000596.
- Torous, J., Wisniewski, H., Liu, G., & Keshavan, M. (2018). Mental health mobile phone app usage, mobile phone app usage, concerns, and benefits psychiatric outpatients: comparative survey study. *JMIR Mental Health*, 5(4), e11715.
- Ubhi, H., Kotz, D., Michie, S., van Schayck, O., Sheard, D., Selladurai, A., & West, R. (2016). Comparative analysis of smoking cessation smartphone applications available in 2012 versus 2014. *Addictive Behaviors*, 58, 175–181. doi:10.1016/j.addbeh.2016.02.026
- U.S. Department of Veterans Affairs. (DEC2023). Patient-Generated health Data (PGHD) – Office of Connected Care Operations Manual. Veterans Health Administration, Office of Connected Care. Washington DC. Newton, T., Shah, N., Armstrong, C., DeRycke, S., & Josephs, M. (link)
- VA Digital Divide Microsoft Teams channel. teams.microsoft.com/l/m/19%3a3b43f207bf834b8fac32ae29cef605fa%40thread.skype/conversations?groupId=659dfe95-e455-422d-b7fe-a260488a9dc2&tenantId=e95f1b23-abaf-45ee-821d-b7ab251ab3bf
- van Veen, T., Binz, S., Muminovic, M., Chaudhry, K., Rose, K., Calo, S., . . . Miller, J. (2019). Potential of mobile health technology to reduce health disparities in underserved communities. *Western Journal of Emergency Medicine*, Volume 20, Issue 5, 20(5). doi:10.5811/westjem.2019.6.41911
- Van Velthoven, M. H. M. T., Brusamento, S., Majeed, A., & Car, J. (2013). Scope and effectiveness of mobile phone messaging for HIV/AIDS care: a systematic review. *Psychol Health Med*, 18, 182–202.
- Ventola, C. L. (2014). Mobile devices and apps for health care professionals: uses and benefits. *Pharmacy and Therapeutics*, 39(5), 356–364.
- Vodopivec-Jamsek V, de Jongh T, Gurol-Urganci I, Atun R, & Car J. (2012). Mobile phone messaging for preventive health care. *The Cochrane Database of Systematic Reviews*, 12, CD007457.
- Vogels, E. A. (2021). Digital divide persists even as Americans with lower incomes make gains in tech adoption. Pew Research Center. <https://www.pewresearch.org/fact-tank/2021/06/22/digitaldivide-persists-even-as-americans-with-lower-incomes-make-gains-in-tech-adoption/>
- Wang, K., Varma, D. S., & Prospero, M. (2018). A systematic review of the effectiveness of mobile apps for monitoring and management of mental health symptoms or disorders. *Journal of Psychiatric Research*, 107, 73–78. doi:10/1016/j.psychires.2018.10.006
- Wang, Q. E., Myers, M. D., Sundaram, D. (2013). Digital natives and digital immigrants - towards a model of digital fluency. *Business & Information Systems Engineering*, 5(6), 409–419.
- Wangelin, B. C., Szafranski, D. D., & Gros, D. F. (2016). Telehealth technologies in evidence-based psychotherapy. In J. K. Luiselli & A. J. Fischer (Eds.), *Computer-assisted and web-based innovations in psychology, special education, and health* (p. 119–140). Elsevier Academic Press.
- Whaley, A. L., & Davis, K. E. (2007). Cultural competence and evidence-based practice in mental health services: A complementary perspective. *American Psychologist*, 62, 563–574. doi:10.1037/0003-066X.62.6.563



Whealin, J. M., Jenchura, E. C., Wong, A. C., Zulman, D. M. (2016). How veterans with posttraumatic stress disorder and comorbid health conditions utilize ehealth to manage their health care needs: a mixed-methods analysis. *Journal of Medical Internet Research*, 18(10).

Whealin, J. M., Kuhn, E., & Pietrzak, R. H. (2014). Applying behavior change theory to technology promoting veteran mental health care seeking. *Psychological Services*, 11(4), 486–494. <https://doi.org/10.1037/a0037232>Wenzel, A., Brown, G. K., & Beck, A. T. (2009). Cognitive therapy for suicidal patients: Scientific and clinical applications. American Psychological Association. doi:10.1037/11862-000

Wienert, J., & Zeeb, H. (2021). Implementing Health Apps for Digital Public Health - An Implementation Science Approach Adopting the Consolidated Framework for Implementation Research. *Frontiers in public health*, 9, 610237. <https://doi.org/10.3389/fpubh.2021.610237>

Wisdom, J. P., Chor, K. H., Hoagwood, K. E., & Horwitz, S. M. (2014). Innovation adoption: A review of theories and constructs. *Administration and Policy in Mental Health and Mental Health Services Research*, 41, 480–502. <http://dx.doi.org/10.1007/s10488-013-0486-4>

Yakovchenko V., Hogan, T. P., Houston T. K., Richardson L., Lipschitz, J., Petrakis B. A., Gillespie C., & McInnes D. K. (2017). Automated text messaging with patients in VA specialty clinics: a hybrid type 2 effectiveness-implementation study. *Journal of Medical and Internet Research*.

Yakovchenko, V., Hogan, T.P., Houston, T.K., Richardson, L., Lipschitz, J., Petrakis, B. A., Gillespie, C., & McInnes, D.K. (2019). Automated text messaging with patients in department of veterans affairs specialty clinics: hybrid type 2 effectiveness implementation study. *Journal of Medical and Internet Research*, 21. <http://www.jmir.org/2019/7/e14750/>

Yang, Y. T., & Silverman, R. D. (2014). Mobile health applications: The patchwork of legal and liability issues suggests strategies to improve oversight. *Health Affairs*, 33, 222–227. doi:10.1377/hlthaff.2013.0958

Zhou, L., Bao, J., Setiawan, I., Saptono, A., & Parmanto, B. (2019a). The mHealth App Usability Questionnaire (MAUQ): Development and Validation Study. *JMIR Mhealth Uhealth*, 7(4), e11500. doi: 10.2196/11500.

Zhou, L., Bao, J., Watzlaf, V., & Parmanto, B. (2019b). Barriers to and facilitators of the Use of mobile health Apps from a security perspective: mixed-methods study. *JMIR Mhealth Uhealth*, 7(4), e11223. doi:10.2196/11223



V.

Abbreviations and Acronyms

V. Abbreviations and Acronyms

The following abbreviations and acronyms are found throughout this practice guide, or they are frequently used in VA mobile health practices:

ACT	acceptance and commitment therapy	FHA	Federal Health Architecture
AI	artificial intelligence	FHIR	Fast Healthcare Interoperability Resources
APA	American Psychological Association or American Psychiatric Association	FHISE	Federal Health Information Sharing Environment
API	application programming interface	FTC	Facility Telehealth Coordinator
AR	augmented reality	HCD	Human centered design
ATLAS	Accessing Telehealth through Local Area Stations	HCS	Health care system
BP	blood pressure	HIPAA	Health Insurance Portability and Accountability Act
BPS	biopsychosocial	HITECH Act	Health Information Technology for Economic and Clinical Health Act
CAC	(in DoD) common access card; (in VA) clinical applications coordinator	HR	heart rate
CBOC	community-based outpatient clinic	iOS	Apple's operating system
CBT	cognitive behavioral therapy	IPE	interprofessional education
CBT-i	cognitive behavioral therapy for insomnia	IT	Information technology
CDS	clinical decision support	L2 Program	Low Acuity/Low Intensity Telehealth Program
CPRS	computerized patient record system	mHealth	mobile health
CPT	cognitive processing therapy	MBC	measurement based care
CUSS	Clinical Utilization Statistical Summary	MSE	mental status examination
DHA	Defense Health Agency	mTBI	mild traumatic brain injury
DHO	Digital Health Office (VA)	MTF	military treatment facility
DoD	U.S. Department of Defense	ONC	Office of the National Coordinator for Health IT
EHR	electronic health record	PE	prolonged exposure
ETAU	enhanced treatment as usual	PGHD	patient-generated health data
EULA	end-user license agreement	PHI	health information
GUI	graphical user interface	PHR	patient health record
FCC	Federal Communications Commission	PII	personally identifiable information
FDA	Food and Drug Administration	PIV	personal identity verification

V. Abbreviations and Acronyms (cont.)

PTSD	posttraumatic stress disorder	VA	U.S. Department of Veterans Affairs
QI	quality improvement	VAMC	VA Medical Center
RCT	randomized control trial	VBA	Veterans Benefits Administration
RPM	remote patient monitoring	VCU	Virtual Care University
SSO	single sign-on	VHA	Veterans Health Administration
TBI	traumatic brain injury	VHRC	Virtual Health Resource Center
TMP	Telehealth Management Platform	VISN	Veterans Integrated Service Network
TMS	Talent Management System	VR	virtual reality
UI	User interface	VSO	Veteran Service Organization
UX	User experience	VVC	VA Video Connect





VI.

Glossary

VI. Glossary

Android – a mobile operating system (OS) developed by Google for smartphones, tables, and other devices.

app – A computer program that runs on smartphones, tablets, or computers.

mobile app – An app that is downloaded and runs on mobile devices, such as smartphones or tablets.

native app – An app created in a particular programming language for a particular platform or device (e.g., iOS or Android) that a user would download onto their device from the appropriate app store.

web app – An app created to run on a web server and accessible through a web browser (and not downloaded onto a device as a native app).

VA connected app – A VA app that connects with VA's network, enabling the secure flow of information to and from the Veteran and VA health care staff. Connected apps require user authentication credentials to sign in.

VA self-contained app – A VA app that is not connected to VA's network. Self-contained apps do not require any sign-in credentials.

app store – A digital storefront that enables search, review, purchase, and download of software titles or other media offered electronically. In general, a user must establish an account to obtain free content. Common app stores include Apple's App Store and Google Play.

Apple's App Store – An app store that enables users to download apps onto iOS devices.
apple.com/app-store

Google Play – An app store that enables users to download apps onto Android. play.google.com


VA App Store – An app store with information on all VA apps and where VA health care staff and Veterans can launch web apps (that are not downloaded as native apps from Apple's App Store and Google Play). mobile.va.gov

automated health text platform – A platform that sends automated health messages to Veterans via text. VA's automated health text platform is called Annie.

Bluetooth – A wireless technology that enables the exchange of data between different devices.

cloud computing – A combination of connections, software, and services accessed over a network, with the data stored on servers. Using access points such as a smartphone, a tablet, a personal digital assistant (PDA), or a computer, users retrieve data from the "cloud" as needed.

CSV file – A comma-separated values file stores numbers and text in plain-text form for easy exchange among programs. Some programs can export data as a CSV file; the exported CSV file then can be imported to the spreadsheet.



electronic health record (EHR) – a secure electronic version of the patient’s medical records. It is used to document patient care delivery, encounters, and health information. These records can be securely shared across different health care settings.

encryption – A system of encoding data in which the information can be retrieved and decoded only by the person or system authorized to access it.

firewall – A software program that can intercept incoming and outgoing network connection attempts and block or permit them based on a set of rules. A personal firewall can be used on a mobile device to protect against unauthorized connections.

iOS – a mobile operating system (OS) developed by Apple for some of its mobile devices.

mobile health (mHealth) – The practice of medicine and health care over mobile devices, PDAs, and computers.

native app – an app that is installed onto a device. Developers build native apps for use on a specific operating system (OS), often Android or iOS.

network – A group of two or more devices that can communicate.

patient-generated health data (PGHD) – Health-related data created, recorded, or gathered by Veterans, their family members, or their caregivers. Examples include health history, treatment history, biometric data, symptoms, and lifestyle choices.

patient health record (PHR)/patient portal – a secure online website or app that gives patients convenient, 24/7 access to their personal health information and key functionality needed for managing their healthcare (e.g., secure messaging, managing prescriptions, appointment scheduling, etc.). The VA’s PHRs include: My HealthVet and My VA Health (Oracle Health/Cerner), available on va.gov, and the mobile app VA: Health & Benefits.


remote disabling – The process of remotely disabling a mobile device that has been lost or stolen to keep unauthorized users from gaining access to personal information.

remote patient monitoring – The use of wireless communications devices in conjunction with monitoring hardware to track the condition of Veterans while they are in their homes. VA health care staff can use the data collected through remote monitoring to identify a Veteran’s worsening condition without requiring the Veteran to stay in a hospital.

remote wiping – The process of remotely removing the data from a mobile device that has been lost or stolen to keep unauthorized users from gaining access to personal information.

smartphone – A mobile device that combines cellular and mobile computing functions into one unit.

sensor and wearable – A wearable device that has sensor technology that enables the collection of activity data, behavioral data, symptom monitoring, and accessing and sharing data. Examples of common wearable devices include fitness trackers and smartwatches. Some examples of commonly used sensors include accelerometers to measure activity, electrodermal sensors to measure skin conductance, and glucometers to measure blood sugar levels.



telehealth – The use of electronic information and telecommunications technologies to support long-distance clinical health care, Veteran and professional health-related education, public health, and health administration.

synchronous telehealth – Live interactive communication between Veteran and VA health care staff using a phone or videoconferencing platform.

asynchronous telehealth – the use of virtual care technologies to support communications that do not occur in real time (asynchronous) about health information. For example, a patient can collect their medical history or an image of a condition and send it to a health care professional for review. Asynchronous telehealth is sometimes referred to as ‘store and forward telehealth’.

user authentication – The process of verifying the identity of a user, process, or device.

virtual care – encompasses all the ways that healthcare staff and patients access or interact with health information or tools related to the delivery of health care (e.g., electronic health record, patient health portal, telehealth, secure messages, mobile and web health apps, remote patient monitoring, etc.). Terms that are often used interchangeably with virtual care include virtual health, eHealth, digital health, and connected health.

wearable sensor – a wearable device that has sensor technology to enable to collection of activity data, behavioral data, symptom monitoring data, and the accessing and sharing of data. Examples of common wearable devices are fitness trackers, continuous glucose monitors, and smartwatches. Some commonly used sensors include accelerometers to measure activity, glucometers to measure blood glucose, and electrodermal sensors to measure skin conductance.

web app – an app that is access through a web browser.

Wi-Fi – The underlying technology of wireless local area networks. Wi-Fi was developed for mobile computing devices, such as laptops, but is increasingly used for more services, including internet and phone access, gaming, and the basic connectivity of consumer electronics, such as televisions, DVD players, and digital cameras.



VII.

Mobile Health Implementation Toolkit (Appendices)



VII. Mobile Health Implementation Toolkit (Appendices)

Appendix A. VA Technology Training and Resources

VA Office of Connected Care (OCC)

OCC Website

OCC SharePoint

OCC Outreach Toolkits on SharePoint

OCC Public-facing Outreach Toolkits

VA Virtual Health Resource Centers (VHRCs)

VHRCs are the VA's virtual care “genius bars” and serve as a one-stop shop for in-person and virtual support to Veterans, family members, caregivers and VA staff with virtual care tools and program (telehealth, mobile health, My HealtheVet, devices, etc.) and aims to:

- Increase digital literacy
- Provide “At the elbow” support and troubleshooting
- Deliver marketing/outreach & education/training
- Drive data driven decisions to better meet the needs of Veterans and Staff

VHRC Public Website

VHRC Intranet Site

VHRC Metrics Dashboard

VHRC SharePoint

VHRC Email

VA Virtual Care Training and Education

- **VA App Store:** public facing link connecting to VA App Store
- **Mobile Mental Health & Technology Tech Into Care SharePoint site:** Community of Practice for VA staff and providers interested in bringing mobile apps and online programs into mental health care
 - » Tech into Care website (Public): ptsd.va.gov/professional/tech-care/index.asp
 - » Tech into Care CE Lecture Series: ptsd.va.gov/professional/tech-care/tech_lectures.asp

- **Mobile Mental Health Website:** VA National Center for PTSD, Dissemination & Training Division
- **Videos on how to integrate mobile apps**
- VA Connected Care Discussion Series: mobile.va.gov/discussion-series

Connected Care Academy:

Free Outreach Materials via GPO

- Brochures, Flyers, Wallet Cards, Tri-Folds, Sticky Notes, Folders, etc.
- Breakaway Lanyards, Backpacks, Stress Balls, Stylus Pens, etc.
- Promotional materials, including select program specific promotional materials.
 - » Office of Connected Care GPO site: orders.gpo.gov/vaocc.aspx
 - » National Center for PTSD GPO site: orders.gpo.gov/ptsd.aspx

My HealtheVet

- My HealtheVet: public facing resource for My HealtheVet
- My HealtheVet Intranet: My HealtheVet VA intranet resource for staff
- My HealtheVet Marketing and Promotion Toolkit
- Veterans Health Library: Health education resources for Veterans

VA Telehealth Services

- VA Telehealth Services
- VA Telehealth Intranet

Podcasts



*Let's Talk
Virtual Care*



HealthCast



PTSD Bytes



*Next Generation
Behavioral Health*

Help Desks

VA.gov Help Desk

VA.gov technical support line for help at **866-279-3677**.

Office of Connected Care Help Desk

866-651-3180. Available 24/7.

For VA care teams needing assistance with VA telehealth and all VA apps. For Veterans needing assistance with VA Video Connect.

My HealtheVet Help Desk

877-327-0022 | 800-877-8339 (TTY). Monday to Friday, 7 a.m. – 7 p.m. Central time. Or complete the contact form.

For technical assistance with My HealtheVet.



Appendix B. Mobile Health Competencies

A Framework to Adapt Accreditation Council for Graduate Medical Education (ACGME) Core Competencies to Mobile Technologies Clinical Competencies (Hilty, Chan, et al., 2020).

Area/topic	Novice/advanced beginner (ACGME milestone level 1–2)	Competent/proficient (ACGME milestone level 3–4)	Advanced/expert (ACGME milestone level 5)
Veteran care			
History taking	<p>Add questions such as:</p> <ul style="list-style-type: none"> • Are you using mobile technologies and for what? <ul style="list-style-type: none"> » Fun/social? » Health? • Would you like to use it/these for health care, if available? 	<p>Screen systematically with questions such as:</p> <ul style="list-style-type: none"> • Which mobile technologies do you use: exercise? entertainment? social? health? • For health care? <ul style="list-style-type: none"> » To communicate with your medical doctor, nurse, or others? » To discuss mental health issues? • Do you use mobile technologies more or less than other technologies (e.g., email, text message, apps, internet, social media)? • What are the pros/cons? <ul style="list-style-type: none"> » Are you aware of risks (e.g., privacy, self-disclosure, time delays)? » Include informed consent. 	<p>Include mobile technologies in informed consent; integrate details of personal and health care mobile technologies:</p> <ul style="list-style-type: none"> • Discriminate between types of personal use: significant other/spouse, friends, family; individual/group; personal versus professional. • Screen for the Veteran's use of privacy settings for mobile technologies and provide advice based on experience.
Engagement and interpersonal skills	<p>Discuss impact of mobile technologies use on:</p> <ul style="list-style-type: none"> • Relationships with others. • Professional life. • Health care. 	<p>Ask preferences with mobile technologies and how they influenced relationships with their family, peers, and professional colleagues:</p> <ul style="list-style-type: none"> • Positives versus negatives? • Effect on processes of intimacy and emotion. <p>Reflect with Veteran about the effect on therapeutic relationship:</p> <ul style="list-style-type: none"> • Communication • Intimacy • Boundaries (see professionalism) <p>Compare to other technologies.</p>	<p>Guide Veteran and their family on effective communication using mobile technologies; instruct on best ways to use mobile health:</p> <ul style="list-style-type: none"> • An evidence-based app with evidence-based approach. • Simplicity with purpose. <p>Instruct others on impact of asynchronous versus synchronous — and combinations — on communication and the therapeutic relationship; discuss expectations of parties involved.</p>

Mental status examination (MSE)	Use mobile technologies to collect information for the MSE.	<p>Compare mobile technologies to in-person and telepsychiatric communication; use mobile technologies to check MSE if applicable.</p> <ul style="list-style-type: none"> Determine what can and cannot be realistically assessed with mobile technologies. 	<p>For MSE, use mobile technologies:</p> <ul style="list-style-type: none"> Judiciously versus in person. Adjust administration of tasks (e.g., substitute item for impossible task). <p>Use proxy MSE and physical examination from another provider or loved one, if applicable</p>
Assessment	Assess if mobile technologies' use is a relevant issue in personal life and health care; assess how mobile technologies should or should not be used by a Veteran and document your assessment.	Consider the need for collateral information from in-person care or others; assess healthy/unhealthy use of mobile technologies in personal life and health care; integrate mobile technologies components with overall in-person assessments; demonstrate flexibility and decide with the Veteran the role of mobile technologies in Veteran's needs and preferences.	Synthesize information from in-person encounters, telepsychiatry, mobile technologies, and other methods (including discordant data); train, supervise, and consult to optimize assessment, including mobile technologies' use, problems, need for collateral information; identify pros/cons of using mobile technologies and for what purpose(s).
Management and treatment planning	Integrate mobile technologies into biopsychosocial (BPS) approach (see decision support in knowledge); Consider pros/cons of the decision support tool or app (see decision support in knowledge); monitor ongoing mobile technologies use as well as documenting memorable and problematic events as they occur; if indicated, focus part of a visit on the use of mobile technologies and other technologies to talk in-depth	<p>Select mobile technology option based on Veteran preference, skill, and need (i.e., purpose; see clinical decision support [CDS] in knowledge); focus on one treatment goal:</p> <ul style="list-style-type: none"> App to monitor mood. Capture day-to-day accurate accounts of a Veteran's emotions, functioning, and activity (e.g., ecological momentary assessment). <p>Blend mobile technologies with regular clinical discussions, facilitate reflection and assess effect on the therapeutic relationship in and between appointments; identify safety/risk factors of mobile technology use (e.g., advising on medication); create backup plan for failure; triage complex, urgent/emergent issues to synchronous care (e.g., phone, in person); weigh pros/cons of mobile technology use versus other technologies and discuss options for informed consent; document.</p>	Use BPS outline with prioritization, with adjustments for technology; select best mode for a given task (e.g., mobile technologies, email, text message, phone, in person); be aware of legal, billing, and jurisdictional issues for medication; research and disseminate procedures to prevent problems and manage clinical and administrative issues; advise on specific behavioral health problems and specific Veteran populations with relative/absolute contraindications.

Clinical decision support (CDS)	Use mobile technologies within for decision-making and care; review examples with learner/supervisor.	Adjust mobile technologies within parameter(s) for decision-making; help Veterans, learners, and staff use decision support tools based on evidence; prioritize mobile technologies options, email, and tools that integrate into the EHR.	Instruct on how to upload intraplatform data (e.g., questionnaire results) into the EHR to improve quality of care and be efficient.
Veteran and their family education	Understand reliable/healthy and unreliable/unhealthy mobile technologies options; Value of using mobile technologies in health care and when to use it.	Recommend how to use mobile technologies in health care (e.g., tips on how, when and what uses are appropriate; what should be posted and what should not); Offer “good” choices for specific purpose(s) for mobile technologies use in personal life and health care.	Instruct with examples, principles, and evidence for responsible mobile technologies use by people, Veterans, and organizations (e.g., schools); Provide firsthand knowledge of the pros/cons of different mobile technologies for health care.
Administration and documentation	Adhere to clinic, health system, and professional requirements for in-person care and consider amendments for mobile technologies and other technologies: <ul style="list-style-type: none"> • Document in informed consent. • Document key events. • Seek supervision/advice for nonroutine events if needed. 	Develop standard language for consent form, treatment plan, and sentinel events on the pros/cons of mobile technologies use; adapt current practices and develop new policies/procedures for mobile technologies and other technologies; seek advice in advance to plan; document; consider/attend to business and financial issues (e.g., pros/cons of time used).	Instruct on issues related to documentation, privacy, and billing for the use of mobile technologies in clinical care.
Medicolegal issues: privacy, confidentiality, safety, data protection/integrity, and security	Identify and adhere to laws and regulations in the jurisdiction(s) of practice and of that of the Veteran; clarify if mobile technologies access is public, private, and within EHR; advise Veterans to communicate and send data privately (e.g., secure email within EHR).	Apply in-person relevant laws and regulations in any and all jurisdiction(s) to mobile technologies, and if necessary, adjust clinical care; educate Veteran about mobile technologies and adapt existing laws if none exist for them and other telehealth practices; obtain clinical and legal advice, as applicable.	Teach/consult on in-person laws and regulations for mobile technologies and other technologies; develop strategies to adapt legal and regulatory principles from in-person care to mobile technologies use; update/consult with regulatory boards, health authorities, and professional organizations.
Interpersonal and communication skills			
Communication	Be flexible in discussing mobile technologies use and communication; discuss problems if they arise with asynchronous options and arrange alternative options; seek advice on merit and method of responses, if any, to Veteran’s communication.	Discuss scope of communication with mobile technologies, clarify expectations and anticipate problems (e.g., feasibility of checking mobile technology at other sites, clinics); discuss scope, timing, and agreed upon plan(s) for asynchronous options; make brief, clear mobile technologies communications to acknowledge, clarify, and triage to in-person care.	Identify and troubleshoot communication issues related to technology; educate and provide consultation to colleagues about asynchronous technology use; clarify expectations and potential ambiguous (i.e., multiple) meanings of acronyms, abbreviations, and such communication.

Evaluation and feedback	Periodically evaluate examples of decision-making and care with Veteran/supervisor.	Evaluate mobile technologies use, adjust regular evaluation parameter(s), and incorporate real-time examples in ongoing fashion with Veteran/learner/supervisor.	Teach, consult, and model feedback skills related to synchronous and asynchronous technologies; develop teaching cases/in situ examples.
Cultural, diversity, and social determinants of health; attend to language issues	Consider culture and diversity issues related to mobile technologies and other technologies: <ul style="list-style-type: none"> • How social determinants affect synchronous and asynchronous health care. • Access to mobile technologies. • Sentinel events. 	Ask Veteran if/how culture affects use and preferences for mobile technologies and other technologies; promote reflection and awareness of how social determinants and mobile technologies intersect; observe, adjust, and manage language and communication issues (e.g., emoji use).	Include mobile technologies use in cultural formulation interview, if applicable; instruct on how culture may affect mobile technologies use and treatment/Veteran care, as well as how to avoid generalizations and stereotypes; consider consultation.
Special populations	Notices positive and negative trends in Veteran populations (e.g., generation Y or Z, autism spectrum).	Consider preferences of mobile technologies use (e.g., adolescent, Veteran with PTSD); be aware of trends across asynchronous technologies (e.g., email, text message, apps).	Instruct on how to adapt assessment and management approaches according to differences.
Professionalism			
Attitude	Show interest in Veteran's use of mobile technologies; demonstrate capacity for self and others' reflection.	Express interest, be nonjudgmental, and be spontaneous in discussing technology; Engage via mobile technologies with appropriate expectations, purpose(s), and safeguards in place.	Provide leadership to colleagues on organizational policy or curricula for mobile technologies and professionalism.
Integrity and ethical behavior	Maintain integrity by adhering to professional and governmental guidelines; recognize boundary, privacy, and confidentiality issues with mobile technologies communication.	Use clinical judgment and ethical principles to purposely use mobile technologies to collect and transfer Veteran information; Reflect on personal compared with professional contexts and potential micro- and macro-boundary violations (e.g., texting Veteran after clinical hours as "convenient"); recognize that personal information (e.g., health) may be accessible and monitor.	Role model, teach, or consult to help others manage complicated ethical issues related to the use of mobile technologies in clinical practice and related to professional identity; research and develop approaches to uphold quality of the therapeutic relationship and communication for care.
Scope and therapeutic objective(s)	Practice within scope(s) and discuss expectations with Veteran; keep focus on shared primary objective of care.	Attend to and evaluate how mobile technologies may alter in-person scope issues; troubleshoot problems; assess if mobile technologies are licensed and reputable, avoid fraudulent practices, and market within regulations (e.g., Federal Trade Commission substantiation rule).	Develop and teach/consult use on mobile technologies to adjust for Veteran populations (e.g., age, illness/disorder); evaluate and advise on complex cases (e.g., high-risk populations, legal complications).

Systems-based practice			
Interprofessional education (IPE) and teamwork	Learn about mobile technologies and other technologies and share information with others.	Discuss/teach mobile technologies issues with team members to enhance care; weigh pros/cons of mobile technologies related to communication, privacy, and clinical productivity.	Assess technology information from IPE team's point of view in systems; adjust assignments/roles; role model/give feedback.
Safety (see Veteran care and professionalism)	Educate Veteran to call and set up additional appointment for emergencies; seek advice/consultation when needed.	Prevent, identify, and risk stratify potential problems based on history with mobile technologies; educate Veteran to use in-person or synchronous (e.g., video, phone) communication for emergencies.	Adjust risk and its management to mobile technologies, based on in-person and technology-based system practice; instruct others in pitfalls of mobile technologies use in health care.
Models, practices, and systems of care	Be aware of consultation, evaluation, triage, and management provider roles; practice with principles of evidence-, measurement-, and population-based care; incorporate workflow between devices (e.g., computers) into EHR.	Give input to administration on (in)efficiencies and opportunities to integrate mobile technologies data in workflow and EHR for decision-making; Distinguish between principles of evidence-, measurement- and population-based care related to mobile technologies; choose when to use mobile technologies versus email, text message, and other technologies when mobile across sites; Apply sensors, remote monitors, and other devices (e.g., home) per medicolegal scope and standards.	Engage providers and consultants about the role of mobile technologies; consider what part, if any, of the "therapeutic hour" is used for mobile technologies, email, text, and other technologies; instruct on home health options related to mobile technologies to enhance clinical evaluation and treatment.
Practice-based Learning			
Evaluation approach	Learn from/participate in global evaluations from Veterans, interdisciplinary team, and clinic/hospital about in-person and technology-based care related to mobile technologies.	Be aware that in-person, mobile technology, and other technology-based care have similarities and differences; suggest improvements; develop/promote attitudes and skills for consistency, quality/specificity, and stability of evaluation.	Teach/consult on practice standards of evaluation and adjustments for mobile technologies; compare/contrast information across professions, disciplines, fields, states, provinces, and countries; shift policies and procedures.
Quality improvement (QI)	Participate in chart review, case/morbidity and mortality conference, and other activities related to in-person and technology-based care.	Apply/adapt in-person QI principles to mobile technologies to adjust assessment and care; educate participants on technology-specific principles and measures.	Develop QI strategies to adhere to and adapt legal, regulatory, and ethical standards (e.g., privacy, access); teach/consult on how to analyze, select and evaluate QI options.
Learning, feedback, and teaching practices	Add technology-based learning opportunities to regular activities; consider role of technology in care.	Continue lifelong learning via seminars, cases, and system discussions; seek out technology-specific education; develop additional technology-specific education short and long term; assess effect(s) of technologies on care.	Research learning and teaching methods to streamline educational approach and evaluation; determine best context(s) for teaching and learning mobile technologies (e.g., supervision, seminar, cases).

Knowledge			
Definition of mobile technologies	Recall definition of mobile technologies; Name two or three mobile technologies with pros/cons.	Describe mobile technologies definitions and various uses, purposes, and risks/benefits to Veterans; professionally familiar with two to three mobile technologies and a mobile health platform for professional use; serve as a resource for others.	Teach multiple mobile technology varieties; consults with colleagues; instruct on the approach to mobile health, selections of apps, and pros/cons.
Evidence-base	Know basic do's and don'ts of mobile technologies for clinical care, as adapted from in-person care.	<p>Know the data, concepts, and principles of mobile technologies use (e.g., standards, guidelines):</p> <ul style="list-style-type: none"> • How to assess if an app is evidence-based. • How to use an app in an evidence-based clinical approach. 	Teach/consult to health care colleagues locally and nationally to develop best practice guidelines using the clinical evidence on mobile technologies.
Problem-solving and prevention	Recognize and report problems; perform basic how mobile technologies are part of assessment and treatment; explain ways in which a Veteran can better learn how to use a mobile technology.	Evaluate new products/options and the pros/cons; assess performance issues of current systems or products; assess user requirements and determine best match for Veterans and other participants with technology options; diagnose complex problems and resolve nonroutine problems that affect team; serve as a resource to others; know how to request technical assistance.	Research and disseminate personal versus professional aspects of mobile technologies platforms; keep up to date with latest mobile technologies developments (e.g., privacy).
Veteran care	Answer questions, discuss, and adjust mobile technologies in comparison to in-person care, including consent, privacy, data protection/integrity, and security safety and documentation; be aware of mobile technologies security measures (e.g., password protection).	Teach, discuss, clarify, develop, and adjust options for mobile technologies in comparison to in-person care in additional areas of scope of practice, communication, culture, and diversity, ethics, and care models; be aware of mobile technologies security measures (e.g., password protection bypassed if incoming call "goes around" security measure).	Demonstrate extensive knowledge of mobile technologies to advise colleagues on practical knowledge of how to use them.
Decision support	Understand the role of technology in initiating, enhancing, and monitoring decision-making; use mobile technologies for decision-making and care; review examples with learner/supervisor.	Find and evaluate the role of mobile technologies in initiating, enhancing, and monitoring decision-making; compare the pros/cons of mobile technologies with manual operations (e.g., error identification, duplicative processes) for an acute versus chronic condition; help Veterans, learners, and staff use decision support tools based on pros/cons; realize that adjustments to mobile technologies parameter(s) are possible to aid in decision-making.	Demonstrate extensive knowledge of mobile technologies to advise colleagues on how to evaluate decision support tools; instruct on fundamentals of adjusting to mobile technologies parameter(s) to aid in decision-making.

Risks of using mobile technologies	Identify one potential Veteran risk of mobile technologies use (e.g., privacy violation); identify one potential provider risk of mobile technologies use (e.g., boundary or privacy violation).	Identify two to three potential Veteran risks of mobile technologies use and advise on how to prevent, mitigate, or eliminate them (e.g., use privacy settings, avoid self-disclosure, manage cyberbullying); identify two to three potential provider risks of mobile technologies use and prevent, mitigate, or eliminate them.	Demonstrate extensive knowledge of mobile technologies risks and advise colleagues; anticipate common pitfalls and how to prevent/mitigate them.
Technology			
Adapt to technology	Use basic etiquette; identify differences between care through in-person encounters, telepsychiatry, and mobile technologies; clarify/spell out brief communications; keep mobile technologies contact proportioned and specific to goals of the treatment plan.	Clarify expectations in person rather than asynchronously; acknowledge and engage the Veteran, as clinically indicated (e.g., a Veteran with depression's ability to use an app); expect and plan for differences between participants; prevent, identify, and manage barriers and miscommunications; adjust how to "project" self; express empathy.	Generally, avoid humor, self-deprecatory remarks, and jokes via synchronous methods; analyze what happened and adjust for next time; find meaningful ways to express empathy.
Technology operation	Pilot one or two mobile technologies with peers to learn communication options.	Gain experience with mobile technologies; navigate options, if needed, and advise Veterans relative to goal and purpose.	Research and teach/consult on best approaches for mobile technologies operations for clinical quality (e.g., hard and software, accessories, common troubleshooting strategies).



Appendix C. Examples of Mobile Health Levels of Evidence

VA Apps

Evidence base to support PTSD Coach:

- **Level I** – This app is built on a foundation of empirically supported techniques for education and treatment engagement. (See Possemato et al., 2016, for a description of the development and initial pilot of PTSD Coach.)
- **Level II** – The randomized control trial (RCT) showed significantly greater improvements in PTSD symptoms compared with waitlist Veterans (Kuhn et al., 2017).
- **Level III** – A pilot RCT with community trauma survivors showed initial acceptability and potential efficacy (Miner et al., 2016).
- **Level III** – A study showed significant reductions in PTSD symptoms during use (Owen et al., 2015).
- **Level III** – This app is appropriate for self-management of PTSD symptoms (Kuhn, Greene, et al., 2014).
- **Level III** – This app can be used as an effective intervention for reducing PTSD symptoms in primary care settings, even if the Veteran receives only a 10-minute introduction to the app (Possemato et al., 2017).
- **Level IV** – The PTSD checklist administered via PTSD Coach is comparable to the paper form. (Price et al., 2015).

Evidence base to support PE Coach:

- **Level I** – Prolonged exposure (PE) therapy is a well-established, empirically supported treatment for PTSD in combat Veterans (Eftekhari et al., 2013).
- **Level IV** – Providers indicate that PE Coach meets their goals for improving PE implementation (Kuhn et al., 2015; Kuhn, Eftekhari, et al., 2014).
- **Level IV** – Veteran perceptions toward this app are positive, showing preference over paper-based exercises (Kuhn et al., 2015).

Evidence base to support CPT Coach:

- **Level I** – This app is based on the military/Veteran version of cognitive processing therapy (CPT) (Monson et al., 2006) and was developed by VA (Hoffman et al., 2014).
- **Level VII** – This app has not been empirically evaluated (Wangelin, Szafranski, & Gros, 2016).

Evidence base supporting text messaging in health care:

- **Level I** – Using text message reminders in health care services: a narrative literature review (Schwebel & Larimer, 2018).
- **Level I** – A systematic review of reviews evaluating technology-enabled diabetes self-management education and support (Greenwood et al., 2017).
- **Level I** – Mobile text messaging for health: a systematic review of reviews (Hall et al., 2015).
- **Level I** – The use of apps and SMS messaging as physical and mental health interventions: Systematic review (Rathbone & Prescott, 2017).



Evidence base to support the Annie app:

- **Level II** – Randomized controlled trial pilot was published with Veterans with depression (Turvey et al., 2023)
- **Level III** – Automated text messaging with Veterans in Department of Veterans Affairs specialty clinics: hybrid type 2 effectiveness implementation study (Yakovchenko et al., 2021, 2019, 2017).
- **Level III** – Use of mobile messaging system for self-management of chemotherapy symptoms in patients with advanced cancer (Jaenicke et al., 2019).
- **Level III** – Veterans found messages helpful, felt more connected to their VA care teams, and most followed wellness tips (Saleem et al., 2020).
- **Level III** – Text message reminders and intensive education improves positive airway pressure compliance and cognition in veterans with traumatic brain injury and obstructive sleep apnea: Annie pilot study (Kataria et al., 2018).



DoD Apps

VA health care staff may also consider using mobile mental health apps developed by DoD, as they are also informed by evidence and have rigorous privacy policies. Empirical evidence supporting these apps varies.

Evidence base to support T2 Mood Tracker:

- **Level I** – There is a vast amount of literature supporting mood tracking to support PTSD symptoms (Fernandez & Short, 2014); chronic health conditions (Vance, 2014); bipolar symptoms (Andersen & Babic, 2014); and mood symptoms (Bush et al., 2014).
- **Level VI** – One case study of T2 Mood Tracker conducted with eight Service members showed that the app was useful, beneficial, and easy to use (Bush et al., 2014).

Evidence base to support Virtual Hope Box:

- **Level I** – Based on the physical hope box or crisis kit that can provide patients with reminders of coping skills and reasons for living (Berk et al., 2004), Virtual Hope Box has demonstrated utility in identifying and managing suicidal thoughts and related behaviors and emotion regulation (Brenner et al., 2009; Wenzel et al., 2009).
- **Level II** – One RCT comparing Virtual Hope Box with enhanced treatment as usual (ETAU) showed modest improvements in both conditions in coping, suicidal ideation, and perceived stress. Virtual Hope Box improved coping significantly at three and 12 weeks, compared with ETAU, and the app appears to work as intended to help cope with stress (Bush et al., 2017).
- **Level III** – One published pilot study using the app as an accessory to therapy showed favorable results as a proof of concept in a clinical sample of Veterans (Bush et al., 2015).

Evidence base to support Positive Activity Jackpot:

- **Level I** – This app is based on Lewinsohn’s 1974 reinforcement theory of depression that posits that the quantity and quality of an individual’s reinforcement-related interactions are linked to feelings of depression and that treatment increases pleasant events (Lewinsohn et al., 1980) and thoughts to help regulate emotions (Linehan, 1993).
- **Level VII** – No additional research has been conducted to evaluate the Positive Activity Jackpot to traditional scheduling of pleasant events as a part of behavioral activation. Using an established hierarchical system for the evaluation of research, VA health care staff can determine the level of evidence and make informed recommendations to Veterans.

Appendix D. Clinician's Guide: VA Virtual Care Tools

The Clinician's Guide: VA Virtual Care Tools handout provides VA health care staff with a way to determine which virtual care tools to use for the Veterans they treat based on symptoms, platform, and functionality. The guide was developed as a cross organizational product in collaboration with the VA telehealth, My HealthVet, and VA communications, mobile, and web teams.

Access online at connectedcare.va.gov/outreach-toolkit or via the direct link at: connectedcare.va.gov/sites/default/files/2025-06/HOP-205%20VA%20Virtual%20Tools%20Guide%20for%20Clinicians%20%28md%291.31%20508c%20.pdf

Video demonstrating how to use the Clinicians Guide: VA Virtual Care Tools and the Prescription for VA Virtual Care Tools: youtube.com/watch?v=ZWohwRMQ_II

Printing instructions:

- Go to link above and download document.
- Print on 8.5" x 11" paper (standard weight).
- Color ink preferred but not required.
- Print on both sides. Flip on short edge.

Clinician's Guide: VA Virtual Care Tools

Helping Clinicians Choose Virtual Tools for Veterans

Page 1 of 2

U.S. Department of Veterans Affairs
Veterans Health Administration
Digital Health Office | Office of Connected Care

	ACT Coach	AIMS for Anger Management	Beyond MST	Concession Coach	CBFT Coach	Couples Coach	COVID Coach	CPT Coach	Insomnia Coach	Live Whole Health	Mindfulness Coach	MOVE! Coach	Pain Coach	PE Coach 2	PTSD Coach	PTSD Family Coach	Safety Plan	STAIR Coach	Stay Quit Coach	WellWithin Coach	VetChange	Veterans Wellness Path	
Alcohol, drug, and tobacco use																							
Anger and irritability																							
Anxiety, stress, and PTSD																							
Cancer and oncology																							
Cholesterol (dyslipidemia)																							
Depression and mood																							
Diabetes and kidney health																							
Disaster and exposure																							
Heart health																							
Hypertension (high blood pressure)																							
Lung health																							
Mindfulness and resilience																							
Nutrition and exercise																							
Relationships and family																							
Sleep and insomnia																							
Pain and headaches																							

Connect today! For more information about these apps, visit mobile.va.gov/appstore.

Need help accessing these virtual health tools or setting them up? Call:
 Health Resource Center Help Desk: 800-400-1238 | Monday to Friday: 8 a.m. – 8 p.m. ET.
 Office of Connected Care Help Desk: 866-651-3180 | 24/7

Requires Login
 Veterans: Login.gov or ID.me. To learn more go to: <https://mobile.va.gov/login-information>
 VA staff: PIV, PIV exemption, or VistA login credentials

Updated: April 2025
 Note that products and graphics referenced in this document may change over time as technology and app capabilities advance.

Appendix E. Prescription for VA Virtual Care Tools

The Prescription for VA Virtual Care Tools, or Prescription Pad, handout supports VA health care staff members when communicating with the Veteran about the app they have decided to use in treatment.

Access online at connectedcare.va.gov/outreach-toolkit or via the direct link at: connectedcare.va.gov/sites/default/files/2025-05/HOP-187%20VA%20Virtual%20Health%20ToolkitPrescriptionPad%208.5x11%20%28fm%291.26_508.pdf

Video demonstrating how to use the Clinicians Guide: VA Virtual Care Tools and the Prescription for VA Virtual Care Tools: youtube.com/watch?v=ZWohwRMQ_II

Create a custom prescription pad at: mobile.va.gov/my-app-list

Printing instructions:

- Go to link above and download document.
- Print on 8.5" x 11" paper (standard weight).
- Color ink preferred but not required.
- Print on both sides. Flip on short edge.

Clinician's Guide: VA Virtual Care Tools

Helping Clinicians Choose Virtual Tools for Veterans

Page 2 of 2

U.S. Department of Veterans Affairs
Veterans Health Administration
Digital Health Office | Office of Connected Care

● iOS ▲ Android

■ Web □ Options

○ Requires login

Amnie

Ask A Pharmacist

Behavioral Health Lab

CHAMPVA Pay

eScreening (at limited sites)

Image Viewing Solution

MHA for Veterans

My VA Images

Share My Health Data (SMHD)

VA Health Chat

VA Health and Benefits

VA Video Connect

Virtual Care Manager

Where to access virtual tools and training materials	Mobile.va.gov	Mobile.va.gov	https://www.mhcc.va.gov/vsna/bh/bhl_home.asp	Mobile.va.gov, Google Play store	Facility HSTA and VHA sites (sharepoint.com)	Mobile.va.gov	Mobile.va.gov	myhealth.va.gov	Mobile.va.gov	Mobile.va.gov, Apple app store, Google Play store	Mobile.va.gov, Apple app store, Google Play store	Mobile.va.gov, Apple app store, Google Play store	Mobile.va.gov, Apple app store, Google Play store	Mobile.va.gov	
Patient															
Receive automated health texts															
Refill prescriptions															
Schedule appointments															
Send images															
Send secure messages															
Sync Bluetooth devices															
Take health assessments															
Track patient-generated health data (PGHD)															
View or download VA health records															
Provide health education															
Both															
Look up CHAMPVA medical codes															
Anywhere to anywhere virtual visits (live video telehealth)															
VA Healthcare Staff															
Assign automated health texts															
Schedule appointments															
Provide case management/remote care															
View images sent by patient															
View patient-generated health data (PGHD)															

Need help accessing these virtual health tools or setting them up? Call:
 Health Resource Center Help Desk: **800-400-1238** | Monday to Friday: 8 a.m. – 8 p.m. ET.
 Office of Connected Care Help Desk: **866-651-3180** | 24/7

Updated: April 2025

Note that products and graphics referenced in this document may change over time as technology and app capabilities advance.

VA Mobile Health Practice Guide | 2ND EDITION

93

Appendix F. Mobile Health Security and Privacy Handout for Veterans and VA Health Care Staff

The handout below provides Veterans and VA health care staff with information on the protection of mobile health data. This handout can be used as a resource to frame discussions VA health care staff may have with Veterans interested in mobile health security.



Mobile Devices: Tips to Protect and Secure Health Information

Advancing America's Health Care
HealthIT.gov

-  **Use a password or other user authentication.**
-  **Install and enable encryption.**
-  **Install and activate wiping and/or remote disabling.**
-  **Disable and do not install file-sharing applications.**
-  **Install and enable a firewall.**
-  **Install and enable security software.**
-  **Keep security software up to date.**
-  **Research mobile applications (apps) before downloading.**
-  **Maintain physical control of your mobile device.**
-  **Use adequate security to send or receive health information over public Wi-Fi networks.**
-  **Delete all stored health information before discarding or reusing the mobile device.**



Appendix G. Top 20 FAQ

1. **Q:** How much do VA and DoD apps cost?

A: They are free.

2. **Q:** How do we get the apps?

A: Information on all the apps can be accessed on the VA App Store at mobile.va.gov/appstore. Some apps are mobile apps that users can download onto a smartphone or tablet, and others are web apps that users can access directly through a web browser. Most mobile apps are available for both iOS and Android devices, but some apps are only available on either iOS or Android. Web apps can be accessed through a web browser and require the user to sign in. VA and DoD mobile apps can be downloaded from app marketplaces — Apple’s App Store for iOS devices and Google Play for Android devices.

To download an iOS app:

- Using an Apple device (e.g., iPhone, iPad), select the App Store icon to search for the app.
- Once you find the app, select Get, and then follow the installation instructions.
- Once the app is installed, select the app icon and follow the on-screen instructions.
- Read and accept the end-user license agreement.
- You are ready to use the app.

To download an Android app:

- Using an Android device, open Google Play.
- Search for the name of the app.
- Select the desired app, then select Install.
- Once the app is installed, open the app and follow the on-screen instructions.
- Read and accept the end-user license agreement.
- You are ready to use the app.

Further information and a guide for downloading apps is available at: ptsd.va.gov/professional/tech-care/docs/HowtoDownloadApps508.pdf

3. **Q:** Who can see the data in the apps?

A: All of VA's apps keep data securely protected, enabling you to use the apps to improve health and wellness without privacy concerns. Although all VA apps keep personal information secure, some apps do so in different ways than others. Where the data is stored and who can see it is different based on whether a VA app is a connected or self-contained app.

Connected apps are apps that connect to the VA network, so additional data security is required to make sure protection meets strict federal standards. These apps require secured user authentication and enable Veterans to share information with their VA care teams. Data from connected apps can be seen by VA health care staff. Self-contained apps are apps that do not require any sign-in process and do not connect to the VA network. Examples of self-contained apps include PTSD Coach and Mindfulness Coach.


The following video covers how to demonstrate an app and respond to Veterans' security and privacy questions: bcove.video/2TjsxB9

4. **Q:** How do you know which apps are connected and which are self-contained?

A: Connected apps have a lock on the lower right-hand corner of their app icon.

5. **Q:** Why are VA mobile apps not available on BlackBerry or Windows phones?

A: Most people have devices that support either the iOS or Android operating systems. There is simply not enough of a market to justify the cost of developing apps for the less common platforms.



6. **Q:** What are the benefits of using VA apps in health care?

A: Some of the benefits include:

- 24/7 access to health assessments and educational content.
- Confidentiality when security settings are in place.
- Ability to download apps privately, offsetting the stigma of in-person care.
- Integration of the Veteran into real-time symptom monitoring and management.
- Remote monitoring and reporting to inform various medical and behavioral metrics.
- Digital information that can be tracked across multidisciplinary teams.
- Wearable sensors that enable tracking and recording of physiological coordinates.
- Education and assessment features that support preventive health care.
- Tracking that facilitates the review of clinical trends and chronic disease management.
- Mitigation of barriers to care (e.g., appointment scheduling, time off work).
- Accurate, analyzable data that can be uploaded to an Electronic Health Record.
- Data that enables systematic assessment of treatments and outcomes.

7. **Q:** Is there evidence to support that using apps improves patient outcomes?

A: All apps developed by VA and DoD are built on evidence-based foundations such as cognitive behavioral therapy and prolonged exposure therapy. In addition, several apps have had additional research comparing the use of the app in treatment with traditional delivery of treatment. At this time, published randomized control trials with PTSD Coach and Virtual Hope Box have been completed. See Kuhn et al. (2017) for the PTSD Coach study and Bush et al. (2017) for the Virtual Hope Box study.



8. **Q:** How many people have used these apps?

A: VA Self-Contained Apps (total downloads = over 5 million as of May 2025)

- ACT Coach (Android, iOS) - over 200,000 downloads
- AIMS for Anger Management (Android, iOS) - over 200,000 downloads
- Beyond MST (Android, iOS) - over 50,000 downloads
- CBT-i Coach (Android, iOS) - over 1 million downloads
- Concussion Coach (Android, iOS) - over 200,000 downloads
- Couples Coach (Android, iOS) – over 50,000 downloads
- COVID Coach (Android, iOS) - over 200,000 downloads
- CPT Coach (Android, iOS) – over 200,000 downloads
- Insomnia Coach (Android, iOS) - over 200,000 downloads
- Mindfulness Coach (Android, iOS) - over 1 million downloads
- Pain Coach (Android, iOS) - over 50,000 downloads
- PE Coach (Android, iOS) - over 200,000 downloads
- PFA Mobile (Android, iOS) – over 100,000 downloads
- PTSD Coach (Android, iOS) - over 1 million downloads
- PTSD Family Coach (Android, iOS) - over 200,000 downloads
- Safety Plan (Android, iOS) - over 200,000 downloads
- STAIR Coach (Android, iOS) - over 50,000 downloads
- Stay Quit Coach (Android, iOS) - over 200,000 downloads
- VetChange (Android, iOS) - over 200,000 downloads
- Veteran Wellness Path (Android, iOS) – over 1,000 downloads
- **WellWithin Coach (Android, iOS) – over 3,000 downloads**

VA Connected Apps (approximate as of June 2025)

- Annie for Clinicians (web) – over 20,000 users
- Annie for Veterans (web) - over 200,000 users
- MHA for Veterans (web) - over 20,000 users
- My HealthVet (web) – over 5 million users
- My VA Images (web) – about 10,000 users

- Share My Health Data (Android, iOS, web) – over 35,000 users
- Staff Image Capture (iOS) – about 2,000 users
- VA Health Chat (Android, iOS, web) – over 100,000 users
- VA: Health & Benefits (Android, iOS) - over 3 million downloads
- VA Video Connect (Android, iOS, web) - over 9 million visits
- Virtual Care Manager (web) – over 200,000 users

9. **Q:** Are these apps secure?

A: For the VA and DoD apps that are available on Apple’s App Store and Google Play, data on the app is encrypted so that nobody but the user, or someone who has access to their device, can view what is in the app.

Apps that connect to VA’s Electronic Health Record (EHR) require secured user authentication and typically have a lock image on the lower right-hand corner of the app icon. These security controls help make sure protection meets strict federal standards of security and privacy.

Apps allowing access to a Veteran’s EHR require VA authentication. Connected apps require Veterans to sign in using approved VA credentials (i.e., Login.gov or ID.me).

The connected apps for VA care teams are available only through VA’s secure network. These apps require authentication to sign in via personal identity verification (PIV), PIV exemption, or VistA sign-in credentials. VA health care staff members can learn how to link their PIV at mobile.va.gov/sites/default/files/piv-linkage-process.pdf.

All VA connected apps are web apps, meaning they are accessed via a website and are not downloaded from Apple’s App Store or Google Play. All of these apps can be accessed via mobile.va.gov/appstore.

10. **Q:** Can anyone else see the personal data I save on a VA or DoD app that I downloaded in Apple’s App Store or Google Play?

A: Neither VA nor DoD staff can see any of the information that users include in VA self-contained apps (those that do not require sign-in authentication). For VA connected apps (those that require user sign in and connect to VA’s network), the VA care team may be able to view the data you include in these apps.



11. **Q:** What do we do if we find a bug or technical issue in an app?

A: There are several ways to send feedback or report issues:

- In app stores: For apps that are downloaded from Apple's App Store or Google Play, users can provide feedback through the app stores. Users can also provide feedback for any VA app through the VA App Store at mobile.va.gov/appstore.
- Within the app: Users can access the app menu to send feedback or report an issue.
- Phone: VA care teams or Veterans needing assistance can call the Office of Connected Care Help Desk at 866-651-3180, 24 hours a day, seven days a week.
- Email: VA care teams or Veterans who need help with VA self-contained apps (e.g., PTSD Coach, COVID Coach, Mindfulness Coach) can email MobileMentalHealth@va.gov.

12. **Q:** Why were these apps built?

A: To increase access to health care and to help Service members and Veterans overcome stigma and barriers to asking for help. Although apps can supplement treatment and reinforce the benefit of face-to-face care, they are not a substitute for therapy.

13. **Q:** Who develops these apps?

A: Although the stand-alone apps created by the VA and DoD are developed primarily for Service members, Veterans, and their families, anyone with a smartphone or tablet can access the information and tools available in the apps at no cost. For VA connected apps, they are only available to Veterans and VA health care staff with proper authentication credentials needed to log in to the apps.

14. **Q:** Can you recommend apps that are not built by VA or DoD?

A: Although Veterans can use any app they choose, and most of the guidelines included here apply to some extent to all apps, VA and DoD do not recommend any specific commercial products or devices because of the organizations' regulations. If you select a commercial app, VA and DoD recommend that you verify that it is made by a trusted source. Also, understand which permissions the app requires before downloading.





15. **Q:** Are there companion websites available for these apps?

A: Available online programs, some of which are online versions of the mobile apps, can be found here: www.ptsd.va.gov/appvid/courses.asp

16. **Q:** What security and privacy policies were followed to build these apps?

A: Applicable policies and guidelines include:

- Privacy Act of 1974
- Health Insurance Portability and Accountability Act of 1996 (HIPAA)
- HIPAA Security Rule (2003)
- Health Information Technology for Economic and Clinical Health (HITECH) Act of 2009
- Child Online Privacy Protection Act of 1998 (COPPA)

Federal organizations that provide oversight to security and privacy for mobile health tools include:

- U.S. Department of Health and Human Services
- Health IT Standards Committee
- Health IT Privacy Committee
- Defense Health Agency Privacy and Civil Liberties Office
- Office of the National Coordinator for Health Information Technology

17. **Q:** Are the apps available in languages other than English?

A: Most VA and DoD apps are available only in English. PTSD Coach and COVID Coach are available in English and Spanish. The language can be changed within the app. From the home screen, select the lateral menu (three horizontal bars in the top-left corner). Then, select “Personalize” then “Language” to see the options. PTSD Coach has also been versioned for use in a number of other countries, often in other languages (e.g., French, German). For more information, email MobileMentalHealth@va.gov.

18. **Q:** Can apps be used with telehealth?

A: Absolutely! Health technologies can be used in many different combinations. The goal is to meet the Veteran's needs and deliver the highest quality of care possible. It is recommended that VA health care staff become familiar with all VA's available health technologies, so they may offer the technologies that best support the delivery of care.

19. **Q:** What is the number one VA health technology that VA health care staff should recommend to Veterans?

A: Although there are many options, and what is "best" will change based on Veteran needs, access to key functionality for patients to manage their healthcare is the top priority. So, patient health portals, including My HealtheVet and My VA Health on VA.gov, and the mobile app VA: Health & Benefits, are the baseline health technology that all Veterans should have access to.

20. **Q:** How do I export data in a VA self-contained mobile app?

A: For VA self-contained mobile apps there are several ways to export the data depending on the app. Below is a link to a guide that provides guidance for how to export data, what data is available to export, and tips for exporting data for many of VA's most popular apps (AIMS for Anger Management, Beyond MST, CBT-i Coach, Couples Coach, COVID Coach, CPT Coach, Insomnia Coach, Mindfulness Coach, PE Coach, PTSD Coach, PTSD Family Coach, Safety Plan, STAIR Coach, VetChange). Guide: How to Export Your Data from VA Mobile Mental Health Apps: [ptsd.va.gov/professional/tech-care/docs/HowtoExportAppData508.pdf](https://www.ptsd.va.gov/professional/tech-care/docs/HowtoExportAppData508.pdf)





Appendix H. Script for Assessing Veteran Readiness To Use VA Apps

This section provides a hypothetical walk-through of an interaction between a VA health care staff member and Veteran who is seeking VA health care. The provider introduces the PTSD Coach app to be used in conjunction with the Veteran's care.

In the example below, Mr. Jackson has been experiencing a variety of symptoms, including weight loss, difficulty sleeping, and chronic tension. At his VA primary care clinic, the provider conducting the evaluation suspects that Mr. Jackson's complaints are the manifestation of a behavioral health condition — possibly depression or, given his combat experience, posttraumatic stress disorder (PTSD).

The primary care provider recommends a referral to a psychologist. Mr. Jackson is reluctant at first, voicing his concern, but finally agrees to see the specialist. During the face-to-face intake, the specialist Dr. Martin determines that Mr. Jackson is presenting with PTSD. She also recognizes that Mr. Jackson is hesitant about engaging further in psychological treatment.

Dr. Martin: Do you own a smartphone?

Mr. Jackson: Yes, ma'am. I have an iPhone.

Dr. Martin: Do you have any apps to track health issues?

Mr. Jackson: Yes, I have been tracking my steps and heart rate through this app. I wear this device around my wrist that tracks it for me.

Dr. Martin: How has that been working for you?

Mr. Jackson: It has been really helpful in reminding me to get my steps in each day. I've already started losing weight too.

Dr. Martin: That is wonderful. VA has developed many health technologies to support care, including apps. Let's look at this Clinician's Guide for VA virtual care tools (see Appendix D) to see what's available.

Mr. Jackson: I didn't realize that VA had created so many apps! Are they free?

Dr. Martin: Yes, they are all free. Let's look at what is available to support learning and coping with symptoms of PTSD. There are several options available: PTSD Coach and PE Coach, which supports prolonged exposure therapy. Since you currently aren't in prolonged exposure therapy, PE Coach isn't a good fit. PTSD Family Coach is for your family members and loved ones to learn about how to support you, so it is one that you can share with them. For you, the best choice would be PTSD Coach. You have an iPhone, and this app is available for download through Apple's App Store. Do you know how to download an app?

Mr. Jackson: Yes, I do. Should I download it now?

Dr. Martin: Sure! Let me know if you need any help.

Mr. Jackson: OK. It's downloaded.

Dr. Martin: That's good. Now let's walk through the app, and I'll show you the sections we'll be working on together. I'll write the sections that I want you to focus on in this Prescription Pad for VA virtual care tools (see Appendix E), which you can take to remind you once you get home.

Appendix I. How To Sign in to VA Connected Apps

How Veterans Can Sign In to VA Connected Apps

Many VA apps access the VA Electronic Health Record (EHR). Therefore, for your security, they require you to use secure credentials to log in. At this time, you can sign in to VA.gov and other VA Connected mobile and web apps with either of these 2 options:

- **Login.gov** account
- **ID.me** account

If a Veterans does not have a Login.gov or ID.me account, they can create one. To learn more: [va.gov/resources/signing-in-to-vagov/](https://www.va.gov/resources/signing-in-to-vagov/)

How VA Health Care Staff Can Sign In to VA Connected Apps

VA health care staff can sign in to VA connected apps using their PIV, PIV exemption, or VistA credentials. VA health care staff members can learn how to link their PIV at mobile.va.gov/sites/default/files/piv-linkage-process.pdf.

Note that you may begin hearing about PIV-D, which will replace PIV exemption. Once that is in place, you will no longer need PIV exemption. Watch the two-minute tutorial on how to set up PIV-D at [youtube.com/watch?v=DyA5YUBCCUQ&feature=youtu.be](https://www.youtube.com/watch?v=DyA5YUBCCUQ&feature=youtu.be).

All of the VA connected apps are web apps, meaning they are accessed via a website and are not downloaded from Apple's App Store or Google Play. All of these can be accessed at mobile.va.gov/appstore.



Appendix J. Activity Sheets

Activity Sheet 1: Evaluating the Evidence Base of Mobile Health Apps in Clinical Care

Instructions: Consider the following questions when evaluating the use of apps for Veterans.

1. Evaluate the evidence base for the Virtual Hope Box app.



	Yes	No	Level
a. Is there an evidence base supporting the app's content as part of cognitive behavioral therapy (e.g., traditional hope box, pleasant event scheduling, coping cards, breathing techniques such as diaphragmatic breathing and progressive muscle relaxation)?			
b. If so, what is the level of the evidence base? (Use the chart.)			
c. Is there an evidence base comparing the use of Virtual Hope Box in clinical care to the use of the traditional techniques on which this app is based?			
d. If so, what is the level of the evidence base? (Use the chart.)			

2. Evaluate the evidence base for the PTSD Coach app.



	Yes	No	Level
a. Is there an evidence base supporting the content of the app (e.g., PTSD Checklist, psychoeducation on PTSD, cognitive behavioral techniques such as pleasant event scheduling, grounding, positive imagery, progressive muscle relaxation)?			
b. If so, what is the level of the evidence base? (Use the chart.)			
c. Is there an evidence base comparing the use of PTSD Coach in clinical care to the use of the traditional techniques on which this app is based?			
d. If so, what is the level of the evidence base? (Use the chart.)			

LEVEL OF EVIDENCE BASE

- Level I:** Systematic Review, Meta-Analysis, Evidence-Based Guideline
- Level II:** Randomized Control Trial (RCT)
- Level III:** Controlled Trial Without Randomization (Quasi-experimental Study)
- Level IV:** Nonexperimental Study, Case Control, Cohort or Correlational
- Level V:** Systematic Review of Descriptive and Qualitative Studies
- Level VI:** Descriptive and Qualitative Study
- Level VII:** Opinion of Authorities, Expert Committee Report



Activity Sheet 2: Introducing a Mobile Health App in Clinical Care

Instructions: *Create an outline of how you could introduce an app into the care plan of one of the Veterans you serve.*

1. How could you introduce a health app into an appointment with a Veteran?

2. What sections of the app could you show the Veteran, and how could you explain why using the app would benefit them?

3. What questions might the Veteran have regarding the use of the app in clinical care?

Activity Sheet 3: Integrating Mobile Health Apps Into Clinic Workflow

Instructions: To understand how the use of apps might affect your clinic's workflow, create a diagram showing the current workflow and how you might offer apps to Veterans.

1. Think about the following elements that make up your clinic workflow. Identify all the steps and the staff involved in each step.

	Steps	Staff
a. Length of time for clinic workflow by Veteran		
b. Identification of symptoms		
c. Key staff and steps		
d. Clinic process steps		
e. Staff handoff		

2. Using the previous elements, draw or write out My Clinic Workflow.

	My Clinic Workflow
a. Length of time for clinic workflow by Veteran	
b. Identification of symptoms	
c. Key staff and steps	
d. Clinic process steps	
e. Staff handoff	

3. Using the diagram/list you created, add:

	Steps	Staff
<p>a. Who would prescribe the Veteran the app or website.</p>		
<p>b. Where during the clinical visit the app or website would be prescribed and about how long it would take.</p>		
<p>c. Who would show the Veteran the app and help them set it up.</p>		



Activity Sheet 4: Prescribing a Mobile Health App in Clinical Care

Instructions: Choose a colleague and role-play prescribing an app to a Veteran.

1. Identify one person as the provider and one as a Veteran. Have the Veteran choose from one of the case examples below, and then briefly describe their issue to the provider.
2. Have the provider use the Clinician's Guide: VA Virtual Care Tools handout (Appendix D) and the Prescription for VA Virtual Care Tools handout (Appendix E) to identify at least one app that may be useful to the Veteran.
3. Have the provider complete a prescription and hand it to the Veteran, explaining which app(s) they are prescribing, which app features the Veteran should use and how often, and when they will follow up with the Veteran.
4. Follow-up question: Suppose the Veteran only had a flip phone and no access to a computer. How would that change your possible responses?



Activity Sheet 4 (CONT.)

Case Example 1

A 57-year-old woman with a history of Type 2 diabetes, insomnia, and PTSD.

- Is insulin dependent and takes diphenhydramine at night for sleep.
- Is not yet ready to start treatment for PTSD, but she is interested in learning more.
- Has received a referral to begin cognitive behavioral therapy for insomnia.
- Has a loving family, but they do not understand how to best support her through PTSD treatment.
- Has an Android smartphone and access to the internet at home.

Case Example 2

A 35-year-old man presents with a history of alcohol dependence, chronic pain, and depression.

- Is interested in cutting down on drinking due to his spouse expressing concerns but does not feel ready to quit.
- Feels anger and sadness regarding his deteriorating relationship with his spouse.
- Avoids others and instead stays home in bed.
- Denies current thoughts of suicide or hurting others.
- Has a VA-issued iPad, which provides access to the internet. He does not know whether he has a My HealtheVet Premium account.

Case Example 3

A 63-year-old man presents with obesity (body mass index = 40) and high blood pressure and is interested in losing weight and tracking his blood pressure.

- Takes medication to lower blood pressure.
- Interested in the MOVE! Program to lose weight.
- Has an iPhone and access to the internet at home. Has a My HealtheVet Premium account and knows his password.



Activity Sheet 4 (CONT.)

Possible Responses for Case Examples 1–3

Case Example 1

CBT-i Coach, PTSD Coach, PTSD Family Coach for family members, Annie protocol for diabetes or medication adherence, My Health*e*Vet, VA Video Connect, VA Health Chat

Case Example 2

VetChange, Pain Coach, STAIR Coach, My Health*e*Vet, VA Video Connect, VA Health Chat

Case Example 3

MOVE! Coach, Annie protocol for weight management, Annie protocol for hypertension, TeleMove! Program, My Health*e*Vet, VA Video Connect, VA Health Chat



Activity Sheet 5: Practicing Integrating Mobile Health Apps in Clinical Care

Instructions: *Design a process of how you would use mobile health apps with Veterans.*

1. Choose one of the VA or DoD apps that you have never used before. Download it and become familiar with it. What app did you choose and why?

2. How might you use this app with one of the Veterans you serve?

3. How will you introduce and prescribe the app to the Veteran?



Activity Sheet 6: Ethical Dilemmas With Mobile Health Apps in Clinical Care

Instructions: *Brainstorm ethical situations that you could see arising when using apps in practice.*

1. Define the situation.

2. What standards are in question, and how do they inform the situation?

3. What are some steps you could take to resolve the dilemma?

4. What are the possible outcomes or consequences?

Activity Sheet 8: Increasing Your Technological Cultural Competence

Instructions: Identify your biases regarding the use of health technology and your level of ethnocentricity versus ethnocentricity.

- List any biases you may have about who is likely to use health technology or be more willing to adopt it.

Bias	How could these biases harm the Veteran-provider relationship?

- Put an "X" next to where you are on the following scale:

Ethnocentricity – Seeing the world through the lens of your culture	
<p>Denial of Difference</p> <p><i>Only my view exists.</i></p> <p>I don't use smartphones, so I know none of my patients do either.</p>	X
<p>Defense Against Difference</p> <p><i>We are different, but I'm better.</i></p> <p>My patients may use smartphones, but I'm better because I don't. "Young kids and their stupid smartphones!"</p>	X
<p>Minimization of Difference</p> <p><i>We might be different, but it's no big deal.</i></p> <p>I don't use smartphones and my patients do, but it doesn't affect how I deliver care.</p>	X
Ethnorelativity – Recognizing multiple ways of viewing the world	
<p>Acceptance of Difference</p> <p><i>We're different, and I'm OK with that.</i></p> <p>I don't use smartphones, but my patients do and I'm OK with that.</p>	X
<p>Adaptation to Difference</p> <p><i>We're different, but I work to think and act in a way that is understanding and respectful of those differences.</i></p> <p>I'm not familiar with smartphones, and my patients are. But I'm working to learn how to safely and ethically integrate them into care and to understand the benefits to me and my patients.</p>	X
<p>Integration of Difference</p> <p><i>I respect and value our cultural differences and can operate in both cultures.</i></p> <p>Although I didn't grow up in a digital age, I understand how to use smartphone technology, how to choose and prescribe apps to support evidence-based treatment, and how to communicate security and privacy issues to Veterans.</p>	X

Activity Sheet 8 (CONT.)

3. In the scale below, put an "X" next to the section that best describes your technological cultural competence:

<p>From Denial to Defense</p> <p><i>Subject acquires an awareness of difference between cultures.</i></p> <p>I'm starting to realize that although I don't use smartphones, almost everyone else does.</p>	X
<p>From Defense to Minimization</p> <p><i>Negative judgments are depolarized, and the person is introduced to similarities between cultures.</i></p> <p>Although those young kids are using smartphones, I remember how excited I was when new technologies came out when I was their age.</p>	X
<p>From Minimization to Acceptance</p> <p><i>Subject grasps the importance of intercultural difference.</i></p> <p>Smartphones are here to stay and people seem to like them, so I guess I'll be open to it.</p>	X
<p>From Acceptance to Adaptation</p> <p><i>Exploration and research into the other culture begins.</i></p> <p>Apps can provide benefits to me and my patient in clinical care. Maybe I should learn how to safely and ethically integrate them into evidence-based practices.</p>	X
<p>From Adaptation to Integration</p> <p><i>Subject develops empathy for the other culture.</i></p> <p>I didn't grow up in the digital age, but I can understand the benefits of smartphone technologies, as well as the challenges they may create for both digital natives and immigrants.</p>	X

4. What are your next steps in improving your technological cultural competence?

5. Now think of a Veteran you want to use technology with. What stage of technological cultural competence are they at, and how similar (or different) is that from you? How might this affect your delivery of care?



VIII.

Contributor List

VIII. Contributor List

Christina M. Armstrong, Ph.D.
**Connected Health Strategies Office of
Connected Care**

U.S. Department of Veterans Affairs
Washington DC 20420

Colleen Becket-Davenport, PsyD
**Communication and Training Lead,
Implementation Facilitator,**
Tech into Care National Center for PTSD, VA Palo Alto
Health Care System, Palo Alto, CA

Jeane O. Bosch, PhD, MPH
Evaluation Lead, Implementation Facilitator,
Tech into Care, National Center for PTSD, VA Palo Alto
Health Care System, Palo Alto, CA

Lesli Culver, LCSW
Connected Health Strategies Office of Connected
Care U.S. Department of Veterans Affairs

Cortney Frosch, RN
**Contract support for Connected Health
Strategies,**
Office of Connected Care U.S. Department of Veterans
Affairs Washington DC 20420

Pearl McGee-Vincent, Psy.D.
**National Manager for Digital Mental Health
Office of Mental Health & Suicide Prevention**

U.S. Department of Veterans Affairs
Washington DC 20420

Jason Owen, Ph.D., MPH
Mobile Apps Team Lead,
Dissemination and Training Division National
Center for PTSD, VA Palo Alto Health Care System,
Palo Alto, CA

Kelly M. Ramsey
Mobile Apps Program Manager,
Dissemination and Training Division National
Center for PTSD, VA Palo Alto Health Care System,
Palo Alto, CA

Kim Zipper, RN
**Contract support for Connected Health
Strategies,**
Office of Connected Care U.S. Department of Veterans
Affairs Washington DC 20420



VA



U.S. Department of Veterans Affairs

Veterans Health Administration
Office of Connected Care

Office of Connected Care

VA Central Office

U.S. Department of Veterans Affairs

www.connectedcare.va.gov



National Center for PTSD

U.S. Department of Veterans Affairs

www.ptsd.va.gov